

India Security Press,
(A UNIT OF SECURITY PRINTING & MINTING CORPORATION OF INDIA
LTD.)WHOLLY OWNED BY GOVERNMENT OF INDIA
Nashik Road-422101 (Maharashtra)
(ISO-9001:2008 & 14001:2004 Certified Company)
Miniratna Category-I, CPSE

Tel.No:+91-253-2-402200;Fax No:+91-253-2462718,2466389 e-mail: purchase.isp@spmcil.com Web:http://ispnasik.spmcil.com

CIN: U22213DL2006G0I144763 GSTIN: 27AAJCS6111J2Z7

| PR Number | PR Date    | Indenter | Department |
|-----------|------------|----------|------------|
| 11010805  | 30.06.2023 | MNT-CIV  | MNT-CIV    |

Not Transferable

### Security Classification: Non-Security

TENDER DOCUMENT FOR: Sealing roof AC sheets joints, cracks etc. waterproofing treatment to M.S. roof gutters of roof gutters of different sections and replacement of broken AC sheets & mangalore roof tiles in ISP factory.

Tender Number: 6000018378/SY-13-30(11010805)/2023 dt 18.07.2023 This Tender Document Contains 42 Pages.

Details of Contact person in SPMCIL regarding this tender:

Name: Ashok Sharma

**Designation:** Jt. General Manager (Materials) **Address:** ISPN (India Security Press, Nashik) India



### Disclaimer

The information contained in this Bid Document or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of the Security Printing and Minting Corporation Limited (hereafter referred as the "Purchaser") or any of its employees or associated agencies, is provided to Bidder(s) on the terms and conditions set out in this Bid Document and such other terms and conditions subject to which such information is provided.

This Bid Document is not an agreement and is neither an offer nor invitation by the Purchaser to the prospective Bidder(s) or any other party hereunder. The purpose of this Bid Document is to provide the Bidder(s) with information to assist them in the formulation of their proposal submission This Bid document does not purport to contain all the information Bidder(s) may require. This Bid document may not be appropriate for all bidders, and it is not possible for the Purchaser to consider particular needs of each Bidder. Each Bidder should conduct its own investigation and analysis, and should check the accuracy, reliability, and completeness of the information in this document and obtain independent advice from appropriate sources.

Information provided in this Bid Document to the Bidder(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Purchaser, its employees and other associated agencies accept no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

This Bid document and ensuing bids; communications and Contracts would alone determine the legal and commercial relationship between the bidders/ contractors and the Purchaser. No other Government or Purchaser's document/ guidelines/Manuals including its Procurement Manual (which are for internal and official use of its officers), have any locus standii in such a relationship. These documents/guidelines/ Manuals therefore should not be cited or referred in any legal or dispute resolution or grievance redressal proceedings.

The Purchaser, its employees and other associated agencies make no representation or warranty and shall have no liability to any person, including any Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Bid Document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Bid Document and any assessment, assumption, statement or information contained therein or deemed to form part of this Bid Document or arising in any way for participation in this Bid Stage.

The Purchaser, its employees and other associated agencies also accept no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Bidder(s) upon the statements contained in this Bid Document.

The Purchaser may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this Bid Document.

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

The Bidder(s) shall bear all its costs associated with or relating to the preparation and submission of their Bids including but not limited to preparation, copying, postage, delivery fees, expenses associated with any submission of samples, demonstrations or presentations which may be required by the Purchaser or any other costs incurred in connection with or relating to their Bids. All such costs and expenses will remain with the Bidder(s) and the Purchaser shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Bidder(s) in preparation or submission of the Bid, regardless of the conduct or outcome of the Bidding Process.

This disclaimer forms an integral part of the Bid document and shall supplement but not supplant the provision of the Bid Document.

\*\*\*



# SECTION I: NOTICE INVITING TENDER (NIT) INDIA SECURITY PRESS

(A Unit of Security Printing and Minting Corporation of India Limited)

Wholly owned by Government of India

Nashik Road – 422 101 (Maharashtra) Tel No 00 91 253 2402200, Fax No 00 91 253 2462718

Website: www.spmcil.com, email: purchase.isp@spmcil.com

### Tender No.: 6000018378/SY-13-30(11010805)/2023 dt 18.07.2023

Sealed tenders are invited from eligible and qualified tenderers for supply of the following

GeM-Availability Report and Past Transaction Summary-GEM/GARPTS/17072023/XR10QUA8URLS

| Schedule  | Brief Description of   | Quantity ( | with   | Earnest Money  | Remarks   |  |  |
|---|--|------------|--|--|---|--|--|
| No.   | Goods/ services  | unit)      |  | (in Rs.)   |   |  |  |
| 1   | Sealing roof AC sheets joints, cracks etc. waterproofing treatment to M.S. roof gutters of roof gutters of different sections and replacement of broken AC sheets & mangalore roof tiles in ISP factory. | 1 A)       | U  | Rs. 1,33,580/- (Rupees One Lakh Thirty Three Thousand Five Hundred Eighty Only). | Delivery Schedule As per section VI: List of Requirement and detailed Technical Specification mentioned in Section VII. |  |  |
|   | nder (Two Bid/PQB/EOI/RC   | 1          | Two b  | id Tender (Single  | Stage) i.e. (Techno-  |  |  |
| Developme   |  |            |  | rcial + Price Bid)   | 92 85 56  |  |  |
| Indigenizat etc.)   | ion/ Disposal of Scrap/ Secur  | ity Item   | Nationa  | l Competitive Biddi  | ng (NCB)  |  |  |
| Security Cla  | assification   |            | 1114 111   |  |   |  |  |
|   | n whose favour all tender rela<br>struments (FD, DD, Banker's c<br>ade   |            | India Security Press, Nashik Road, Unit of SPMCIL                                  |  |   |  |  |
| All Financia  | l Instruments to be payable a  | t:         | Payable at Nashik  |  |   |  |  |
| Dates and p   | lace of issue of tender docum  | ents:      | From 18.07.2023 to 18.08.2023<br>during office hours<br>At ISP, Nashik             |  |   |  |  |
| Closing date  | e and time for receipt of tende  | ers        | 18.08.2  | 023 up to 1430 Hrs   |   |  |  |
| Place of rec  | eipt of tenders  |            | Green Gate, India Security Press, Nashik Road-422<br>101, Maharashtra, India       |  |   |  |  |
| Time and date of opening of tenders for Technical Bid.  Place, Time, and date of Opening of Price (Financial) bid would be intimated later on |  |            | Albu W   |  |   |  |  |
| Place of opening of tenders   |  |            | Purchase Section, India Security Press,<br>Nashik Road-422 101, Maharashtra, India |  |   |  |  |
|   | Nominated Person/ Designation to Receive Bulky<br>Tenders (Clause 21.1 of GIT)   |            |  | Manager (HR), India Security Press, Nashik Road: 422101, Maharashtra, India      |   |  |  |
| Officer to be   | e contacted for clarifications/  | help:      | Ashok Sharma, Jt. GM (Materials) India Security Press, Nashik Road                 |  |   |  |  |

<sup>2.</sup> Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.



- 3. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/revised).
- 4. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website mentioned above for further details.
- 5. Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document, the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).
- 6. Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are dropped on or before the closing date and time indicated in the Para 1 above in the tender box located at the address given below, failing which the tenders will be treated as late and rejected. Tenders may also be sent through post at the address as above. However, Purchaser will not be responsible for any postal lapses or delays in receipt of the documents. In case NIT/ SIT provide for uploading of bids to nominated eProcurement portal, bidders must upload their bids along with scanned copies as required enclosures (including proofs of cost of Tender Documents and EMD as applicable unless an online payment gateway is provided in the instruction) as per instructions given in this regard.

Original copies of such scanned uploaded required enclosures must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.

- 7. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.
- 8. The tender documents are not transferable.
- 9. The bidder, their affiliates, or subsidiaries including subcontractors or suppliers for any part of the contract should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).
- 10. EMD amount mentioned in Section VI List of Requirements shall be furnished in one of the following forms: a) Account Payee Demand Draft or b) Fixed Deposit Receipt or c) Banker's cheque or d) Bank Guarantee; in acceptable form, otherwise the tender will not be accepted in any case. The demand draft, fixed deposit receipt or banker's cheque shall be drawn on any scheduled commercial bank in India, in favour of Account and place of payment specified in the Para 1 above. In case of bank guarantee, the same is to be provided from/confirmed by any scheduled commercial bank in India as per the format specified under Section XIII in these documents.

11. Undersigned confirms that the required goods mentioned above are not available on GeM as per "GeM - Availability Report and Past Transaction Summary" (GeM - AR&PTS). This unique ID is mentioned in para 1 above.

(Ashok Sharma)

Jt. General Manager (Materials)

India Security Press, Nashik Road-422101

Phone No 0253 2402219

For and on behalf of Chief General Manager, India Security Press, Nashik Road

Page 4 of 42



# Section II: General Instructions to Tenderer (GIT)

### PART I & II: GENERAL INSTRUCTIONS Applicable to all Types of Tenders:

Please refer the link to <a href="https://spmcil.com/uploaddocument/GIT/new.pdf">https://spmcil.com/uploaddocument/GIT/new.pdf</a> for further details. GIT (Total pages: 61)

BIDDERS ARE REQUESTED TO DOWNLOAD 61 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT.



# SECTION III: SPECIAL INSTRUCTIONS TO TENDERERS (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

| Sl. | GIT               | Topic  | Modify/<br>Substitute/ | SIT Provision   |
|-----|-------------------|--|------------------------|---|
| No. | Clause<br>No.     |  | Supplement             |   |
| 1   | 3                 | Eligible Tenderers   |                        | As applicable   |
| 2   | 3.4               | Eligible Goods and Services (Origin of Goods)  |                        | As applicable   |
| 3   | 6.1               | The tender documents includes:   | Modify                 | SIT 1 (Mentioned below)                                       |
| 4   | 8                 | Prebid Conference  |                        | Not applicable  |
| 5   | 9                 | Time Limit for receiving request for clarification of Tender Documents   | Modify                 | SIT 2 (Mentioned below)                                       |
| 6   | 10.1              | The Technical bid to be submitted by<br>Tenderer shall contain the following<br>documents, duly filled in, as required |                        | As applicable   |
| 7   | 11.2              | Tender Currency  |                        | As applicable   |
| 8   | 12.1              | Tender Prices  |                        | As applicable   |
| 9   | 12.2, 33,<br>36.1 | Schedule wise evaluation   |                        | As applicable   |
| 10  | 12.6              | GST details  |                        | As applicable   |
| 11  | 16. a) to c)      | Documents Establishing Tenderer's<br>Eligibility and Qualifications  | Modify                 | As per Section IX:<br>Qualification / Eligibility<br>Criteria |
| 12  | 18.4, 18.5        | Earnest Money Deposit<br>(EMD)   | Modify                 | SIT 3 (Mentioned below)                                       |
| 13  | 19                | Tender Validity  | Modify                 | SIT 4 (Mentioned below)                                       |
| 14  | 20.4              | Number of Copies of Tenders to be submitted  | Modify                 | SIT 5 (Mentioned below)                                       |
| 15  | 20.8              | Two Bid System   |                        | As applicable   |
| 16  | 21                | Submission of Tender   | Modify                 | SIT 6 (Mentioned below)                                       |
| 17  | 24                | Opening of Tender & Evaluation<br>Process  | Modify                 | SIT 7 (Mentioned below)                                       |

# SIT 1:- The tender documents includes:- The tender documents includes:

- 1. Section I Notice Inviting Tender (NIT)
- 2. Section II General Instructions to Tenderers (GIT)
- 3. Section III Special Instructions to Tenderers (SIT)
- 4. Section IV -General Conditions of Contract (GCC)
- 5. Section V Special Conditions of Contract (SCC)
- 6. Section VI List of Requirements
- 7. Section VII Technical Specifications
- 8. Section VIII Quality Control Requirements
- 9. Section IX Qualification/ Eligibility Criteria



- 10. Section X Tender Form
- 11. Section XI Price Schedule
- 12. Section XII Vendor Details
- 13. Section XV Bank Guarantee Form for Performance Security
- 14. Section XVI Contract Form
- 15. Section XVII: Letter of Authority for attending a Bid Opening
- 16. Section XVIII: Proforma of Bills for Payments f
- 17. Section XIX: NEFT Mandate
- SIT 2: Time Limit for receiving request for clarification of Tender Documents:- A tenderer requiring any clarification or elucidation on any issue of the tender document may take up the same with ISP Nashik in writing or by fax/ e-mail/ post. ISP Nashik will respond in writing to such request provided the same is received by ISP Nashik not later than 21 days prior to the prescribed date of submission of tender.
- **SIT 3: Earnest Money Deposit (EMD):** Rs. 1,33,580/-(Rupees One Lakh Thirty Three Thousand Five Hundred Eighty Only). EMD must be submitted along with the tender in form of DD/ Bankers cheque/ FDR drawn from any Scheduled Commercial Bank in India only in favor of SPMCIL unit ISP payable at Nashik. The firm who are registered under Startups may be exempted from submitting the EMD on producing valid certificate. Otherwise, certificate will not be considered for exemption of EMD.

### SIT 4: Tender Validity:-

- (i) The tenders shall remain valid for acceptance for a period of 120 days after the date of tender opening prescribed in the tender document. Any tender valid for a shorter period shall be treated as unresponsive and rejected.
- (ii) In exceptional cases, the tenderers may be requested by ISP Nashik to extend the validity of their tender upto a specified period. Such request(s) and response thereto shall be conveyed by surface mail or by fax/ e-mail followed by surface mail. The tenderers who agree to extend the tender validity, are to extend the same without any change or modification of their original tender.
- (iii) In case the day upto which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for ISP Nashik, the tender validity should automatically be extended upto the next working day.
- (iv) Compliance with the Clauses of this Tender Document: Tenderer must comply with all the clauses of this Tender Document. In case there are any deviations, these should be listed in a chart form without any ambiguity along with justification.
- SIT 5: Number of Copies of Tenders to be Submitted: Tenderer shall submit their tender in "Original" only
- SIT 6: Submission of tender: <u>Techno Commercial Bid</u> and <u>the Price Bid</u> are to be submitted in Two Separate double sealed Envelopes on or before the due date of the submission of the tender as stated below otherwise tender/bid/quotation shall be liable for rejection.



### PART I: Techno-Commercial bid :- (First Envelope):

- (i) Earnest Money Deposit: Rs. 1,33,580/-(Rupees One Lakh Thirty Three Thousand Five Hundred Eighty Only)

  EMD must be submitted along with the tender in form of DD/ Bankers cheque/ FDR drawn from any Scheduled Commercial Bank in India only in favor of SPMCIL unit ISP payable at Nashik. The firm who are registered under Startups may be exempted from submitting the EMD on producing valid certificate. Otherwise, certificate will not be considered for exemption of EMD.
- (ii) Power of Attorney/ Authorization with the seal of company indicting that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract.
- (iii) The eligibility criteria for the tender are given in Section IX- Qualification/ Eligibility Criteria. The bidder has to submit all the desired documents and relevant documentary proof in support of relevant clauses mentioned in Section IX: Qualification/ Eligibility Criteria. The Qualifying Criteria should be submitted in original.
- (iv) The tenderer shall submit detailed techno-commercial offer as per Technical Specifications mentioned as per Section-VII and List of Requirement as per Section-VII of the tender document.
- (v) The tenderer has to submit sealed and signed tender document by authorized signatory of the tenderer as a token of acceptance of all section/ terms and conditions of this tender document (GIT, SIT, GCC & SCC, Quality Control Requirement, List of Requirement, Technical Specification, Tender form etc.)

Part-II: Price Bid (Second Envelope):

The tenderer shall quote their prices strictly as per the proforma given in Section-XI of the Tender document. No additional/ extra item with price shall be included other than that of Section XI.

### NOTE:-

- i. Each envelope containing bids shall be super scribed as, Techno-commercial Bid and Price Bid separately as the case may be for "Sealing roof AC sheets joints, cracks etc. waterproofing treatment to M.S. roof gutters of roof gutters of different sections and replacement of broken AC sheets & mangalore roof tiles in ISP factory.". The sealed envelopes shall be again put in another envelope and super scribed as tender for "Sealing roof AC sheets joints, cracks etc. waterproofing treatment to M.S. roof gutters of roof gutters of different sections and replacement of broken AC sheets & mangalore roof tiles in ISP factory."
- ii. If the tender is not submitted as per above format, offer/ bid/ tender will be liable for rejection.
- iii. Late Tender shall not be accepted. Tenderer shall submit their offer only on prescribed form. Tenders by fax/ email shall not be accepted. Tender by Post/hand/courier received on or before the due date and time shall be accepted. Postal delay/ delay by courier services etc. shall not be condoned, what so ever reason may be.

SIT 7: Opening of Tender & Evaluation Process:

7.1 In the first instance, the **Techno-Commercial** part of Tender document will be opened and considered for the evaluation. These offers/ bid will be scrutinized and evaluated by the competent



committee/ authority with reference to the parameters prescribed in the eligibility criteria (Section IX). The technical acceptance of the bids is on the basis of Technical Specifications offered by the bidders as per Section –VII Technical Specification and Section-VI List of Requirement of the tender document and acceptance of the terms and conditions as per GIT, SIT, GCC, SCC, other conditions of tender. Conditional offers will be liable for rejection.

7.2 In the second stage, the Price Bid of only Techno Commercially Qualified firm offers (as mentioned first stage) will be opened for further scrutiny and evaluation.

The intimation regarding opening of price bids shall be given to qualified tenderers to enable them to attend the price bid opening, if they so desire.

7.3 **Price bid evaluation:** In the second stage, the price bid of only Techno Commercially Qualified firm will be opened for further scrutiny and evaluation. The price quoted shall be compared on Total Price basis (FOR ISP Nashik Road), including all taxes, duties, etc. The evaluation criteria for awarding the contract shall be total price wise to L1 bidder schedule mentioned in **Section XI Price Bid.** 



# SECTION IV: GENERAL CONDITION OF CONTRACT (GCC)

Please refer the below link for further details:

https://spmcil.com/uploaddocument/GCC/new.pdf GCC (Total pages: 36)

BIDDERS ARE REQUESTED TO DOWNLOAD 36 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DCOUMENT.



### SECTION V: SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

| S.<br>No. | GCC<br>Clause No. | Topic  | Modify/<br>Substitute/<br>Supplement | SCC<br>Provision        |
|-----------|-------------------|--|--------------------------------------|-------------------------|
| 1         | 1.2               | Abbreviations:   |                                      | As Applicable           |
| 2         | 6.1, 6.3 & 6.5    | Performance Bond/<br>Security  | Modify                               | SCC 1 (Mentioned below) |
| 3         | 8.2               | Packing and Marking  | tani.                                | As Applicable           |
| 4         | 9                 | Inspection and Quality Control                                       | 10. 2341                             | As Applicable           |
| 5         | 11.2              | Transportation of Domestic Goods                                     | Modify                               | SCC 2 (Mentioned below) |
| 6         | 12                | Insurance  | Modify                               | SCC 3 (Mentioned below) |
| 7         | 14.1              | Incidental Services  | 22 16                                | As Applicable           |
| 8         | 15                | Distribution of Despatch Documents for clearance/ Receipt of Goods   | Barrella<br>De region<br>De la compa | As Applicable           |
| 9         | 16.2, 16.4        | Warrantee Clause   | Modify                               | SCC 4 (Mentioned Below) |
| 10        | 19.3              | Option Clause  | ECO:                                 | Not Applicable          |
| 11        | 20.1              | Price Adjustment Clause  |                                      | Not Applicable          |
| 12        | 21                | Taxes and Duties   | Modify                               | SCC 5 (Mentioned Below) |
| 13        | 22                | Terms and Mode of payments   | Modify                               | SCC 6 (Mentioned Below) |
| 14        | 24.1              | Quantum of LD  | Modify                               | SCC 7 (Mentioned Below) |
| 15        | 25.1              | Bank Guarantee and<br>Insurance for Material<br>Loaned to Contractor |                                      | Not Applicable          |
| 16        | 33.1              | Resolution of Disputes   |                                      | As applicable           |
| 17        | 36.3.2,<br>36.3.9 | Disposal/ Sale of Scrap by<br>Tender                                 |                                      | Not Applicable          |

SCC 1: Performance Bond/ Security: The successful bidder has to submit Performance Bond/ Security equivalent to 3% of the order(s) value, valid for a period of 60 days beyond the completion of all contractual obligations, within 21 days from the date of issue of Letter of Intent.

The Performance security shall be denominated in Indian Rupees in one of the following forms:

- a) Account Payee Demand Draft or Fixed Deposit Receipt drawn on any commercial bank in India, in favour of India Security Press, Unit SPMCIL.
- b) Bank Guarantee issued by a commercial bank in India, in the prescribed form as provided in section XV of this document.



- **SCC 2: Transportation of Domestic Goods**: The transportation of goods to be procured will be done by the supplier on FOR ISP Basis. The total cost of the transportation should be indicated in the price bid of the item to be procured.
- SCC 3: Insurance: Specific Insurance cover for each consignment /supply is to be given by the firm, as applicable.
- **SCC 4: Warranty Clause:** The firm will have to give warranty for the work executed for 2 years (rainy seasons). If any defects/leakage from the work executed is observed, the firm has to rectify it immediately without any additional cost.
- SCC 5: Taxes and Duties: If the tenderer fails to include taxes and duties as per law of the land in the tender, no claim thereof will be considered by purchaser at a later stage.

SCC 6: Terms and Mode of Payment:

- i. After successful execution and subsequent testing from ISP nashik, 60% payment of the PO amount will be released. Thereafter 20% payment will be released after one rainy session and balance 20 % payment will be released after second rainy session.
- ii. Payment will be released as per actual work done and measurement recorded duly certification of ISP authority.
- iii. The firm shall provide the details viz. bank details, branch name details of Account no., IFS code, PAN card copy etc at the time of raising the bill.
- SCC 7: Quantum of LD: Subject to GCC clause 28, if the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the ½% percent (or any other percentage if prescribed in the SCC) of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% (or any other percentage if prescribed in the SCC) of the delayed goods' or services' contract price(s). During the above-mentioned delayed period of supply and / or performance, the conditions incorporated under GCC sub-clause 23.4 above shall also apply. In all such cases GST would also be applicable on LD.



### Section VI: List of Requirements

| Sch              | Brief Description of Goods/  | Quantity        | Earnest Money (in Rs) | Place of Delivery for  |
|------------------|--|-----------------|-----------------------|--|
| No.              | services   | (with unit)     |                       | GST Purpose  |
| treatr<br>differ | ng roof AC sheets joints, cracks et<br>ment to M.S. roof gutters of<br>ent sections and replacement of l<br>ngalore roof tiles in ISP factory. | roof gutters of | Thirty Three          | India Security Press,<br>Nashik Road–<br>422101.<br>Maharashtra, India |

| (a) | Required Delivery<br>Schedule    |   | The work shall be completed within 04 months from the date of issue of PO. |
|-----|----------------------------------|---|--|
| (b) | Required Terms<br>of Delivery    | : | On FOR ISP Basis.  |
| (c) | Destination                      | : | India Security Press,<br>Nashik Road–422101<br>Maharashtra, India          |
| (d) | Preferred mode of transportation | : | By Road (FOR)  |

- 1. All the copies of tenders shall be complete in all respects with all their attachments/ enclosures duly numbered and signed on each and every page.
- 2. The total cost should be inclusive of all elements as cited above on FOR India Security Press, Nashik Road (Maharashtra), India, basis.

3. The Bidder has to submit documents as per the following Check list along with the Technical bid Documents (First envelop):

| Sr.<br>No. | Description  | Submitted/ Not<br>Submitted |
|------------|--|-----------------------------|
| 1)         | EMD (Earnest Money Deposit)  | Daomittoa                   |
| 2)         | Documentary evidence towards Experience and past performance as per clause 1(i) of section IX.   |                             |
| 3)         | Documentary evidence towards Capability, equipment and manufacturing facilities as per clause 1(ii) of section IX.   |                             |
| 4)         | Documentary evidence towards Financial Standing as per clause 1(iii) of section IX.  |                             |
| 5)         | Undertaking as per clause 3 under section IX   |                             |
| 6)         | Copy of PAN and GST registration certificate.  |                             |
| 7)         | <b>Power of Attorney/ Authorization</b> with the seal of company indicating that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract. | v                           |
| 8)         | Adherence to the Delivery Schedule as per Section VI on Bidder's Letter Head.  |                             |
| 9)         | Adherence to the Technical Specification as per Section VII: Technical Specifications on Bidder's Letter Head  |                             |
| 10)        | Adherence to the Quality Control Requirements as per Section VIII on Bidder's Letter Head.   |                             |
| 11)        | Tender Form: As per Section X  |                             |
| 12)        | Vendor Details: As per Section XII.  |                             |



| Sr.<br>No. | Description  | Submitted/ Not<br>Submitted |
|------------|--|-----------------------------|
| 13)        | NEFT Mandate as per section XIX  |                             |
| 14)        | All pages of the tender documents (including GIT, GCC, SIT, SCC, List of requirements, Technical specification, quality requirements, etc.) duly signed and stamped by the Authorized signatory of the bidder. |                             |

The Bidder has to submit the Check list as per Format given below along with the Price Bid (Second Envelope):

| Sr.            | Description           | Submitted /   | Page |
|----------------|-----------------------|---------------|------|
| No.            |                       | Not Submitted | No.  |
| 1. Duly filled | Section XI: Price bid |               |      |



# SECTION VII: TECHNICAL SPECIFICATIONS

Detailed Schedule of work for Sealing roof AC sheets joints, cracks etc. waterproofing treatment to M.S. roof gutters of roof gutters of different sections and replacement of broken AC sheets & mangalore roof tiles in ISP factory.

| S.No. | DSR     | Description   | Unit  | Qty  |
|-------|---------|---|-------|------|
| 1     | 10      | Steel Work  |       |      |
| 1.1   | 10.16   | Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.   |       |      |
| 1.1.1 | 10.16.2 | Hot finished seamless type tubes  | Kg    | 1950 |
| 2     | 12      | Roofing   |       |      |
| 2.1   | 12.8    | Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as per IS: 14871) roofing up to any pitch and fixing with polymer coated J, or L hooks, bolts and nuts 8 mm dia. G.I. plain and bitumen washers or with self drilling fastener and EPDM washers etc. complete (excluding the cost of purlins, rafters and trusses), including cutting sheets to size and shape wherever required. | Sqm   | 1320 |
| 2.2   | 12.21   | Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design  |       |      |
| 2.2.1 | 12.21.1 | In 75x75 mm deep chase  | Metre | 700  |
| 2.3   | 12.41   | Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion,  (i) Single socketed pipes.   |       |      |
| 2.3.1 | 12.41.2 | 110 mm diameter   | Metre | 100  |



| 4     | 14        | Repairs to Building   | ÷     |               |
|-------|-----------|---|-------|---------------|
| 3.1.1 | 13.52.1   | On steel work   | Sqm   | 200           |
| 3.1   | 13.52     | Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete.  |       |               |
| 3     | 13        | Finishing   |       |               |
| 2.7.2 | 12.51.6   | Gutter (600 mm over all girth)  | Metre | 240           |
| 2.7.1 | 12.51.1   | Ridges plain (500 - 600mm)  | Metre | 160           |
| 2.7   | 12.51     | Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete: |       | 160           |
| 2.6   | 12.49     | Providing & laying on roof pressed clay tile ridge (Mangalore tile) of 20mm thickness and of approved pattern on steel frame work complete (steel frame work to be paid separately).  | Sqm   | 100           |
| 5     | 12.48     | Providing & fixing on roof pressed clay tile (Mangalore tile) of 20 mm nominal thickness and of approved size and as per approved pattern on steel frame work complete (steel frame work to be paid separately).  | Sqm   | 560           |
| .4.2. | 12.42.6.2 | 110 mm Shoe   | Each  |               |
| .4.2  | 12.42.6   | Shoe (Plain)  | Foot  | 15            |
| .4.1. | 12.42.5.2 | 110 mm bend   | Each  |               |
| .4.1  | 12.42.5   | Bend 87.5°  |       |               |
|       |           | accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion.   |       |               |
| .4    | 12.42     | Providing and fixing on wall face unplasticised - PVC moulded fittings/   |       | Series Series |



| 4.1.1 | 14.1.1  | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.   |     |      |
|-------|---------|---|-----|------|
| 4.1.1 | 14.1.1  | With cement mortar 1:4 (1 cement : 4 fine sand)   | Sqm | 130  |
| 4.2   | 14.89   | Providing and fixing APP (Atactic Polypropylene Polymer) modified prefabricated five layer 2 mm thick water proofing membrane, black finished reinforced with glass fibre matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrance manufacture of density at 25°C, 0.87 - 0.89 kg/ litre and viscocity 70 - 160 cps. Over the primer coat the layer of membrane shall be laid using Butane torch and sealing all joints etc., and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under: Joint strength in longitudinal and transverse direction at 23°C as 350/300 N/5 cm.  Tear strength in longitudinal and transverse direction as 60/80N.  Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147.  The laying of membrane shall be got done through the authorised applicator of the manufacture of membrane. |     |      |
| 4.2.1 | 14.89.1 | 2mm (for corrugated roof sheets)  | Sqm | 6850 |



| 4.3             | 14.9      | Providing and laying APP (Atactic Polypropylene Polymer) modified   |      |      |
|-----------------|-----------|---|------|------|
|                 |           | prefabricated five layer, 3 mm thick water proofing   | ×    | *    |
|                 | +1        | membrane, black   | 2    |      |
|                 |           | finished reinforced with glass fibre matt consisting of a coat of   |      |      |
|                 |           | bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same  |      |      |
|                 |           | membrane manufactured of density at 25°C, 0.87 - 0.89   |      |      |
|                 |           | kg/litre and  |      |      |
|                 |           | viscocity 70 - 160 cps. Over the primer coat the layer of   |      |      |
|                 |           | membrane  |      | 9    |
|                 |           | shall be laid using butane torch and sealing all joints etc., and   |      |      |
|                 |           | preparing the surface complete. The vital physical and  |      |      |
|                 |           | chemical  |      |      |
|                 |           | parameters of the membrane shall be as under: Joint strength  |      |      |
|                 |           | in  |      |      |
|                 |           | longitudinal and transverse direction at 23°C as 350/300 N/5  |      |      |
|                 |           | cm.   |      |      |
|                 |           | Tear strength in longitudinal and transverse direction as   |      |      |
|                 |           | 60/80N.   |      |      |
|                 |           | Softening point of membrane not less than 150°C. Cold   |      |      |
|                 |           | flexibility   |      |      |
|                 |           | shall be upto -2°C when tested in accordance with ASTM, D -   |      |      |
|                 |           | 5147. The laying of membrane shall be got done through the  | 20   |      |
|                 |           | authorised  |      |      |
|                 |           | applicator of the manufacturer of membrane :  |      |      |
| 4.3.1           | 14.90.1   | 3 mm thick  | ·Sqm | 1760 |
| 5               | 15        | Dismantling and Demolishing   |      | 0    |
| 5.1             | 15.28     | Dismantling roofing including ridges, hips, valleys and gutters   |      |      |
| 5.1             | 13.28     | etc.,   |      |      |
|                 |           | and stacking the material within 50 metres lead of:   |      |      |
|                 | 9         |   |      |      |
| 5.1.1           | 15.28.2   | Asbestos Cement sheet   | Sqm  | 3320 |
| 5.2             | 15.56     | Dismantling old plaster or skirting raking out joints and   | Sqm  | 200  |
| 3.2             | 15.50     | cleaning the  |      |      |
|                 |           | surface for plaster including disposal of rubbish to the  |      |      |
|                 |           | dumping ground  |      |      |
|                 |           | within 50 metres lead.  |      |      |
| 6 .             | MR        | Non Schedule Items  |      |      |
|                 |           | Removing old mangalore tiles including ridges, MS Gutters and   | Sqm  | 600  |
| 6.1             | NS-1.1    |   |      | l .  |
| 6.1             | NS-1.1    | all roof related components without dismantling from the  |      |      |
| 6.1             | NS-1.1    | all roof related components without dismantling from the existing roof.   |      |      |
| Fac Secultivity | NS-1.1    | existing roof.  | Sqm  | 7500 |
| 6.2             | Br. dates | existing roof.  Removing old tarfelt layer laid over the joint of AC Sheet roofing, on gable ends and roof surface etc. complete as per | Sqm  | 7500 |
| Fac Secultivity | Br. dates | existing roof.  Removing old tarfelt layer laid over the joint of AC Sheet  | Sqm  | 7500 |



### **AC- Asbestos Corrugated.**

### Brief Scope of civil work is as below.

- 1) Providing reinforced by organic fibers and/or inorganic synthetic fibres cement 6mm thick corrugated sheets to LPG section and other sections as decided by ISP concerned officials.
- 2) Providing and fixing on roof pressed clay tile (Mangalore tile) to old record room, AC room, vigilance sections & white house store room and other sections as decided by ISP concerned officials.
- 3) Providing and fixing precoated galvanized iron profile sheets to MOHA godown and other sections as decided by ISP concerned officials.
- 4) Providing and fixing APP (Atactic Polypropylene Polymer) sheet over corrugated sheet & gable end of different various sections as decided by ISP concerned officials.

### (A) Terms and Conditions:

- 1) Rates: -(i) The firm shall quote the rates as per items and units mentioned is schedule of work above.
- (ii) If any taxes levied the firm shall clearly mention it in their offer.
- (2) The Firm shall have prior experience of the water proofing related works of significance magnitude.
- (3) The firm shall have to provide warranty of the work executed for 02 years (rainy sessions). If any defects/leakage from the work executed is observed, the firm has to rectify it immediately without any additional cost.
- 4) The firm shall clean the area/work site thoroughly daily after completing the day's work.
- 5) All requisite raw material, tools & plants shall be arranged by the firm.
- 6) The said scope of work with mentioned quantity as per attached annexure A is tentative and may be increased or decreased at the time of execution of work on the unit rate basis of the firm.
- 7) Electric and water supply will be provided by ISP at free of cost. Required size of electric cable, switch board etc for, rubber pipe etc for water supply should have to arrange by the agency.
- 8) The firm has to produce material testing certificate from manufactures / NABL certified Laboratory/Govt. approved Laboratory/Engineering college laboratory.
- 9) The firm shall be abide by safety and security norms of ISP.
- 10) Working Hours 8.00am to 6.00pm (Including lunch hour)

  If required work will be permitted during extended hours and Sundays and Holidays also.
- 11) No child labours will be allowed.
- 12) Firm is strongly advised to visit the site before quoting to study the exact nature of work so as to avoid any ambiguity on later stage.
- 13) Firm/contractor shall provide all PPEs and Safety wears to all its work man. If any accident/injury/casualty happens the sole responsibility will be of the firm. No compensation will be borne by ISP.
- 14) The contractor shall be liable to rectify/repairs to defects/damage made to the existing property of ISP if any during execution of work. The contractor should rectify defects/damage etc. at their own cost.

Note: Tenderer's attention is drawn to GIT clause 17 and GIT sub-clause 10.1.

The tenderer is to provide the required details, information, confirmations, etc accordingly, failing which it is tender is liable to be ignored. Prospective bidders shall comply with the feature specifications (including Warrantee Obligations) and submit a "Specification Compliance Certificate" with their Technical Bid.



### SECTION VIII: QUALITY CONTROL REQUIREMENTS

The work executed/material supplied by the successful bidder will be accepted on all parameters as per specification as stated in Section-VII. The purchaser reserves the right to get the material supplied tested from in-house laboratory or any other laboratory of repute and in case the material is found not meeting the specification, the purchaser shall be entitled to cancel the contract, and if so desired, purchase or otherwise the purchase of the stores at the risk and cost of the contractor.



### SECTION IX: QUALIFICATION/ELIGIBILITY CRITERIA

### (1) Minimum Eligibility Criteria:

- (i) Experience and Past Performance: The bidder should have experience of having successfully completed similar works during last 7 years ending on '31.03.2022'
  - a. Three similar completed works each costing not less than the amount equal to Rs.26,71,450.8/-. or
  - b. Two similar completed works each costing not less than the amount equal to Rs.33,39,313.5/-. or
  - c. One similar completed work costing not less than the amount equal to Rs.53,42,902.4/-.

Note: Start-ups are exempted from Experience and Past Performance criteria. In case any bidder is seeking exemption from Experience and Past Performance criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

### (ii) Capability, equipment and manufacturing facilities:-

The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government /PSU / Autonomous bodies.

### (iii) Financial Standing:

(i) Average annual financial turnover of the bidder during the last three years, ending on 31.03.2022, should be at least Rs.26,71,450.8/- as per the annual report (audited balance sheet and profit & loss account) of the relevant period duly authenticated by a Chartered Accountant/Cost Accountant in India.

Note: The Average Annual Turnover criteria are exempted for Start-ups. In case any bidder is seeking exemption from Average Turnover criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

- (ii) The bidder should not have suffered any financial loss for more than one year during the last three years, ending on 31.03.2022.
- (iii) The net worth of the bidder should not be negative as on 31.03.2022 and also not have eroded by more than 30% in the last three years, ending on 31.03.2022.

Note: The criteria for Capability, Equipment and Manufacturing facilities as well as financial loss and net worth under the financial standing eligibility criteria (above) shall be applicable to all the bidder firms including Startup Firms.

### (2) Other Requirements:

- (a) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.
- **(b) Goods & Services Tax Registration: -** The Bidder should be registered with the Goods & Services Tax Department. The bidder firm should submit GST Registration Certificate. Relevant proof in support shall be submitted.

### (3) Undertaking(s) on firm's letter head:-

- (a) The firm should give undertaking that, "We have not been black-listed/ debarred for dealing with any Govt. Organization / Public Sector Undertaking (PSU) / Reputed Organization in the past".
- (b) That "the information given in the documents are correct and the Bidder is awared that in case any information provided is found to be false at a later stage, ISP reserves the right to reject/ disqualify the bidder at any stage of the tendering process without assigning any reason."



(c) The firm should give undertaking that, "We agree to withdraw all the deviations, if any, unconditionally and accept all the terms and conditions of the tender document including the technical specifications".

### (4) Applicability in Special Cases:

For Existing successful Past Suppliers: In case the bidder who is a successful past supplier of 'The Product' in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)



### Section X: Tender Form

| m  |   |  |   | Date  |                                      |  |
|--|---|--|---|---|--------------------------------------|--|
| To   |   |  |   |   |                                      | 8 m  |
|  |   |  |   |   |                                      |  |
| (complete address of SPMCIL)   |   |  |   |   |                                      | **   |
| Ref: Your Tender document No.  | dat   | ed                                     |   |   |                                      |  |
| We, the undersigned have examined the amendment No (if any supply and deliver (description of good document for the sum shown in the price s   | y), the receipt o   | of which                               | h is hereby<br>conformit  | confirmy with y                                   | ed. We<br>our ab                     | now offer to ove referred  |
| If our tender is accepted, we undertake to above, in accordance with the delivery scho   |   |  | The second second   |   |                                      | s mentioned  |
| We further confirm that, if our tender is ac<br>required amount in an acceptable form in<br>Section V – —Special Conditions of Contract  | n terms of GCO  | Claus                                  | e 6, read   | with moo  |                                      |  |
| We agree to keep our tender valid for a clause19, read with modification, if any is subsequently extended period, if any, agr tender upto the aforesaid period and this aforesaid period. We further confirm that your written acceptance thereof within between us. | n Section-III –<br>eed to by us. V<br>tender may b<br>, until a forma | —Spec<br>Ve also<br>e accep<br>l contr | cial Instruction according ted any tiact is executed any tiact is executed and the contract is executed according to the contract | ctions to<br>gly confir<br>me befor<br>cuted, thi | Tenderm to a<br>re the e<br>is tende | erers   or for<br>abide by this<br>expiry of the<br>er read with |
| We confirm that in case of downler contents. We realize that in case any such contract, we would be liable to action under   | change is noti  | ced at a                               |   |   | _                                    |  |
| We further understand that you are not lagainst your above-referred tender enquir  |   | t the l                                | owest or a  | any tende   | er you                               | may receive  |
| We also solemnly declare as under:   |   |  | •   |   |                                      |  |
| 1. MSMEs Status: Having read and understood the Public P Order, 2012 (as amended and revised till d (a) Company /Partnership Firm /Prop Specify):  | ate), and solem<br>rietary Concer<br>I/ Govt. Deptt. ,                | nly dec<br>n / S<br>/ PSU/             | clare the for occiety/True  | llowing:  |                                      |  |
| (c) Name of MSME Registering Body (NSIC<br>(d) MSME Registration no. (With copy of re<br>(e) Udyog Aadhaar Memorandum no   | egistration):<br>o SC/ ST or Wo                                       | men ca                                 | <br>tegory.   | hald  | l                                    | CC /CT   |
| (Please specify names and Partners):   | percentage  | of                                     | shares  | held  | by                                   | SC/ST  |

### 2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP\_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:



| (a) sen-ce                         | ertification for category of supplier:  |
|------------------------------------|---|
|                                    | Class-I Local Supplier /  |
|                                    | Class-II Local Supplier /   |
| - 🗆                                | Non Local Supplier /  |
| (b) We als                         | to declare that:  |
|                                    | There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or   |
|                                    | We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order.  |
| under Ru<br>Having re<br>dated 23r | ctions on procurement from bidders from a country or countries, or a class of countries le 144 (xi) of the General Financial Rules 2017 ad and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD d July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance above provision and solemnly declare the following:  We do not belong to any Country whose bidders are notified as ineligible under this order  |
| <b>4. Debar</b> banned by          | ment Status: Please state whether business dealings with you currently stand suspended/ any Ministry/ Deptts. of Government of India or by any State Govt: Yes (with period of Ban) No, we, solemnly declare that neither we nor any of our affiliates or subsidiaries- including subcontractors or suppliers for any part of the contract - do not stand declared ineligible, blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. |
| above are                          | ties for false or misleading declarations: I/we hereby confirm that the particulars given a correct and complete and also undertake to advise any future changes to the above details. It is stood that any wrong or misleading self- declaration by us would be violation of code of all would attract penalties as mentioned in this tender document, including debarment.  |
|                                    | e with date)  |
| (Name an                           | d designation) orized to sign tender for and on behalf of   |
|                                    |   |
|                                    |   |



# Section XI Price Bid Indigenous Offers: All prices to be in Indian Rupees

Chief General Manager

Uniei Generai Manag India Security Press,

(A unit of Security Printing & Minting Corporation of India Ltd.) Nashik Road – 422101 (Maharashtra), India.

# OFFER FORM for Tender No: 6000018378/SY-13-30(11010805)/2023 dt 18.07.2023 Time 15.00.Hours

by us are open to inspection by the representative of .....(Name of Purchaser). We hereby offer to supply the following items at the prices indicated below:-We......hereby certify that we are established firm of manufacturers/authorized agents of M/s.

| ular (round, low tubes groutling, and fapproved steel stand and washers etc.  Reganic fibres c fibres gated sheets (as gated sheets (as large fibres from the fibre fibr | Specifi- Unit Qty | Total Price per unit<br>(INR) See table<br>below for Break-up<br>of Price | Total Value of<br>offer (INR) | Terms of Payments                         | Delivery Period   | Gross weight and<br>dimensions of<br>package per unit |
|--|-------------------|---|-------------------------------|---|-------------------|---|
| Steel Work  Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.  Hot finished seamless type tubes  Roofing  Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as   |                   | *[=9  | $7 = 6 \times 5$              | 8   | 6                 | 10  |
| Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.  Hot finished seamless type tubes  Roofing  Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as   |                   |   |                               |   |                   |   |
| square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished seamless type tubes Roofing Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as   |                   |   |                               |   |                   |   |
| etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.  Hot finished seamless type tubes  Roofing Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as  |                   |   | 8.                            |   |                   |   |
| hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.  Hot finished seamless type tubes  Roofing  Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as  |                   |   |                               |   |                   |   |
| applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.  Hot finished seamless type tubes  Roofing Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as  |                   |   |                               |   |                   |   |
| primer, including welding and bolted with special shaped washers etc. complete.  Hot finished seamless type tubes  Roofing  Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as   | 24                |   |                               | II.                                       | a                 |   |
| bolted with special shaped washers etc.  complete.  Hot finished seamless type tubes  Roofing  Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as  |                   |   | 7                             | As per Section V: SCC   As per Section VI | As per Section VI |   |
| Hot finished seamless type tubes  Roofing  Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as  |                   |   |                               | 8 of Tender                               | List of           |   |
| Roofing Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as   |                   |   |                               | document                                  | Requirement       |   |
| Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as   |                   |   |                               |   | 8                 |   |
| and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as  |                   |   |                               |   |                   |   |
| and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as  |                   |   |                               |   | *                 |   |
| cement 6 mm thick corrugated sheets (as  |                   |   |                               |   |                   | æ   |
| 15. 14071) "fina   |                   |   |                               | 2   | 3                 |   |
| per 13. 140/1/ 10011118 up   |                   |   |                               |   |                   | (*  |

|   |  | <u> </u>  | Metre  |
|---|--|---|--|
|   | ,  |   |  |
| to any pitch and fixing with polymer coated J, or L hooks, bolts and nuts & mm dia. G.I. plain and bitumen washers or with self drilling fastener and EPDM washers etc. complete (excluding the cost of purlins, rafters and trusses), including shape wherever required. | Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design | In 75x75 mm deep chase Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. | Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal |
| 3 4 % R C C B S S C C C C C C C C C C C C C C C   | 2.2 CO CO CO CO CO A CO  |   | 2.3.1 111<br>2.4 Pr<br>2.4 ur<br>ac<br>ac<br>ac<br>to<br>to  |



| +     |  |       |     |    |      |   |       |     |   |
|-------|--|-------|-----|----|------|---|-------|-----|---|
| 111   |  | EA    | 15  | ٠  |      |   |       |     |   |
| _     | 110 mm bend  | i     |     |    |      | + |       |     |   |
| 24.2  | Shoe (Plain)   |       |     |    | •    |   |       |     |   |
| 2.4.2 | 110 mm Shoe  | EA    | 15  |    |      |   |       |     |   |
|       |  | 20    | 260 |    |      |   |       |     |   |
| 2.5   | Providing & fixing on roof pressed clay tile (Mangalore tile) of 20 mm | -     | 3   |    |      |   |       |     |   |
| de    | nominal thickness and of approved size                                 |       |     |    |      |   |       |     |   |
|       | and as per approved pattern  |       |     |    |      |   |       |     |   |
|       | on steel frame work complete (steel                                    |       |     | ı  |      |   |       |     |   |
| -12   | frame work to be paid  |       |     |    |      |   |       |     |   |
|       | separately).   | mbs   | 100 |    | - 24 |   |       |     |   |
| 2.6   | providing & laying on 1001 pressed end                                 |       |     |    |      |   |       |     |   |
|       | tile ridge (Mangalore ule) ol  |       |     |    |      |   |       | 7   |   |
|       | 20mm thickness and or approved pattern                                 |       |     |    |      |   |       |     |   |
|       | on steel frame work  |       |     | 4  |      |   |       |     |   |
|       | complete (steel frame work to be paid                                  | 100   | -   | 15 |      |   | PE AF |     | - |
|       | separately).   | 2     |     |    |      |   | 8     |     |   |
| 2.7   | Providing and fixing precoated galvanised                              | 6     |     |    |      |   |       | _   |   |
|       | steel sheet roofing  |       |     |    |      |   |       |     |   |
|       | accessories 0.50 mm (+0.05 %) total                                    |       |     |    |      |   |       |     |   |
|       | coated thickness, Zinc coating   |       |     |    |      |   |       |     |   |
|       | 120 grams per sqm as per IS: 277, in 240                               | (at   |     |    |      | - |       | 17. |   |
|       | mpa steel grade, 5-7   |       |     |    |      |   |       |     |   |
|       | microns epoxy primer on both side of the                               |       |     |    |      |   |       |     |   |
|       | sheet and polyester top  |       |     |    |      |   |       |     |   |
|       | coat 15-18 microns using self drilling/ self                           |       |     | •  |      |   |       | -   |   |
|       | tapping screws complete:   |       | 007 |    |      |   |       |     |   |
| 2.7.1 | -  | Metre | TOO |    |      |   |       |     |   |
| 277   | +  | Metre | 240 |    |      |   |       | •   |   |
| 4. /  | -  |       |     |    |      |   |       |     |   |



| 3     | 3.1        | Finishing with Epoxy paint (two or more  |      |      |       |    |    |     |
|-------|------------|--|------|------|-------|----|----|-----|
| _     |            | coats) at all locations prepared   |      |      | 8 3.2 |    |    |     |
|       |            | and applied as per manufacturer's  |      |      |       |    |    |     |
|       |            | specifications including appropriate   |      |      |       |    |    |     |
|       |            | priming coat, preparation of surface, etc.   |      |      |       |    |    |     |
| ć     | ,          | complete.  |      |      |       |    |    | -   |
| 2.    | 3.1.1      | On steel work  | wus. | 200  |       |    |    |     |
| 4     |            | Repairs to Building  | 5    | 7007 |       |    |    |     |
| 4.1   | -          | Repairs to plaster of thickness 12 mm to   |      |      |       |    |    |     |
| -     |            | 20 mm in patches of area   |      | 6    |       |    |    |     |
|       |            | 2.5 sq.meters and under, including   |      |      |       |    |    |     |
|       |            | cutting the patch in proper shape,   |      |      | 2     | •  |    |     |
| 1     |            | raking out joints and preparing and  |      |      |       |    |    | ā   |
|       |            | plastering the surface of the walls  |      |      |       |    |    |     |
|       |            | complete, including disposal of rubbish to   |      | •    |       |    |    |     |
|       |            | the dumping ground, all  |      |      |       |    |    | 8   |
|       |            | complete as per direction of Engineer-in-  |      | 5 8  | 9     |    | -  |     |
|       |            | Charge.  |      |      | •     |    |    | i e |
| 4.1.1 |            | With cement mortar 1:4 (1 cement : 4   | wbs  | 130  |       |    |    |     |
| 4.2   | +          | Droviding and E. A. A. S. S.   |      |      |       |    |    | •5  |
|       |            | ri oviding and fixing APP (Atactic   |      |      |       |    |    |     |
|       |            | Polypropylene Polymer) modified  | •    |      |       | 4  |    |     |
|       | -          | pretabricated five layer 2 mm thick water  |      |      |       |    |    |     |
|       |            | proofing membrane, black   |      |      |       |    |    | R   |
|       |            | finished reinforced with glass fibre matt  |      |      |       |    |    |     |
|       | _          | consisting of a coat of bitumen  |      |      |       |    |    |     |
|       |            | primer for bitumen membrane @ 0.40   |      | (9)  |       |    |    |     |
|       |            | litre/sqm by the same  |      |      | 3     |    |    |     |
|       | <b>-</b> . | membrance manufacture of density at  |      |      |       |    |    |     |
|       | -          | 25°C, 0.87 - 0.89 kg/ litre and  |      |      |       | 2  |    | R   |
|       | _          | viscocity 70 - 160 cps. Over the primer  |      |      |       |    |    |     |
|       | ٥          | coat the layer of membrane   |      |      |       | •2 | 40 |     |
|       | S          | shall be laid using Butane torch and   |      |      |       |    |    |     |
|       |            | V1_V (200) 1.100 1 |      |      |       |    |    | _   |



|      |               | 12.6    |
|------|---------------|---------|
|      |               | 8.0     |
|      |               | 2.5     |
|      |               | 20.5    |
|      |               | - 4     |
|      |               | 9.5     |
|      |               | 42      |
|      |               | 2.3     |
|      |               | -       |
|      |               | -84     |
|      |               | 7.7     |
|      |               | 2.4     |
| .0   | - Contraction | #12     |
| - 10 | -             | 0.2     |
|      | 1             | 9.0     |
| - 8  | 46 10         |         |
| ***  | 705 50        | Animals |
|      |               | -       |
|      |               |         |
|      | -             |         |
|      |               | -       |
|      | 200           | -       |
|      |               |         |
|      |               |         |

| sealing all joints etc., and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as | under: Joint strength in<br>longitudinal and transverse direction at<br>23°C as 350/300 N/ 5 cm. | Tear strength in longitudinal and transverse direction as 60/80N. | Softening point of membrane not less than 150°C. Cold flexibility | shall be upto -2°C when tested in | accordance with ASTM, D - 5147.<br>The laving of membrane shall be got done | through the authorised | applicator of the manufacture of | membrane. | 2mm (for corrugated roof sheets) | Providing and laying APP (Atactic | prefabricated five layer, 3 mm thick water | proofing membrane, black | finished reinforced with glass fibre matt | primer for bitumen membrane @ 0.40   | litre/sqm by the same | membrane manufactured of density at | 25°C, 0.87 - 0.89 kg/litre and | viscocity 70 - 160 cps. Over the primer | coat the layer of membrane | Shall be laid using butane torch and | preparing the surface complete. The vital | lesingly and chemical |
|---|--|---|---|-----------------------------------|---|------------------------|----------------------------------|-----------|----------------------------------|-----------------------------------|--|--------------------------|---|--|-----------------------|-------------------------------------|--------------------------------|---|----------------------------|--------------------------------------|---|-----------------------|
|   |  |   |   |                                   |   |                        |                                  |           | sdm                              |                                   |  | ×                        |   |  |                       |                                     |                                |   |                            | *                                    |   |                       |
|   |  |   |   |                                   |   |                        |                                  | 0100      | 0620                             |                                   |  |                          |   |  |                       |                                     |                                |   |                            | 3                                    |   |                       |
|   |  |   |   |                                   |   |                        |                                  |           |                                  |                                   |  |                          | ×   |  | Z                     |                                     |                                |   |                            |                                      | ě   |                       |
|   | *  |   |   |                                   |   |                        |                                  |           |                                  |                                   |  | •                        |   | <del>Olegopor d</del>  |                       |                                     |                                | 14                                      | 327                        |                                      |   |                       |
| *   |  |   | 1   | (4)<br>(4)                        |   |                        |                                  |           |                                  | r.                                |  |                          |   |  | 8                     |                                     |                                |   |                            |                                      |   |                       |
|   |  |   |   |                                   |   |                        |                                  |           |                                  |                                   | (4   |                          |   | 1. The state of th |                       |                                     |                                |   |                            |                                      | -   |                       |

| under: Joint streigth in longitudinal and transverse direction at 23°C as 350/300 M/S cm.  Tear strength in longitudinal and transverse direction as 60/80N.  Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147.  The laying of membrane shall be got done applicator of the manufacturer of a surface of plaster including disposal of a curponents without dismantling from the existing odd mangalorer tiles including from the existing odd than application and all roof related a components without dismantling from the existing odd than application and applica |  |                           |  |                         |                                   |                                 |                                      |                              |                                   | 000                             |  | 8                      | *                                 |           |     |                             |  |                        |                           |                                     | •               |                 |    |   |                               |                        |                    |  |                                     |                    |  |
|--|--|---------------------------|--|-------------------------|-----------------------------------|---------------------------------|--------------------------------------|------------------------------|-----------------------------------|---------------------------------|--|------------------------|-----------------------------------|-----------|-----|-----------------------------|--|------------------------|---------------------------|-------------------------------------|-----------------|-----------------|----|---|-------------------------------|------------------------|--------------------|--|-------------------------------------|--------------------|--|
| parameters of the membrane shall be as under: Joint strength in longitudinal and transverse direction at 23°C as 350/300 N/5 cm.  Tear strength in longitudinal and transverse direction as 60/80N.  Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147.  The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane:  3 mm thick  Dismantling and Demolishing  Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:  Asbestos Cement sheet  Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.  Non Schedule Items  Removing old mangalore tiles including ridges, MS Gutters and all roof related components without dismantling from the existing roof.  Removing old tarfelt laver laid over the   |  | *                         |  |                         |                                   |                                 |                                      | ā                            |                                   | 2                               |  |                        |                                   |           |     |                             |  |                        |                           |                                     |                 |                 | 14 | 2   |                               |                        |                    |  | 4)                                  |                    |  |
|  | parameters of the membrane shall be as | under : Joint strength in | longitudinal and transverse direction at | 23°C as 350/300 N/5 cm. | Tear strength in longitudinal and | transverse direction as 60/80N. | Softening point of membrane not less | than 150°C. Cold flexibility | shall be upto -2°C when tested in | accordance with ASTM, D - 5147. | The laying of membrane shall be got done | through the authorised | applicator of the manufacturer of | membrane: | e e | Dismantling and Demolishing | Dismantling roofing including ridges, bins | vallave and mittage at | valleys and gutters etc., | and stacking the material within 50 | metres lead of: | skirting raking |    | surface for plaster including disposal of | rubbish to the dumping ground | within 50 metres lead. | Non Schedule Items |  | components without dismantling from | the existing roof. |  |

| Steel Work  Steel |   |                               |
|---|---|-------------------------------|
| 9   |   |                               |
| Break-up of Price in Column - O (III III death Structure)       Name of Price in Column - O (III III death Structure)       Name of Unit and Description       HSN / GST Cess, if A GST (III Break and Description)       Per unit and Description       Name of Unit and Description       Name of Unit and Description       HSN / GST Cess, if A GST (III Break and Description)       Per unit and Description         1       Steel Work       A B C D E E)/10       B E)/10  |   |                               |
| Steel Work  Steel Work  | Packing & F.O.R. Freight (& Forwarding Despatch in details Price Freight (& Freight (& Insurance In details Price destination | & FOR e Destination pto Price |
| Steel Work  Steel Work  | G H=A+F+G   | J*=H+I                        |
| Steel Work  |   |                               |
| i , , i , i , i , i , i , i , i , i , i   | and apply in position and apply   | ng a priming coa              |
| 1.1 Steel work in built up tubular (round, square of rectaing and bolted with special shaped washers etc. complete.   | IIIB, IIOISTIIIB, IIVII B F   |                               |

Roofing



| 2.1     | Providing reinforced by organic   |
|---------|---|
|         | fibres and/or inorganic synthetic   |
|         | fibres  |
|         | cement 6 mm thick corrugated sheets (as per IS: 14871) roofing  |
|         | dn dn   |
|         | to any pitch and fixing with  |
|         | polymer coated J, or L hooks,<br>bolts and  |
|         | nuts 8 mm dia. G.I. plain and   |
|         | bitumen washers or with self drilling   |
|         | fastener and EPDM washers etc.  |
|         | complete (excluding the cost of   |
|         | purlins, rafters and trusses),  |
|         | including cutting sheets to size  |
|         | and   |
|         | shape wherever required.  |
| 2.2     | Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone agreement 10 mm and 1  |
|         | 1:3 (1 cement : 3 fine sand) as per standard design   |
| 2.2.1   | In 75x75 mm deep chase  |
| 2.3     | Providing and fixing on wall face unplacticised Birid BVC with a second |
|         | leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.   |
| 2.3.1   | 110 mm diameter   |
|         |   |
| 7.4     | Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gan for thermal subjections.  |
| 2.4.1   | Bend 87.5°  |
| 2.4.1.1 | 110 mm hend   |
|         |   |
|         |   |



| 2.4.2   | 2 Shoe (Plain)   |                                  |
|---------|--|----------------------------------|
| 2.4.2.1 | 2.1 110 mm Shoe  |                                  |
| 2.5     | Providing & fixing on roof   |                                  |
|         | pressed clay tile (Mangalore tile)   |                                  |
|         | of 20 mm   |                                  |
|         | nominal thickness and of   |                                  |
|         | approved size and as per   | 1.                               |
|         | approved pattern   |                                  |
|         | on steel frame work complete   |                                  |
|         | (steel frame work to be paid   |                                  |
|         | separately).   |                                  |
| 2.6     | Providing & laying on roof   |                                  |
|         | pressed clay tile ridge  |                                  |
|         | (Mangalore tile) of  |                                  |
|         | 20mm thickness and of approved   |                                  |
|         | pattern on steel frame work  |                                  |
|         | complete (steel frame work to be   |                                  |
|         | paid separately).  |                                  |
| 2.7     |  | 120 grams per sqm as per IS: 277 |
|         | in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete: | ng/ self tapping screws complete |
| 2.7.1   | 1 Ridges plain (500 - 600mm)   |                                  |
| 2.7.2   | 2 Gutter (600 mm over all girth)   |                                  |
| 3       | Finishing .  | 3                                |
| 3.1     | Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat,      | ng appropriate priming coat,     |
|         | preparation of surface, etc. complete.   |                                  |
| 3.1.1   | 1 On steel work  |                                  |
| 4       | Repairs to Building  |                                  |
| 4.1     | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and      | r shape, raking out joints and   |
|         | preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-     | per direction of Engineer-in-    |



|       | Charge.   |
|-------|---|
| 4.1.1 | With cement mortar 1:4 (1 cement : 4 fine sand)   |
| 4.2   | Providing and fixing APP (Atactic Polypropylene Polymer) modified prefabricated five layer 2 mm thick water proofing membrane, black finished reinforced with   |
|       | 0.89 kg/ litre and viscocity 70 - 160 cps. Over the primer coat the layer of membrane shall be laid using Butane torch and sealing all joints etc., and preparing the   |
|       | surface complete. The vital physical and chemical parameters of the membrane shall be as under: Joint strength in longitudinal and transverse direction at 23°C as  |
| 142   | 350/300 N/ 5 cm. Tear strength in longitudinal and transverse direction as 60/80N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto - 2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorized applicator of the manufacture of        |
|       | membrane.   |
| 4.2.1 | 2mm (for corrugated roof sheets)  |
| 4.3   | Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer, 3 mm thick water proofing membrane, black finished reinforced with  |
|       | glass.fibre matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufactured of density at 25°C, 0.87 - 0.89 kg/litre and viscocity 70 - 160 cps. Over the primer coat the laver of membrane shall be laid using butane torch and sealing all joints etc., and preparing the |
| •     | surface complete. The vital physical and chemical parameters of the membrane shall be as under: Joint strength in longitudinal and transverse direction at 23°C as  |
| ***   | 350/300 N/5 cm. Tear strength in longitudinal and transverse direction as 60/80N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -   |
|       | z c when tested in accoludine with Asilw, D - 3147. The laying of membrane through the authorized applicator of the mandacture of membrane :  |
| 4.3.1 | 3 mm thick  |
| 2     | Dismantling and Demolishing   |
| 5.1   | Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:   |
| 5.1.1 | Asbestos Cement sheet   |
| 5.2   | Dismantling old plaster or  |
|       | skirting raking out joints and  |
|       | cleaning the  |
|       | surface for plaster including   |
|       | disposal of rubbish to the  |
|       | dumping ground  |
|       | Within 50 metres read.  |



| 9   | Non Schedule Items               |            |    |   |   |
|-----|----------------------------------|------------|----|---|---|
| 6.1 | Removing old mangalore tiles     |            |    |   |   |
|     | including ridges, MS Gutters and |            |    |   |   |
|     | all roof related components      |            |    |   |   |
|     | without dismantling from the     |            |    |   |   |
|     | existing roof.                   |            | 38 |   |   |
| 6.2 |                                  |            | 6  | , |   |
|     | over the joint of AC Sheet       |            |    |   |   |
|     | roofing, on gable ends and roof  | S€5        |    |   |   |
|     | surface etc. complete as per the | <i>x</i> . |    |   |   |
|     | direction of Engineer-in-charge  |            |    |   |   |
|     | including disposal of            |            |    |   | 3 |
|     | unserviceable material within 50 |            |    |   |   |
|     | metres lead.                     |            |    |   |   |

Scope of Supply: (Cost break-up of the quoted cost, showing inter-alia costs of all the concomitant Installation/Commissioning/ Training/Technical Support/Incidental Services/Software/accessories, considered necessary to make the proposal self-contained and complete must be indicated here.)

- Taxation Details:-
- PAN Number a) b)
- Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc)
  - **GSTIN Number**
- Registered Address as per GST Registration and Place of Delivery for GST Purpose.
- Contract Names, Nos & email IDs for GST matters ( Please mention primary and secondary contracts) e 6
- It is hereby certified that we have understood the General and Special Instructions to Tenderers (GIT and SIT), and also the General and Special Conditions of & VIII required and out offer is to supply stores strictly in accordance with the requirements and according to the terms of the tender. We agree to abide solely Contract (GCC and SCC) attached to the tender and have thoroughly examined specifications/Quality Control Requirement and other stipulations in Section VII by the General and Special Conditions of Contract and other conditions of the tender in accordance with the tender documents if the contract is awarded to us. 3
  - hold this offer open for acceptance for a period of ......days from the date of opening of tende (i.e. upto.......), We shall be bound by the communication of We hereby offer to supply the stores detailed above or such portion thereof, as you may specify in the acceptance of tender at the price quoted and agree to .....(form and reference number, acceptance dispatched within the prescribe time.
    - date) as per the Tender documents. Ŋ.



Dated.....

Signature and Seal of Manufacturer/Bidder

The Bidder may prepare their own offer forms as per this proforma. EEEE

in the proforma is permissible.

No erasures or alternations in the text of the offer are permitted. Any correction made in the offer shall be initialled by the bidder.

Figures in Columns 5 to 7 (both inclusive) and in Break-up of price in column 6, should be in both figures and words.
This Section should not bring in any new Technical Parameter that has not been mentioned in the Technical Bid.



### Section XII: Vendor Details

The tenderer should furnish specific details mentioned below. In case a question/ issue does not apply to a tenderer, the same should be answered with the remark "not applicable".

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/issues, its tender will be liable to be ignored.

| 1. Vendor/ Contractor particulars:   |
|--|
| (a) Name of the Company:   |
| (b) Corporate Identity No. (CIN):  |
| (c) Registration if any with SPMCIL:   |
| (d) Complete Postal Address:   |
| (e) Pin code/ ZIP code:  |
| (f) Telephone nos. (with country/area codes):  |
| (g) Fax No.: (with country/area codes):  |
| (h) Cell phone Nos.: (with country/area codes):  |
| (i) Contact persons /Designation:  |
| (j) Email IDs:   |
| 2. Taxation Details:   |
| (a) PAN number:  |
| (b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.):                 |
| (c) GSTIN number:  |
| (d) Registered Address as per GST registration and Place of Delivery for GST Purpose:                |
| (e) Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts)  |
|  |
| 2 We solemnly declare that our GST rating on the GST portal / Govt. official website is NOT negative |
| blacklisted during the last three financial years.   |
|  |
| (Signature with date)  |
|  |
| The same and the same and the same active  |
| (Full name, designation & address of the person duly authorized sign on behalf of the tenderer)      |
| For and on behalf of   |
|  |
|  |
| (Name, address, and stamp of the tendering firm)   |



### Section XV: Bank Guarantee Form for Performance Security

# PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND (ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)

| Ref Date   |                |
|--|----------------|
| Bank Guarantee No  |                |
| To,  |                |
|  |                |
| (Insert Name & Address of the Purchaser)   | ž.             |
| Dear Sir,  |                |
| 1 Against contract vide Notification for Award of the Tender No dated  | covering       |
| (hereinafter called the 'contract') entered into between the   |                |
| (insert name of Purchaser) (herein after called as the Purchaser) and M/s.   | iere ili arter |
| called the 'Contractor') this is to certify that, at the request of the Contractor, we   | ame oj tne     |
| hank) are holding in trust in favour of the Purchaser, the amount of   | e ili woi usj, |
| to indemnify and keep indemnified the Purchaser, against any loss or damage that may be caused to, or  | suffered by    |
| the Purchaser, by reason of any breach by the Contractor of any of the terms and conditions of the Sc  | aid contract   |
| and/or in the performance thereof. We agree that the decision of the Purchaser, whether any breach o   | Contractor:    |
| terms and conditions of the said contract and/or in the performance thereof has been committed by the  | hinding on     |
| and the amount of loss or damage that has been caused or suffered by the Purchaser, shall be final and the amount of loss or damage that has been caused or suffered by the Purchaser, shall be final and without described the provided that the purchaser of the purchaser of the purchaser. | emur to the    |
| us, and the amount of the said loss or damage shall be paid by us, forthwith on demand and without de  | smar to the    |
| Purchaser.  2. We  | main in full   |
| force and effect, for sixty days after the complete conclusion of the contractual obligations to the   | e complete     |
| satisfaction of both the BIDDER and the BUYER, including warranty period whichever is lar  | ter, i.e. till |
| (hereinafter called the 'said date') and that if any claim accrues or arises   | against us     |
| (name of the bank) by virtue of this guarantee before the said date, the same shall be   | enforceable    |
| against us (name of the bank), notwithstanding the fact that the same is enfo  | orcea within   |
| six months after the said date, provided that notice of any such claim has been given to us  | (name of       |
| the hank) by the Purchaser before the said   |                |
| date. Payment under this bond of guarantee shall be made promptly, upon our receipt of notice to that  | effect, from   |
| the Durchaser  |                |
| 3. It is fully understood that this guarantee is effective from the date of the said contract and the  | at we          |
| (name of the bank), undertake not to revoke this guarantee during its currency,  | without the    |
| consent in writing of the Purchaser.   | nutes raised   |
| 4. We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute or dis   | our liability  |
| by the Contractor, in any suit or proceeding pending before any Court or Tribunal, relating thereto, under this present, being absolute and unequivocal. The payments so made by us under this bond, sha   | all be a valid |
| discharge of our liability for payment thereunder, and the Contractor shall have no claim against us, for  | making such    |
| payments.  |                |
| 5. We  | rty, without   |
| affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the said co  | ontract, or to |
| extend time of performance by the Contractor, from time to time, or to postpone for any time or form,  | time to time,  |
| any of the powers exercisable by the Purchaser, against the said Contractor and to for bear or enforce   | e any or the   |
| terms and conditions relating to the said contracts and we   | , shall not be |
| released from our liability under this guarantee, by reason of any such variation or extension being gr  | anteu to the   |
| said Contractor, or for any forbearance and/or omission on the part of the Purchaser, or any indulg  | gence by the   |
| Purchaser towards the said Contractor, or by any other matter or thing whatsoever, which under the la  | w relating to  |
| sureties, would, but for this provision, have the effect of so releasing us from our liability under this guar   | tor            |
| 6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contrac  | tor.           |
| Date   |                |
| Place  |                |
|  | Signature      |
|  | inted Name)    |
|  | Designation)   |
| Witnesses  |                |

(Bank's Common Seal)



### Section XVI: Contract Form

(Address of SPMCIL's office issuing the contract)

| This is in cont 1. Name & ade 2. SPMCIL's T issued by SPM 3. Supplier's T between the s 4. In addition under paragra (i) General Co (ii) Special Co (iii) List of Re (iv) Technical (v) Quality Co (vi) Tender Fo (vii) Price Sch (viii) Manufac (ix) SPMCIL's Note: The wor them in the co Section – V - 'O 5. Some terms reference: (i) Brief partice | cinuation to this office' Notification of dress of the Supplier:   | and subsequent communication this tender. It is tender; cable for this tender tract shall have the love. Further, the defender of the above-referress. | dated          | andated (If any ed in the document trued as part of this is as are respectively breviations incorporapply to this contine reproduced below. | y), exchanged ts mentioned s contract:  y assigned to orated under ract. ow for ready |
|---|--|--|----------------|---|---|
| Schedule<br>No.   | Brief description of goods/<br>services  | Accounting unit  | Quantity to be | Unit Price (in Rs.)   | Total price   |
|   |  |  | supplied       |   |   |
| ¥   |  |  |                |   |   |
| Fotal value (in ii) Delivery so iii) Details of iv) Quality Co a) Mode(s), st b) Designation vi) Consignee vii) Warranty viii) Payment ix) Paying aut   | Performance Security ntrol rage(s), and place(s) of conducting ir n and address of SPMCIL's inspectin n and despatch instructions , including port consignee, if any clause terms hority | nspections and test<br>g officer   |                |   |   |
| for and on beh<br>Received and a<br>Signature, nar<br>In behalf of the<br>For and on beh<br>Name and add  | alf of<br>lress of the supplier)   |  | ized to sign   |   |   |
| Seal of the sup<br>Date:<br>Dace:   | pplier)  |  |                |   |   |
|   |  |  | 977.0          |   |   |



### Section XVII: Letter of Authority for attending a Pre-bid Conference/ Bid Opening

| The General Manager<br>Unit Address |   |  |
|-------------------------------------|---|--|
| Subject: Authorization for attended | ling bid opening on _                       | (date) in the Tender of  |
| Subject. Authorization for accome   |   |  |
| · ·                                 |   | *  |
| Following persons are hereby aut    | horized to attend the bi<br>(Bidder) in ord | d opening for the tender mentioned above on der of preference given below. |
| Order of Preference                 | Name  | Specimen Signatures  |
| I.                                  |   |  |
| II.                                 |   |  |
| Alternate Representative            |   |  |
| Signatures of bidder or             |   | ×  |
| Officer authorized to sign the bid  |   |  |
| Documents on behalf of the          |   |  |
| bidder.                             |   |  |

### Note:

1. Maximum of two representatives will be permitted to attend pre-bid conference/ bid opening. In cases where it is restricted to one, first named representative will be allowed to attend. Alternate representative will be permitted when regular representatives are not able to attend.

2. In case of pre-bid conference, self-attested copy of proof of purchase of Bid documents, in the name of the bidder must be enclosed with this authorization, without which entry would be refused. Bid documents would be available for sale at the site also.

3. Permission for entry to the hall where even is held may be refused in case authorization as prescribed above is not produced.



Revenue stamp

# Section XVIII: Proforma of Bills for Payments

(Refer Clause 22.6 of GCC)

| Name and Ado   | dress of the Firr   | n  | er Clause 22.6 (                        | or GCC)                         |                                    |                                    |
|--|---|--|---|---------------------------------|------------------------------------|------------------------------------|
| Bill No  |   |  | *************************************** |                                 |                                    |                                    |
| Purchase orde  | er  | No   | Dated                                   |                                 |                                    |                                    |
| Name and add   | lress of the cons   |  |   |                                 |                                    |                                    |
| S. No  | Authority   | Description  |   | Rate                            | Price per                          | Amount                             |
|  | for purchase  | of Stores  | quantity                                | Rs. P.                          | Rs. P.                             | The same of the same of            |
|  |   |  |   |                                 |                                    |                                    |
| Total  |   |  |   |                                 |                                    |                                    |
| 2. Freight (if a 3. Excise Duty 4. Packing and 5. Others (Plea 6. PVC Amoun 7. (-) deductio 8. Net amount Dispatch detai Dated   | (if applicable) Forwarding chase specify) t (with calculation/Discount payable (in wood l RR No. other patificate No. | arges (if applic<br>on sheet enclos<br>rds Rs.)<br>roof of despato | sed)                                    |                                 | Dated                              | (enclosed)<br>(enclosed)           |
| We solemnly c  |   |  |   |                                 |                                    |                                    |
| a. Goods and Soof the relevant   | ervices Tax (GS'<br>Act or the Rule   | Γ) charged on t<br>s made there u                                  | his Bill is not m<br>nder.              | ore than what                   | is payable unde                    | r the provision                    |
| there under ar   | hich GST has be<br>nd the charges o<br>s made there ur  | on account of C  | ve not been ex<br>GST on these go       | empted under<br>oods are corre  | the GST Act or<br>ct under the pro | the rules made<br>ovisions of that |
| c. We are regis<br>located for the   | stered with abo<br>purpose of GST   | ve indicated GS  | STIN as dealer                          | in the State w                  | here in their Bil                  | lling address is                   |
| d. This bill for requirements consignee.   | rm / invoice is<br>of GST rules h   | not a replace<br>as been sent t                                    | ment for the (<br>o the Purchase        | GST invoice. T<br>er as and who | he proper GST<br>en deliveries ar  | invoice as per<br>e made to the    |
| e. that the payment being claimed is strictly in terms of the contract and all the obligations on the part of<br>the supplier for claiming that payment has been fulfilled as required under the contract. |   |  |   |                                 |                                    |                                    |

Signature and of Stamp Supplier



### Section XIX: NEFT Mandate

(Refer clause 22.2 of GCC)

| ()  | Γο:<br>(Insert<br>Sub: N<br>We re:<br>schem | M/s                                       | ing Authority as per NIT Clause 1) ate SPMCIL for making payments to us through the above |  |  |  |
|---|---|---|---|--|--|--|
| -   | 1   | Name of City                              |   |  |  |  |
|   | 2   | Bank Code No.                             |   |  |  |  |
|   | 3   | Branch Code No.                           |   |  |  |  |
| _   | 4   | Bank's Name                               |   |  |  |  |
| 1   | 5   | Branch Address                            |   |  |  |  |
|   | 6   | Branch Telephone / Fax No.                |   |  |  |  |
| _   | 7   | Supplier's Account No.                    |   |  |  |  |
| -   | 8   | Type of Account                           |   |  |  |  |
|   | 9   | IFSC code for NEFT                        |   |  |  |  |
| -   | 10  | IFSC code for RTGS                        |   |  |  |  |
| -   | 11  | Supplier's name as per Account            |   |  |  |  |
| ۲   | 12 MICP Code No.                            |   |   |  |  |  |
| r   | In Lie                                      | u of Bank Certificate to be obtained as i | under, please attach a bank cancelled cheque or photocopy                                 |  |  |  |
| of a cheque or front page of your bank passbook issued by your bank for verification of the above |   |   |   |  |  |  |
| 1   | particulars                                 |   |   |  |  |  |

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.

Date

Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and Signature of authorized official of the bank