

India Security Press, (A UNIT OF SECURITY PRINTING & MINTING CORPORATION OF INDIA LTD.)WHOLLY OWNED BY GOVERNMENT OF INDIA Nashik Road-422101 (Maharashtra)

(ISO-9001:2008 & 14001:2004 Certified Company)

Miniratna Category-I, CPSE

Tel.No:+91-253-2-402200;Fax No:+91-253-2462718,2466389 e-mail: purchase.isp@spmcil.com Web:http://ispnasik.spmcil.com

CIN: U22213DL2006G0I144763 GSTIN: 27AAJCS6111J2Z7

| PR Number | PR Date | Indenter | Department |
|-----------|------------|----------|------------|
| 12004953 | 05.07.2023 | MNT-CIV | . MNT-CIV |

Not Transferable

Security Classification: Non-Security

TENDER DOCUMENT FOR: Construction of storm water drain from A-6 to A-4 connecting to existing storm water drain and repairs to approach paths of A-1 to A-6 quarters in ISP Estate.

Tender Number: 6000018430/SY-13-30(12004953)/2023 dt 16.08.2023 This Tender Document Contains 43 Pages.

Details of Contact person in SPMCIL regarding this tender:

Name: Ashok Sharma

Designation: Jt. General Manager (Materials) **Address:** ISPN (India Security Press, Nashik) India



Disclaimer

The information contained in this Bid Document or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of the Security Printing and Minting Corporation Limited (hereafter referred as the "Purchaser") or any of its employees or associated agencies, is provided to Bidder(s) on the terms and conditions set out in this Bid Document and such other terms and conditions subject to which such information is provided.

This Bid Document is not an agreement and is neither an offer nor invitation by the Purchaser to the prospective Bidder(s) or any other party hereunder. The purpose of this Bid Document is to provide the Bidder(s) with information to assist them in the formulation of their proposal submission This Bid document does not purport to contain all the information Bidder(s) may require. This Bid document may not be appropriate for all bidders, and it is not possible for the Purchaser to consider particular needs of each Bidder. Each Bidder should conduct its own investigation and analysis, and should check the accuracy, reliability, and completeness of the information in this document and obtain independent advice from appropriate sources.

Information provided in this Bid Document to the Bidder(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Purchaser, its employees and other associated agencies accept no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

This Bid document and ensuing bids; communications and Contracts would alone determine the legal and commercial relationship between the bidders/ contractors and the Purchaser. No other Government or Purchaser's document/ guidelines/Manuals including its Procurement Manual (which are for internal and official use of its officers), have any locus standii in such a relationship. These documents/guidelines/Manuals therefore should not be cited or referred in any legal or dispute resolution or grievance redressal proceedings.

The Purchaser, its employees and other associated agencies make no representation or warranty and shall have no liability to any person, including any Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Bid Document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Bid Document and any assessment, assumption, statement or information contained therein or deemed to form part of this Bid Document or arising in any way for participation in this Bid Stage.

The Purchaser, its employees and other associated agencies also accept no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Bidder(s) upon the statements contained in this Bid Document.

The Purchaser may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this Bid Document.

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

The Bidder(s) shall bear all its costs associated with or relating to the preparation and submission of their Bids including but not limited to preparation, copying, postage, delivery fees, expenses associated with any submission of samples, demonstrations or presentations which may be required by the Purchaser or any other costs incurred in connection with or relating to their Bids. All such costs and expenses will remain with the Bidder(s) and the Purchaser shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Bidder(s) in preparation or submission of the Bid, regardless of the conduct or outcome of the Bidding Process.

This disclaimer forms an integral part of the Bid document and shall supplement but not supplant the provision of the Bid Document.



SECTION I: NOTICE INVITING TENDER (NIT) INDIA SECURITY PRESS

(A Unit of Security Printing and Minting Corporation of India Limited)

Wholly owned by Government of India

Nashik Road – 422 101 (Maharashtra) Tel No 00 91 253 2402200, Fax No 00 91 253 2462718 Website: www.spmcil.com, email: <u>purchase.isp@spmcil.com</u>

Tender No.: 6000018430/SY-13-30(12004953)/2023 dt 16.08.2023

Sealed tenders are invited from eligible and qualified tenderers for supply of the following
 GeM-Availability Report and Past Transaction Summary-GEM/GARPTS/10082023/RXN67EB5HYN2

| Schedule | Brief Description of | Quantity (| with | Earnest Money | Remarks | | |
|---|---|-------------|--|---|---|--|--|
| No. | Goods/services | unit) | | (in Rs.) | D.1: 0.1 1.1 | | |
| 1 | Construction of storm water drain from A-6 to A-4 connecting to existing storm water drain and repairs to approach paths of A-1 to A-6 quarters in ISP Estate | 1.254 | | Rs. 1,21,990/- (Rupees One Lakh Twenty One Thousand Nine Hundred Ninety Only). | Delivery Schedule As per section VI: List of Requirement and detailed Technical Specification mentioned in Section VII. | | |
| Type of Ter | nder (Two Bid/ PQB/ EOI/ RC | / | Two b | id Tender (Single | Stage) i.e. (Techno- | | |
| Developme | nt/ | | | rcial + Price Bid) | 9807 (V 184 | | |
| Indigenizat | Indigenization/ Disposal of Scrap/ Security Item | | | ıl Competitive Biddi | ng (NCB) | | |
| etc.) | | | 1(19) | | | | |
| Security Cla | assification | | | | | | |
| | Authority in whose favour all tender related | | | India Security Press, Nashik Road, Unit of SPMCIL | | | |
| financial instruments (FD, DD, Banker's cheque etc) | | | | * | | | |
| | are to be made | | | | | | |
| | al Instruments to be payable a | | Payable at Nashik | | | | |
| Dates and p | place of issue of tender docum | ients: | From <u>16.08.2023</u> to <u>15.09.2023</u> during office hours | | | | |
| | | | At ISP, Nashik | | | | |
| Clasina dat | and time for resolut of tond | owa | | 2023 up to 1430 Hrs | • | | |
| | e and time for receipt of tende | erz | | | | | |
| Place of rec | ceipt of tenders | | Green Gate, India Security Press, Nashik Road-422 101, Maharashtra, India | | | | |
| Time and d | ate of opening of tenders for | Technical | 1500 Hours on <u>15.09.2023</u> | | | | |
| Bid. | | | 130011 | | | | |
| | , and date of Opening of Price | (Financial) | | | | | |
| | e intimated later on | | | | | | |
| Place of op | Place of opening of tenders | | | Purchase Section, India Security Press, | | | |
| | | | | Road-422 101, Mah | | | |
| | Person/ Designation to Rece | ive Bulky | | | ity Press, Nashik Road:- | | |
| | lause 21.1 of GIT) | | | I, Maharashtra, India | | | |
| Officer to b | e contacted for clarifications/ | help: | Ashok Sharma, Jt. GM (Materials) India Security Press, Nashik Road | | | | |
| | | | India S | ecurity Press, Nashil | к коаа | | |

^{2.} Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.



- 3. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/revised).
- 4. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website mentioned above for further details.
- 5. Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document, the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).
- 6. Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are dropped on or before the closing date and time indicated in the Para 1 above in the tender box located at the address given below, failing which the tenders will be treated as late and rejected. Tenders may also be sent through post at the address as above. However, Purchaser will not be responsible for any postal lapses or delays in receipt of the documents. In case NIT/ SIT provide for uploading of bids to nominated eProcurement portal, bidders must upload their bids along with scanned copies as required enclosures (including proofs of cost of Tender Documents and EMD as applicable unless an online payment gateway is provided in the instruction) as per instructions given in this regard.

Original copies of such scanned uploaded required enclosures must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.

- 7. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.
- 8. The tender documents are not transferable.
- 9. The bidder, their affiliates, or subsidiaries including subcontractors or suppliers for any part of the contract should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).
- 10. EMD amount mentioned in Section VI List of Requirements shall be furnished in one of the following forms: a) Account Payee Demand Draft or b) Fixed Deposit Receipt or c) Banker's cheque or d) Bank Guarantee; in acceptable form, otherwise the tender will not be accepted in any case. The demand draft, fixed deposit receipt or banker's cheque shall be drawn on any scheduled commercial bank in India, in favour of Account and place of payment specified in the Para 1 above. In case of bank guarantee, the same is to be provided from/confirmed by any scheduled commercial bank in India as per the format specified under Section XIII in these documents.

11. Undersigned confirms that the required goods mentioned above are not available on GeM as per "GeM - Availability Report and Past Transaction Summary" (GeM - AR&PTS). This unique ID is mentioned in para 1 above.

(Ashok Sharma)

Jt. General Manager (Materials)

India Security Press, Nashik Road-422101

Phone No 0253 2402219

For and on behalf of

Chief General Manager,

India Security Press, Nashik Road



Section II: General Instructions to Tenderer (GIT)

PART I & II: GENERAL INSTRUCTIONS Applicable to all Types of Tenders:

Please refer the link to https://spmcil.com/uploaddocument/GIT/new.pdf for further details. GIT (Total pages: 61)

BIDDERS ARE REQUESTED TO DOWNLOAD 61 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT.



SECTION III: SPECIAL INSTRUCTIONS TO TENDERERS (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

| Sl. No. | GIT Clause No. | Topic | Modify/ Substitute/ Supplement | SIT Provision |
|------------|----------------------|--|--------------------------------------|---|
| 1 | 3 | Eligible Tenderers . | | As applicable |
| 2 | 3.4 | Eligible Goods and Services (Origin of Goods) | | As applicable |
| 3 | 6.1 | The tender documents includes: | Modify | SIT 1 (Mentioned below) |
| 4 | 8 | Prebid Conference | | Not applicable |
| 5 | . 9 | Time Limit for receiving request for clarification of Tender Documents | Modify | SIT 2 (Mentioned below) |
| 6 | 10.1 | The Technical bid to be submitted by Tenderer shall contain the following documents, duly filled in, as required | | As applicable |
| 7 | 11.2 | Tender Currency | | As applicable |
| 8 | 12.1 | Tender Prices | • | As applicable |
| 9 | 12.2, 33, 36.1 | Schedule wise evaluation | | As applicable |
| 10 | 12.6 | GST details | | As applicable |
| 11 | 16. a) to c) | Documents Establishing Tenderer's Eligibility and Qualifications | Modify | As per Section IX: Qualification / Eligibility Criteria |
| 12 | 18.4, 18.5 | Earnest Money Deposit (EMD) | Modify | SIT 3 (Mentioned below) |
| 13 | 19 | Tender Validity | Modify | SIT 4 (Mentioned below) |
| 14 | 20.4 | Number of Copies of Tenders to be submitted | Modify | SIT 5 (Mentioned below) |
| 15 | 20.8 | Two Bid System | | As applicable |
| 16 | 21 | Submission of Tender | Modify | SIT 6 (Mentioned below) |
| 17 | 24 | Opening of Tender & Evaluation Process | Modify | SIT 7 (Mentioned below) |

SIT 1:- The tender documents includes:- The tender documents includes:

- 1. Section I Notice Inviting Tender (NIT)
- 2. Section II General Instructions to Tenderers (GIT)
- 3. Section III Special Instructions to Tenderers (SIT)
- 4. Section IV -General Conditions of Contract (GCC)
- 5. Section V Special Conditions of Contract (SCC)
- 6. Section VI List of Requirements
- 7. Section VII Technical Specifications
- 8. Section VIII Quality Control Requirements
- 9. Section IX Qualification/ Eligibility Criteria



- 10. Section X Tender Form
- 11. Section XI Price Schedule
- 12. Section XII Vendor Details
- 13. Section XV Bank Guarantee Form for Performance Security
- 14. Section XVI Contract Form
- 15. Section XVII: Letter of Authority for attending a Bid Opening
- 16. Section XVIII: Proforma of Bills for Payments f
- 17. Section XIX: NEFT Mandate
- SIT 2: Time Limit for receiving request for clarification of Tender Documents:- A tenderer requiring any clarification or elucidation on any issue of the tender document may take up the same with ISP Nashik in writing or by fax/ e-mail/ post. ISP Nashik will respond in writing to such request provided the same is received by ISP Nashik not later than 21 days prior to the prescribed date of submission of tender.
- SIT 3: Earnest Money Deposit (EMD): Rs. 1,21,990/-(Rupees One Lakh Twenty One Thousand Nine Hundred Ninety Only). EMD must be submitted along with the tender in form of DD/ Bankers cheque/FDR drawn from any Scheduled Commercial Bank in India only in favor of SPMCIL unit ISP payable at Nashik. The firm who are registered under Startups may be exempted from submitting the EMD on producing valid certificate. Otherwise, certificate will not be considered for exemption of EMD.

SIT 4: Tender Validity:-

- (i) The tenders shall remain valid for acceptance for a period of **120 days after the date of tender opening** prescribed in the tender document. Any tender valid for a shorter period shall be treated as unresponsive and rejected.
- (ii) In exceptional cases, the tenderers may be requested by ISP Nashik to extend the validity of their tender upto a specified period. Such request(s) and response thereto shall be conveyed by surface mail or by fax/ e-mail followed by surface mail. The tenderers who agree to extend the tender validity, are to extend the same without any change or modification of their original tender.
- (iii) In case the day upto which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for ISP Nashik, the tender validity should automatically be extended upto the next working day.
- (iv) Compliance with the Clauses of this Tender Document: Tenderer must comply with all the clauses of this Tender Document. In case there are any deviations, these should be listed in a chart form without any ambiguity along with justification.
- SIT 5: Number of Copies of Tenders to be Submitted: Tenderer shall submit their tender in "Original" only
- SIT 6: Submission of tender: <u>Techno Commercial Bid</u> and <u>the Price Bid</u> are to be submitted in Two Separate double sealed Envelopes on or before the due date of the submission of the tender as stated below otherwise tender/bid/quotation shall be liable for rejection.



PART I: Techno-Commercial bid :- (First Envelope):

- (i) **Earnest Money Deposit:** Rs. 1,21,990/-(Rupees One Lakh Twenty One Thousand Nine Hundred Ninety Only).
 - EMD must be submitted along with the tender in form of DD/ Bankers cheque/ FDR drawn from any Scheduled Commercial Bank in India only in favor of SPMCIL unit ISP payable at Nashik. The firm who are registered under Startups may be exempted from submitting the EMD on producing valid certificate. Otherwise, certificate will not be considered for exemption of EMD.
- (ii) **Power of Attorney/ Authorization** with the seal of company indicting that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract.
- (iii) The eligibility criteria for the tender are given in **Section IX- Qualification/ Eligibility Criteria.** The bidder has to submit all the desired documents and relevant documentary proof in support of relevant clauses mentioned in Section IX: Qualification/ Eligibility Criteria. The Qualifying Criteria should be submitted in original.
- (iv) The tenderer shall submit detailed techno-commercial offer as per Technical Specifications mentioned as per Section-VII and List of Requirement as per Section-VI of the tender document.
- (v) The tenderer has to submit sealed and signed tender document by authorized signatory of the tenderer as a token of acceptance of all section/ terms and conditions of this tender document (GIT, SIT, GCC & SCC, Quality Control Requirement, List of Requirement, Technical Specification, Tender form etc.)

Part-II: Price Bid (Second Envelope):

The tenderer shall quote their prices strictly as per the proforma given in Section-XI of the Tender document. No additional/extra item with price shall be included other than that of Section XI.

NOTE:-

- i. Each envelope containing bids shall be super scribed as, <u>Techno-commercial Bid</u> and <u>Price Bid</u> separately as the case may be for "Construction of storm water drain from A-6 to A-4 connecting to existing storm water drain and repairs to approach paths of A-1 to A-6 quarters in ISP Estate..". The sealed envelopes shall be again put in another envelope and super scribed as tender for "Construction of storm water drain from A-6 to A-4 connecting to existing storm water drain and repairs to approach paths of A-1 to A-6 quarters in ISP Estate."
- ii. If the tender is not submitted as per above format, offer/ bid/ tender will be liable for rejection.
- iii. Late Tender shall not be accepted. Tenderer shall submit their offer only on prescribed form. Tenders by fax/ email shall not be accepted. Tender by Post/hand/courier received on or before the due date and time shall be accepted. Postal delay/ delay by courier services etc. shall not be condoned, what so ever reason may be.

SIT 7: Opening of Tender & Evaluation Process:

7.1 In the first instance, the **Techno-Commercial** part of Tender document will be opened and considered for the evaluation. These offers/ bid will be scrutinized and evaluated by the competent committee/ authority with reference to the parameters prescribed in the eligibility criteria (Section IX).



The technical acceptance of the bids is on the basis of **Technical Specifications** offered by the bidders as per **Section –VII** Technical Specification and Section-VI List of Requirement of the tender document and acceptance of the terms and conditions as per GIT, SIT, GCC, SCC, other conditions of tender. **Conditional offers will be liable for rejection.**

7.2 In the second stage, the Price Bid of only Techno Commercially Qualified firm offers (as mentioned first stage) will be opened for further scrutiny and evaluation.

The intimation regarding opening of price bids shall be given to qualified tenderers to enable them to attend the price bid opening, if they so desire.

7.3 **Price bid evaluation:** In the second stage, the price bid of only Techno Commercially Qualified firm will be opened for further scrutiny and evaluation. The price quoted shall be compared on Total Price basis (FOR ISP Nashik Road), including all taxes, duties, etc. The evaluation criteria for awarding the contract shall be total price wise to L1 bidder schedule mentioned in **Section XI Price Bid.**



SECTION IV: GENERAL CONDITION OF CONTRACT (GCC)

Please refer the below link for further details:

https://spmcil.com/uploaddocument/GCC/new.pdf GCC (Total pages: 36)

BIDDERS ARE REQUESTED TO DOWNLOAD 36 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DCOUMENT.



SECTION V: SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

| S. | GCC | Topic | Modify/ | SCC |
|-----|-------------------|--|---------------------------|-------------------------|
| No. | Clause No. | | Substitute/ Supplement | Provision |
| 1 | 1.2 | Abbreviations: | | As Applicable |
| 2 | 6.1, 6.3 & 6.5 | Performance Bond/ Security | Modify | SCC 1 (Mentioned below) |
| 3 | 8.2 | Packing and Marking | | As Applicable |
| 4 | 9 | Inspection and Quality Control | D | As Applicable |
| 5 | 11.2 | Transportation of Domestic Goods | Modify | SCC 2 (Mentioned below) |
| 6 | 12 | Insurance | Modify | SCC 3 (Mentioned below) |
| 7 | 14.1 | Incidental Services | | As Applicable |
| 8 | 15 | Distribution of Despatch Documents for clearance/ Receipt of Goods | at a | As Applicable |
| 9 | 16.2, 16.4 | Warrantee Clause | Modify | As applicable |
| 10 | 19.3 | Option Clause | | Not Applicable |
| 11 | 20.1 | Price Adjustment Clause | | Not Applicable |
| 12 | 21 | Taxes and Duties | Modify | SCC 4 (Mentioned Below) |
| 13 | 22 | Terms and Mode of payments | Modify | SCC 5 (Mentioned Below) |
| 14 | 24.1 | Quantum of LD | Modify | SCC 6 (Mentioned Below) |
| 15 | 25.1 | Bank Guarantee and Insurance for Material Loaned to Contractor | | Not Applicable |
| 16 | 33.1 | Resolution of Disputes | | As applicable |
| 17 | 36.3.2, 36.3.9 | Disposal/ Sale of Scrap by Tender | | Not Applicable |

SCC 1: Performance Bond/ Security: The successful bidder has to submit Performance Bond/ Security equivalent to 3% of the order(s) value, valid for a period of 60 days beyond the completion of all contractual obligations, within 21 days from the date of issue of Letter of Intent.

The Performance security shall be denominated in Indian Rupees in one of the following forms:

- a) Account Payee Demand Draft or Fixed Deposit Receipt drawn on any commercial bank in India, in favour of India Security Press, Unit SPMCIL.
- b) Bank Guarantee issued by a commercial bank in India, in the prescribed form as provided in section XV of this document.



SCC 2: Transportation of Domestic Goods: The transportation of goods to be procured will be done by the supplier on FOR ISP Basis. The total cost of the transportation should be indicated in the price bid of the item to be procured.

SCC 3: Insurance: Specific Insurance cover for each consignment /supply is to be given by the firm, as applicable.

SCC 4: Taxes and Duties: If the tenderer fails to include taxes and duties as per law of the land in the tender, no claim thereof will be considered by purchaser at a later stage.

SCC 5: Terms and Mode of Payment:

(i) No advance payment will be paid.

(ii) 100% payment will be made after satisfactory completion of work on the basis of actual work done & measurement basis.

(iii) Bill will be as per actual work done quantity (work done quantity should not exceed Qty specified in P.O.)

(iv) The firm shall provide the details viz. bank details, branch name, details of Account No., IFS Code, PAN card copy etc at the time of raising the bill.

SCC 6: Quantum of LD: Subject to GCC clause 28, if the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the ½% percent (or any other percentage if prescribed in the SCC) of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% (or any other percentage if prescribed in the SCC) of the delayed goods' or services' contract price(s). During the above-mentioned delayed period of supply and / or performance, the conditions incorporated under GCC sub-clause 23.4 above shall also apply. In all such cases GST would also be applicable on LD.



Section VI: List of Requirements

| Sch | Brief Description of Goods/ | Quantity | Earnest Money (in Rs) | Place of Delivery for |
|-------|--|-------------------|--|--|
| No. | services | (with unit) | | GST Purpose |
| conne | cruction of storm water drain fecting to existing storm water dra bach paths of A-1 to A-6 quarters i | in and repairs to | Rs. 1,21,990/- (Rupees One Lakh Twenty One Thousand Nine Hundred Ninety Only). | India Security Press, Nashik Road– 422101. Maharashtra, India |

| (a) | Required Delivery Schedule | | The work shall be completed within 04 months from the date of issue of PO. |
|-----|----------------------------------|---|--|
| (b) | Required Terms of Delivery | | On FOR ISP Basis. |
| (c) | Destination | : | India Security Press, Nashik Road-422101 Maharashtra, India |
| (d) | Preferred mode of transportation | | By Road (FOR) |

- 1. All the copies of tenders shall be complete in all respects with all their attachments/ enclosures duly numbered and signed on each and every page.
- 2. The total cost should be inclusive of all elements as cited above on FOR India Security Press, Nashik Road (Maharashtra), India, basis.

3. The Bidder has to submit documents as per the following Check list along with the Technical bid Documents (First envelop):

| Sr. No. | Description | Submitted/ Not Submitted |
|------------|--|-----------------------------|
| 1) | EMD (Earnest Money Deposit) | Subinitied |
| 2) | Documentary evidence towards Experience and past performance as per clause 1(i) of section IX. | |
| 3) | Documentary evidence towards Capability, equipment and manufacturing facilities as per clause 1(ii) of section IX. | |
| 4) | Documentary evidence towards Financial Standing as per clause 1(iii) of section IX. | |
| 5) | Undertaking as per clause 3 under section IX | - |
| 6) | Copy of PAN and GST registration certificate. | - |
| 7) | Power of Attorney/ Authorization with the seal of company indicating that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract. | e |
| 8) | Adherence to the Delivery Schedule as per Section VI on Bidder's Letter Head. | |
| 9) | Adherence to the Technical Specification as per Section VII: Technical Specifications on Bidder's Letter Head | |
| 10) | Adherence to the Quality Control Requirements as per Section VIII on Bidder's Letter Head. | |
| 11) | Tender Form: As per Section X | |
| 12) | Vendor Details: As per Section XII. | |



| Sr. No. | Description | Submitted/Not Submitted |
|------------|--|----------------------------|
| 13) | NEFT Mandate as per section XIX | |
| 14) | All pages of the tender documents (including GIT, GCC, SIT, SCC, List of requirements, Technical specification, quality requirements, etc.) duly signed and stamped by the Authorized signatory of the bidder. | |

The Bidder has to submit the Check list as per Format given below along with the Price Bid (Second Envelope):

| Sr. | Description | Submitted / | Page |
|-----|-----------------------------------|---------------|------|
| No. | | Not Submitted | No. |
| 1. | Duly filled Section XI: Price bid | | |



SECTION VII: TECHNICAL SPECIFICATIONS

Brief/Indicative Scope of civil work is as below.

A) Storm water drain work.-

- 1) Construct open storm water drain from A-6 Qrt. to existing storm water drain adjacent to A-4 Qrt. with necessary drain chambers etc.as per site condition.
- 2) Making necessary cross drain arrangement to avoid the stagnation of storm water drain.
- 3)Providing & laying RCC slab over storm water drain at front M.S. Gates of banglows.For road crossing section providing & laying RCC drain pipe of suitable dia. as per site condition.
- 4) Providing and laying precast perforated RCC/cement concrete drain covers.
- 5)Provision of necessary repairs of existing drain at interconnection point, damaged portion of compound walls, road crossing works etc.

B) Approach road/path work of A-01 to A-06 quarters.-

- 1)Removing existing damaged approach paths.
- 2) Making proper base preparation rubble soling with proper compaction, cement concrete hardstanding base etc.
- 3)Providing & fixing factory made chamfered edge precast interlocking cement concrete paver blocks over approach roads /paths .Sealing properly all edges of paver block by cement concete.
- 4)Providing & fixing precast cement concrete kerb stone around edges of approach roads as per site requirement.
- 5)Provisions of cross drains as per site condition, repairs to undrer ground water pipe line, sewer drain line, chamber electric cable etc if damaged during course of work.
- 6) Provision of repairs to compound wall ,alteration ,raising height,repairs of Entrance Gates,etc as per site condition/requirement.

Brief item description for the Work:-

- 1) Providing and laying in position cement concrete of specified grade 1:5:10, 1:3:6 & 1:2:4.
- 2) Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work of M-30.
- 3) Brick work with common burnt clay F.P.S (non modular) bricks for wall of drain lines.
- 4) Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete.
- 5) Providing and laying factory made chamfered edge cement concrete paver blocks for front of different quarters.
- 6) Providing and fixing factory made precast RCC perforated drain covers.

Terms and Conditions

Work Description:-

The work of "Construction of storm water drain from A-6 to A-4 connecting to existing storm water drain & repairs to approach paths of A-1 to A-6 quarters in ISP Estate." involves excavation, PCC ,concreting, brick work, plastering, ,RCC slab casting, laying NP-2 pipe, construction of chambers with fixing of precast RCC perforated drain covers, centering & shuttering, refilling earth, resurfacing, curing, paver block, Kerb stone fixing work. Painting, repairs alteration of existing M.S. Gates., interconnection of drain, repairs to damaged portion of road ,compound wall, disposal of debris etc. any unforeseen item or work requirement felt essential for the completion of said work.

During execution of work as per site condition & site requirement alignment of work may change & if required items other than considered in estimate may be required to be executed.



The entire work will be executed as per directions of Competent Authority of ISP and his decision will be final in case where ambiguity / difference of opinion etc arises during execution of the work.

- 1. Construction material to be used in the work (such as cement, steel) shall be ISI marked.
- 2. Testing of Materials (such as concerete, steel, paver-blocks etc.) shall be as per the IS standards through NABL certified/Govt engineering college laboratory and cost of the testing shall be borne by the firm/contractor.
- 3. Stipulated time period for the work = 04 Months from the date of P.O.The Firm shall compelete the execution of the work as per the schedule of the work and the delivery period specified. Any delay beyond the delivery period shall attract a panelty of 0.5 percent of the PO amount per week.
- 4. Firm/ contractor shall provide all PPEs and safety gears to all its workmen and fully responsible for the safety and well being of its staff. ISP shall not be responsible for any damage what so ever. If any accident /injury /casualty happens the sole responsibility will be of the firm. No compensation will be borne by ISP.
- 5. ISP, Nasik Road is a security sensitive organisation. Hence, it is advised that the firm shall have a site visit to understand the security procedures, nature of the work, before partipitating in the bidding process.
- 6. Firm shall have to ensure that it should not damage any existing ISP property such as Underground cables, pipelines, adjacent structures. The damage, if any shall be rectified by the firm immidiately at its own cost.
- 7. The firm shall not engage any child labor during the execution of the work at ISP.
- 8. All requisite raw material, tools & plants shall be arranged by the firm.
- 9. Electric and water supply will be provided by ISP at free of cost. Required size of electric cable, switch board etc for, rubber pipe etc for water supply should have to arrange by the agency.
- 10. Working Hours 8.00am to 6.00pm (Including lunch hour). If required work will be permitted during extended hours and Sundays and Holidays also.
- 11. The firm shall clean the area/work site thoroughly daily after completing the day's work. As quarters are occupied, firm has to take care during material stacking, manpower movements etc., so it should not obstruct day-to-day movements of occupants.
- 12) Rates: -
- (i) The firm shall quote the rates as per items and units mentioned in the Purchase Requisition.
- (ii) If any taxes levied the firm shall clearly mention it in their offer.
- 13) The said scope of work with mentioned quantity as per attached annexure A is tentative and may be increased or decreased at the time of execution of work on the unit rate basis of the firm as submitted in its quotation/offer.



The detailed schedule of work is attached herewith as Annexure -'A'

Detailed Schedule of work for Construction of storm water drain from A-6 to A-4 connecting to existing storm water drain and repairs to approach paths of A-1 to A-6 quarters in ISP Estate.

Annexure A

| S.No. | DSR | Description | Unit | Qty |
|-------|--------|---|------|------|
| 1 | 2 | EARTH WORK | | |
| 1.1 | 2.8 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. | | |
| 1.1.1 | 2.8.1 | All kinds of soil. | CUM | 515 |
| 1.2 | 2.25 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. | CUM | 180 |
| 2 | 4 | CONCRETE WORK | | |
| 2.1 | 4.1 | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: | | |
| 2.1.1 | 4.1.3 | 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) | CUM | 8 |
| 2.1.2 | 4.1.5 | 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) | CUM | 5 |
| 2.1.3 | 4.1.10 | 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources) | CUM | 162 |
| 3 | 5 | REINFORCED CEMENT CONCRETE | | |
| 3.1 | 5.9 | Centering and shuttering including strutting, propping etc. and removal of form for | | |
| 3.1.1 | 5.9.1 | Foundations, footings, bases of columns, etc. for mass concrete | SQM | 100 |
| 3.2 | 5.22 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. | | |
| 3.2.1 | 5.22.6 | Thermo-Mechanically Treated bars of grade Fe-500D or more. | KG | 7500 |
| 3.3 | 5.33 | Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of | | |



| 3.3.1 | 5.33.1 | direction of the engineer-in-charge; for the following grades of concrete. Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the specified minimum cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works upto plinth level | , | |
|---------|----------|---|-----|-----|
| 3.3.1.1 | 5.33.1.2 | All works upto plinth level Concrete of M30 grade with minimum cement content of 350 kg /cum | сим | 50 |
| 4 | 6 | MASONRY WORK | | |
| 4.1 | 6.1 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: | | |
| 4.1.1 | 6.1.2 | 6.1.2 Cement mortar 1:6 (1 cement : 6 coarse sand) | CUM | 55 |
| 5 | 13 | FINISHING | | |
| 5.1 | 13.2 | 15 mm cement plaster on the rough side of single or half brick wall of mix : | | |
| 5.1.1 | 13.2.2 | 1:6 (1 cement: 6 fine sand) | SQM | 560 |
| 5.2 | 13.18 | Neat cement punning. | SQM | 560 |
| 6 | 15 | DISMANTLING AND DEMOLISHING | | |
| 6.1 | 15.2 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. | | |
| 6.1.1 | 15.2.2 | Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix) | CUM | 167 |
| 6.2 | 15.43 | Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge: | | |
| 6.2.1 | 15.43.2 | bituminous road | SQM | 25 |
| 6.3 | 15.6 | Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved. | CUM | 335 |
| 7 | 16 | ROAD WORK | | |
| 7.1 | 16.69 | Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge). | CUM | 25 |



| 7.2 | 16.91 | Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge. | | • |
|-------|---------|---|-------|------|
| 7.2.1 | 16.91.2 | 80 mm thick C.C. paver block of M-30 grade with approved color design and pattern. | SQM | 1260 |
| 8 | 19 | DRAINAGE | | |
| 8.1 | 19.6 | Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete : | s | |
| 8.1.1 | 19.6.7 | 600 mm dia. R.C.C. pipe | Metre | 40 |
| 9 | 23 | RAIN WATER HARVESTING AND TUBEWELLS | | |
| 9.1 | NS/1.1 | Providing and fixing factory made precast RCC perforated drain covers, having concrete of strength not less than M-25 (HD), of size 1000 x 450x50 mm, reinforced with 8 mm dia four nos longitudinal & 9 nos cross sectional T.M.T. hoop bars, including providing 50 mm dia perforations @ 100 to 125 mm c/c, including providing edge binding with M.S. flats of size 50 mm x 1.6 mm complete, all as per direction of Engineer incharge. | Each | 280 |
| 10 | 6 | STEEL WORK | | |
| 10.1 | 10.25 | Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as | | 9 |
| | | required. in gratings, frames, guard bar, ladder, railings, brackets, gates | | |

Note: Tenderer's attention is drawn to GIT clause 17 and GIT sub-clause 10.1.

The tenderer is to provide the required details, information, confirmations, etc accordingly, failing which it is tender is liable to be ignored. Prospective bidders shall comply with the feature specifications (including Warrantee Obligations) and submit a "Specification Compliance Certificate" with their Technical Bid.



SECTION VIII: QUALITY CONTROL REQUIREMENTS

The work executed/material supplied by the successful bidder will be accepted on all parameters as per specification as stated in Section-VII. The purchaser reserves the right to get the material supplied tested from in-house laboratory or any other laboratory of repute and in case the material is found not meeting the specification, the purchaser shall be entitled to cancel the contract, and if so desired, purchase or otherwise the purchase of the stores at the risk and cost of the contractor.



SECTION IX: QUALIFICATION/ELIGIBILITY CRITERIA

(1) Minimum Eligibility Criteria:

- (i) Experience and Past Performance: The bidder should have experience of having successfully completed similar works during last 7 years ending on '31.03.2022'
 - a. Three similar completed works each costing not less than the amount equal to Rs.24,39,738/-.
 - b. Two similar completed works each costing not less than the amount equal to Rs.30,49,673/-. or
 - c. One similar completed work costing not less than the amount equal to Rs.48,79,477/-.

Note: Start-ups are exempted from Experience and Past Performance criteria. In case any bidder is seeking exemption from Experience and Past Performance criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

(ii) Capability, equipment and manufacturing facilities:-

The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government /PSU / Autonomous bodies.

(iii) Financial Standing:

(i) Average annual financial turnover of the bidder during the last three years, ending on 31.03.2022, should be at least Rs.24,39,738/- as per the annual report (audited balance sheet and profit & loss account) of the relevant period duly authenticated by a Chartered Accountant/Cost Accountant in India.

Note: The Average Annual Turnover criteria are exempted for Start-ups. In case any bidder is seeking exemption from Average Turnover criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

- (ii) The bidder should not have suffered any financial loss for more than one year during the last three years, ending on 31.03.2022.
- (iii) The net worth of the bidder should not be negative as on 31.03.2022 and also not have eroded by more than 30% in the last three years, ending on 31.03.2022.

Note: The criteria for Capability, Equipment and Manufacturing facilities as well as financial loss and net worth under the financial standing eligibility criteria (above) shall be applicable to all the bidder firms including Startup Firms.

(2) Other Requirements:

- (a) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.
- **(b) Goods & Services Tax Registration: -** The Bidder should be registered with the Goods & Services Tax Department. The bidder firm should submit GST Registration Certificate. Relevant proof in support shall be submitted.

(3) Undertaking(s) on firm's letter head:-

- (a) The firm should give undertaking that, "We have not been black-listed/ debarred for dealing with any Govt. Organization / Public Sector Undertaking (PSU) / Reputed Organization in the past".
- (b) That "the information given in the documents are correct and the Bidder is awared that in case any information provided is found to be false at a later stage, ISP reserves the right to reject/disqualify the bidder at any stage of the tendering process without assigning any reason."



(c) The firm should give undertaking that, "We agree to withdraw all the deviations, if any, unconditionally and accept all the terms and conditions of the tender document including the technical specifications".

(4) Applicability in Special Cases:

For Existing successful Past Suppliers: In case the bidder who is a successful past supplier of 'The Product' in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)



Section X: Tender Form

| Date |
|---|
| То |
| |
| |
| (complete address of SPMCIL) |
| Ref: Your Tender document No dated |
| We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No, dated (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver (description of goods and services) in conformity with your above referred document for the sum shown in the price schedule(s), attached herewith and made part of this tender. |
| If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements. |
| We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V – —Special Conditions of Contract , for dueperformance of the contract. |
| We agree to keep our tender valid for acceptance for a period upto, as required in the GIT clause19, read with modification, if any in Section-III – —Special Instructions to Tenderers or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us. |
| We confirm that in case of downloaded Tender Document, we have not changed/edited its contents. We realize that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT. |
| We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry. |
| We also solemnly declare as under: |
| 1. MSMEs Status: Having read and understood the Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 (as amended and revised till date), and solemnly declare the following: (a) Company /Partnership Firm /Proprietary Concern / Society/Trust / NGO/Others (Please Specify): |
| (c) Name of MSME Registering Body (NSIC/ DIC/ KVIC/KVIB etc.): |
| |

2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:



| | ertification for category of supplier: Class-I Local Supplier / |
|-----------------------|---|
| | Class-II Local Supplier / |
| (b) We als | Non Local Supplier / so declare that: |
| | There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or |
| | We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order. |
| under Ru | ctions on procurement from bidders from a country or countries, or a class of countries le 144 (xi) of the General Financial Rules 2017 |
| dated 23r | ad and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD d July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance above provision and solemnly declare the following: |
| | We do not belong to any Country whose bidders are notified as ineligible under this order |
| banned by | ment Status: Please state whether business dealings with you currently stand suspended/ any Ministry/ Deptts. of Government of India or by any State Govt: Yes (with period of Ban) |
| | No, we, solemnly declare that neither we nor any of our affiliates or subsidiaries—including subcontractors or suppliers for any part of the contract—do not stand declared ineligible, blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. |
| above are We under | ties for false or misleading declarations: I/we hereby confirm that the particulars given correct and complete and also undertake to advise any future changes to the above details. Is stood that any wrong or misleading self- declaration by us would be violation of code of a would attract penalties as mentioned in this tender document, including debarment. |
| ••••• | |
| (Signature | e with date) |
| | |
| | d designation) orized to sign tender for and on behalf of |
| | |
| ••••• | |
| | |
| | |



Indigenous Offers: All prices to be in Indian Rupees Section XI Price Bid

Chief General Manager

India Security Press,

(A unit of Security Printing & Minting Corporation of India Ltd.) Nashik Road - 422101 (Maharashtra), India.

OFFER FORM for Tender No: 6000018430/SY-13-30(12004953)/2023 dt 16.08.2023 opening on 15.09.2023 Time 15.00.Hours

.....with factories at Gross weight and dimensions of by us are open to inspection by the representative of(Name of Purchaser). We hereby offer to supply the following items at the prices indicated below:-**Delivery Period** We......hereby certify that we are established firm of manufacturers/authorized agents of M/s. Total Value of Terms of Payments below for Break-up offer (INR) Total Price per unit (INR) See table Qty . Unit Specifi-cation Description

| <u>.</u> | | | | | of Price | , | | | package per unit | |
|----------|---|----------------------|-------|-----|--------------|------------------|--|---|------------------|---|
| 1 | 2 | 3 | 4 | 5 | % [=9 | $7 = 6 \times 5$ | 8 | 6 | 10 | |
| Н | EARTH WORK | As per section VI | K | | | | | - | | - |
| 1.1 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. | | er er | * | | | As per Section V: SCC As per Section VI 5 of Tender List of document Requirement | As per Section VI List of Requirement | | |
| 1.1.1 | | | CUM | 515 | 8 | | | | | |
| 1.2 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding | | CUM | 180 | | | | | | |
| | deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m. | | | | | | | | 2 | 1 |



| | | | | · | <u> </u> | | | | | |
|---|------------------|---------------|---|--|---|---|--|---|--|--|
| Gross weight and dimensions of package per unit | 10 | | | | | * , | | | | xi N |
| Delivery Period | 6 | | \$ | | | | | | | |
| Terms of Payments | 8 | | | | | | | | | = |
| Total Value of offer (INR) | $7 = 6 \times 5$ | | | | | - | | | | |
| Total Price per unit (INR) See table below for Break-up of Price | *[=9 | | e e | | | | 4 | | | |
| Qty | 5 | | et e | ∞ | ம | 162 | | 100 | | 7500 |
| Unit | 4 | | | CUM | N COM | CUM | | SQM | | KG |
| Specifi- cation | 3 | | - | | | / | | | | |
| Description | 2 | CONCRETE WORK | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: | 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) | 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) | 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from natural sources) | REINFORCED CEMENT CONCRETE Centering and shuttering including strutting, propping etc. and removal of form for | Foundations, footings, bases of columns, etc. for mass concrete | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. | Thermo-Mechanically Treated bars of grade Fe-500D or more. |
| Şr.no. No. | 1 | 2 | 2.1 | 2.1.1 | 2.1.2 | 2.1.3 | 3.1 | 3.1.1 | 3.2 | 3.2.1 |

| Sr.no. No. | Description | Specifi- cation | Unit | Qty | Total Price per unit (INR) See table below for Break-up of Price | Total Value of offer (INR) | Terms of Payments | Delivery Period | Gross weight and dimensions of package per unit |
|---------------|---|--------------------|------|------|---|-------------------------------|-------------------|-----------------|---|
| 1 | 2 | 3 | 4 | Ŋ | *[=9 | $7 = 6 \times 5$ | 8 | 6 | 10 |
| 3.3 | Providing and laying in position ready | | | | | | | | |
| | mixed or site batched design mix cement concrete concrete | | | | 040 | | | | |
| | work; using coarse aggregate and fine | | | | 548 | | | | |
| | aggregate derived from natural sources, | | | | | | | | |
| | Portland Pozzolana / Ordinary Portland | | | | | | | | |
| | /Portland Slag cement, admixtures in | | | | | | Ē | | |
| | recommended proportions as per IS: 9103 | | | | | | | | |
| | to accelerate / retard setting of concrete, | | | | | | | 8 | |
| | to improve durability and workability | | | | | | | | |
| | without impairing strength; including | | | | | | | | |
| | pumping of concrete to site of laying, | | | | | | | | |
| | curing, carriage for all leads; but excluding | | | | | | | | |
| | the cost of centering, shuttering, finishing | | | * | | | | | |
| | and reinforcement as per direction of the | | | | | | | | |
| | engineer-in-charge; for the following | | | | | | | 3 | |
| | grades of concrete. Note: Extra cement up | | | | | 83 | 3 | | |
| | to 10% of the minimum specified cement | | | | | | | | |
| | content in design mix shall be payable | | | | | | | | |
| | separately. In case the cement content in | | | * | | | | | |
| | design mix is more than 11.0% of the | | | nus: | | | | | |
| | specified minimum cement content, the | | | | | | | | |
| | contractor shall have discretion to either | | | | | | * | | |
| (5) | re-design the mix or bear the cost of extra | | | | | | | | |
| | cement. | | | | | | | | |
| 3.3.1 | All works upto plinth level | | | | | | | | |
| 3.3.1 | All works upto plinth level Concrete of M30 | | CUM | 20 | | | | | |
| ۲: | grade with minimum cement content of | | | | | | | | |
| | 350 kg /cum | | | | | | | | |



| Sr.no. No. | Description | Specifi- cation | Unit | Qty. | Total Price per unit (INR) See table below for Break-up of Price | Total Value of offer (INR) | Terms of Payments | Delivery Period | Gross weight and dimensions of package per unit |
|---------------|---|--------------------|------|------|---|-------------------------------|-------------------|-----------------|---|
| 1 | 2 | 3 | 4 | 2 | * [=9 | $7 = 6 \times 5$ | 8 | 6 | 10 |
| 4 | MASONRY WORK | | | | | | | 27 | |
| 4.1 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: | | | | 5 | | | | |
| 4.1.1 | 6.1.2 Cement mortar 1:6 (1 cement : 6 coarse sand) | | CUM | 55 | | | | | |
| ro. | FINISHING | | | | | | | | |
| 5.1 | 15 mm cement plaster on the rough side of single or half brick wall of mix: | | | | | | | | 5.4 |
| 5.1.1 | 1:6 (1 cement: 6 fine sand) | A. | SQM | 260 | | | | | |
| 5.2 | Neat cement punning. | | SQM | 260 | | 191 | | | |
| 9 | DISMANTLING AND DEMOLISHING | | | | 10 | | | | |
| 6.1 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. | | | | | | | | |
| 6.1.1 | Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix) | | CUM | 167 | | | | | |
| 6.2 | Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge: | | | A) | | ¥i | ¥ | | |
| 6.2.1 | bituminous road | | SQM | 25 | | | | | |



| | | | | | - | | | | | | | | | | | | |
|---|------------------|--|---|-----------|--|---------------------------------------|------------------------------------|-------------------------------------|--|---|--|---|--|--|---|---|----------|
| Gross weight and dimensions of package per unit | 10 | * | | | | | | | | | | | | Œ. | | | |
| Delivery Period | 6 | • | 1 | | | | | ¥ | | | | | | | | | |
| Terms of Payments | 8 | | | | | | ě | | | | | œ | | | | | |
| Total Value of offer (INR) | $7 = 6 \times 5$ | | | | | | | 27.0 | | | | | Tillow: | | | - Si | |
| Total Price per unit (INR) See table below for Break-up of Price | *[=9 | · | | | | | | | | | | | | 4-24 | - | | |
| Qty . | 5 | 335 | ·, · | | 25 | | | | | | | | | | | | |
| Unit | 4 | CUM | | | CUM | | | | | ÷s | | | | | | 17. | |
| Specifi- cation | 3 | | | | | | .(* | | | 3 | | | | | | | |
| Description | 2 | Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to | approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved. | ROAD WORK | Providing and laying at or near ground level | factory made kerb stone of M-25 grade | cement concrete in position to the | with cement mortar 1:3 (1 cement: 3 | coarse sand), including making joints with | or without grooves (thickness of joints | except at sharp curve shall not to more than 5mm), including making drainage | opening wherever required complete etc. | as per direction of Engineer-in-charge | (length of finished kerb edging shall be | measured for payment). (Precast C.C. kerb | stone shall be approved by Engineer-in- | charge). |
| Sr.no. No. | 1 | 6.3 | | | 7.1 | | | | | | | | | | | | |



| | | | | 3 | × | Total Price per unit | | | | Gross weight and |
|-----|---------------|--|--------------------|-------|------|---|-------------------------------|-------------------|-----------------|-----------------------------------|
| Sr. | Sr.no. No. | Description | Specifi- cation | Unit | Qty | (INR) See table below for Break-up of Price | Total Value of offer (INR) | Terms of Payments | Delivery Period | dimensions of package per unit |
| | | 2 | 3 | 4 | 2 | *[=9 | $7 = 6 \times 5$ | 8 | 6 | 10 |
| 7.2 | 2 | Providing and laying factory made | | | | | 3. | | | |
| | | chamfered edge Cement Concrete paver | | | | | | W. 18 | | |
| | | blocks in footpath, parks, lawns, drive ways | | 8 | | | , | | | |
| | | or light traffic parking etc, of required | | | | | | | | |
| | *() | strength, thickness & size/ shape, made by | | | | | e; | | | |
| | | table vibratory method using PU mould, | | | | | | | - | : |
| | | laid in required colour & pattern over | | | 2 | | | A | | ō |
| | | 50mm thick compacted bed of sand, | | | | | | | | |
| | | compacting and proper embedding/laying | | | | | | | | |
| | | of inter locking paver blocks into the sand | | 8 | * | | 37 | | | |
| | | bedding layer through vibratory | */ | | | | | | | |
| | | compaction by using plate vibrator, filling | | | | | | | | |
| | | the joints with sand and cutting of paver | | - | | | 8 | | | |
| | | blocks as per required size and pattern, | | | | 3) | | | | |
| | | finishing and sweeping extra sand. | | | | | | | 8 | |
| | | complete all as per direction of Engineer- | | | | | | | | |
| | | in-Charge. | | | | | | | * | |
| 7.2 | 7.2.1 | 80 mm thick C.C. paver block of M-30 | | SQM | 1260 | | ě | | | |
| 19 | | grade with approved color design and | | × | | | | | | |
| | | pattern. | | | | | | | | |
| ∞ | | DRAINAGE | | | | | | | | |
| 8.1 | 1 | Providing and laying non-pressure NP2 | | | | | | | | |
| | | class (light duty) R.C.C. pipes with collars | | | | | | | | |
| | | jointed with stiff mixture of cement mortar | | | ni. | | | 3. | i | ٠ |
| | | in the proportion of 1:2 (1 cement : 2 fine | (*) | | | | | | | |
| | | sand) including testing of joints etc. | ٠ | | | | × | 9 | | |
| | | complete : | | | | | | | | |
| 8.1 | 8.1.1 | 600 mm dia. R.C.C. pipe | | Metre | 40 | | | tia | | |



| Sr.no. | | | 14 | | Total Price per unit | | | | Gross weight and |
|--------|---|--------------------|------|-----|---|-------------------------------|-------------------|-----------------|-----------------------------------|
| | Description | Specifi- cation | Unit | Qty | (INR) See table below for Break-up of Price | Total Value of offer (INR) | Terms of Payments | Delivery Period | dimensions of package per unit |
| 1 | 2 | 8 | 4 | 2 | *[=9 | $7 = 6 \times 5$ | 8 | 6 | 10 |
| 6 | RAIN WATER HARVESTING AND TUBEWELLS | | | | | | | | |
| 9.1 | Providing and fixing factory made precast RCC perforated drain covers, having concrete of strength not less than M-25 (HD), of size 1000 x 450x50 mm, reinforced with 8 mm dia four nos longitudinal & 9 nos cross sectional T.M.T. hoop bars, including providing 50 mm dia perforations @ 100 to 125 mm c/c, including providing edge binding with M.S. flats of size 50 mm x 1.6 mm complete, all as per direction of Engineer incharge. STEEL WORK "Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required." | | Each | 280 | | | | | |
| 10.1. | in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works | | KG | 200 | | | | | |
| | | | | | Grand total | | | | |



| Second | Basic unit price | Name of | | / 1401. | GST % (incld | | | E O D | Freight (& | |
|---|--|---|---|---|---|---|---|---|---|---|
| vORK vork in excavation by mechanica cluding dressing of sides and rafead of 50 m. s of soil. vailable excavated earth | | Manufact u- rer/0EM | Country of Origin | SAC Code | GN I Cess, 11 any) with Break- up of CGST/ STGST/ UTGST/IGST | Per unit GST Total | Packing & Forwarding in details | F.U.K. Station of Despatch Price | Insurance charges) upto destination | FOR Destination Price |
| vork ork in excavation by mechanica cluding dressing of sides and ra lead of 50 m. s of soil. vailable excavated earth | ¥. | В | C | D | Ħ | $F = (A \times E)/100$ | 5 | H=A+F+G | _ | J*=H+I |
| ork in excavation by mechanica cluding dressing of sides and rate lead of 50 m. s of soil. vailable excavated earth | | | | | | | | | | |
| cluding dressing of sides and ra lead of 50 m. s of soil. vailable excavated earth | I means (H | lydraulic exc | avator) / I | manual r | / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on | tion trenche | es or drains (no | t exceeding 1 | .5 m in width c | or 10 sqm on |
| s of soil. vailable excavated earth | mming of | bottoms, lift | upto 1.5 | m, incluc | ding getting out t | the excavate | ed soil and disp | osal of surplu | is excavated soi | l as directed, |
| vailable excavated earth | | | | | | | | | | |
| ing rock) in trenches plinth | | | | | | | | | | |
| ing i och) iii di ci ici ica, piii di, | | | | | | | E1 | | | |
| sides of foundations etc. in layers | | | | | | | × | | | |
| not exceeding 20cm in depth, | | | | | £ | | | | | |
| consolidating each deposited layer | | | | | | * | 148 | | | |
| by ramming and watering, lead up | | | | | | | | | 14 | |
| to 50 m and lift upto 1.5 m. | | | | | | | | | 9 | , |
| CONCRETE WORK | (3) | | | | | | | | | |
| Providing and laying in position cement concrete of specified g | concrete of | f specified gr | ade exclu | ding the | rade excluding the cost of centering and shuttering - All work up to plinth level | and shutter | ring - All work u | p to plinth lev | el: | |
| 1:2:4 (1 cement : 2 coarse sand | | | | | | | | | | |
| (zone-III) derived from natural | | | | | | O. | | | | |
| sources: 4 graded stone aggregate | | | | | | 1 | | | | |
| 20 mm nominal size derived from | | | • | | | | | | | |
| natural sources) | | | | | | | | | ř | |
| 1:3:6 (1 Cement : 3 coarse sand | 55 | | | | | | | | | |
| (zone-III) derived from natural | | | | | | | | | | |
| sources : 6 graded stone aggregate | | | | | | | ж | | | |
| 20 mm nominal size derived from | | | | | | | | | | |
| natural sources) | | | | | | | | | | |
| | 4 graded stone aggregate ominal size derived from ources). Ement: 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from ources) | 4 graded stone aggregate ominal size derived from cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from | 4 graded stone aggregate ominal size derived from cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from | 4 graded stone aggregate ominal size derived from cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from ources) | 4 graded stone aggregate ominal size derived from cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from ources) | 4 graded stone aggregate ominal size derived from cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from ources) | 4 graded stone aggregate ominal size derived from curces) cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from ources) | 4 graded stone aggregate ominal size derived from burces) cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from burces) | 4 graded stone aggregate ominal size derived from burces) cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from burces) | 4 graded stone aggregate ominal size derived from burces) cement : 3 coarse sand derived from natural 6 graded stone aggregate ominal size derived from burces) |

| Sr.no | Item Description | Basic unit price | Name of Manufact u- rer/0EM | Country of Origin | HSN/ SAC Code | GST % (incld GST Cess, if any) with Break- up of CGST/ STGST/ UTGST/IGST | Per unit GST Total | Packing & Forwarding in details | F.O.R. Station of Despatch Price | Freight (& Insurance charges) upto destination | FOR Destination Price |
|------------------|--|----------------------------|--------------------------------------|----------------------|-----------------------|---|------------------------------|---------------------------------------|---|---|---------------------------------|
| | | A | B. | Ü | D | ъ | $F = (A \times E)/100$ | Ð | H=A+F+G | I | J*=H+I |
| 2.1.3 | 1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 40 mm nominal size derived from | | _ | | š | | | | | | |
| | natural sources) | | | * | | | | | | | |
| m | REINFORCED CEMENT CONCRETE | | | | | | | | | | |
| 3.1 | Centering and shuttering including strutting, propping etc. and | tting, propp | oing etc. and | removal of form for | of form fo | or . | | | | | |
| 3.1.1 | Foundations, footings, bases of | | | | | - | | | | ä | |
| | columns, etc. for mass concrete | | | | | | | | - | | |
| 3.2 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. | uding strai | ghtening, cu | tting, benc | ding, plac | cing in position an | d binding a | Il complete upi | to plinth level. | | |
| 3.2.1 | Thermo-Mechanically Treated bars | | | | | | | | | | |
| | of grade Fe-500D or more. | | | | | | | | | | 3 7 |
| 3.3 | Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine | mixed or | site batched | design n | nix ceme | ent concrete for | reinforced | cement concre | ete work; usin | g coarse aggre | gate and tine er IS: 9103 to |
| | aggregate derived from natural sources, Portland Pozzolana | s, Portland | Pozzolana | / Ordinary | Portlan | / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per 13: 3133 to | sement, au | mixtures in red inclinding pilm | commended property | oportions as p | aving curing |
| | accelerate / retard setting of concrete, to improve durability and workability without impairing such lightly many part direction of the engineer-in-charge; for the following grades of | e, to impro | ove durabilit | y and wor | rkability shipa an | without impairing | g strengtii, as ner direc | including pair | ipiilig oi coilei ineer-in-charg | e: for the follow | ving grades of |
| | carriage for all leads; but excluding the cost of centering, shuttering, inhishing and removed the care of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix | cost or cer % of the mi | niming, snut | ified ceme | ent conte | ent in design mix | shall be pay | able separatel | y. In case the c | ement content | in design mix |
| | is more than 110% of the specified minimum cement content. The contractor shall have discretion to either re-design the mix or bear the cost of extra cement. | imum cem | ent content. | the contra | ctor sha | II have discretion | to either re | -design the mi | x or bear the c | ost of extra cen | nent. |
| , | I which the second of the seco | | | | | | | | | | |
| 3.3.1 | All works upto plinth level Concrete | | | | | | | • | | | |
| ļ 1 . | of M30 grade with minimum cement | | | | | | 96 | £ | ,, | a a | |
| | content of 350 kg/cum | | | | | | | 04 | | | |
| 4 | MASONRY WORK | | | | | | | | | | |
| 4.1 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: | .S. (non mo | odular) brick | s of class d | lesignati | on 7.5 in foundati | on and plin | th in: | | | |
| 4.1.1 | 6.1.2 Cement mortar 1:6 (1 cement : | | | | | | | | | | |
| | 6 coarse sand) | | | | | | | | | | |



| <u> </u> | | | | | | | | | | | | | | | | | | | | | |
|---|-------------------|-----------|--|-----------------------------|----------------------|-----------------------------|--|----------------------------------|---------------------------------|---|---------------------|-----------------|--------------------------------------|-------------------------------------|----------------------------------|---------------------------|-------------------------------------|--------------------------------|---------------------------------|---|-------------------------------|
| FOR Destination Price |]*=H+I | | | | | | di | | | r direction of | | | | | ě | | | | | | |
| Freight (& Insurance charges) upto destination | I | | | | | | eer - in - charge | | | tres lead as pe | | | | | | | | | | | |
| F.O.R. Station of Despatch Price | H=A+F+G | | | | | | ection of Engin | | 2 | l within 50 me | | | | | 20 | | | | | | |
| Packing & Forwarding in details | 5 | | 6 | | | | lead as per dir | | | iceable materia | | | | | | | | | | | |
| Per unit GST Total | F= (A x E)/100 | | | | | | 50 metres | | | al of unserv | | | ٠ | | | | | | | 10 | |
| GST % (incld GST Cess, if any) with Break- up of CGST/ STGST/ UTGST/IGST | Э | | | | | | of material withir | | | serviceable material and disposal of unserviceable material within 50 metres lead as per direction of | | | | | | | | • | | 182 | |
| HSN/ SAC Code | D | | | | | | disposal | | | able ma | | | | | | | | | | | |
| Country of Origin | v | | wall of mix | | | | including | | 2 | | | | | | | | | -0.0 | | | |
| Name of Manufact u- rer/OEM | В | | or half brick | | | | nical means | | | ding stacking | | | | | | | | | | | |
| Basic unit price | А | | e of single | | | | / by mecha | | | neans includ | | | | | | | | | | 4 | |
| ltem Description | | FINISHING | 15 mm cement plaster on the rough side of single or half brick wall of mix : | 1:6 (1 cement: 6 fine sand) | Neat cement punning. | DISMANTLING AND DEMOLISHING | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. | Nominal concrete 1:4:8 or leaner | mix (i/c equivalent design mix) | Dismantling manually/ by mechanical means including stacking of | Engineer-in-charge: | bituminous road | Disposal of building rubbish / malba | / similar unserviceable, dismantled | or waste materials by mechanical | means, including loading, | transporting, unloading to approved | municipal dumping ground or as | approved by Engineer-in-charge, | beyond 50 m initial lead, for all leads | including all lifts involved. |
| Sr.no | | 2 | 5.1 | 5.1.1 | 5.2 | 9 | 6.1 | 6.1.1 | | 6.2 | | 6.2.1 | 6.3 | | | | | | | | |



| Sr.no | Item Description | Basic unit price | Name of Manufact u- rer/0EM | Country of Origin | HSN/ SAC Code | GST % (incld GST Cess, if any) with Break- up of CGST/ STGST/ UTGST/IGST | Per unit GST Total | Packing & Forwarding in details | F.O.R. Station of Despatch Price | Freight (& Insurance charges) upto destination | FOR Destination Price |
|-------|--|------------------------|--------------------------------------|----------------------|---------------------|---|--------------------------|---------------------------------------|---|---|-----------------------------|
| | | A | В | C | D | ш | $F = (A \times E)/100$ | Ð | H=A+F+G | ı | J*=H+I |
| 7 | ROAD WORK | | | | | | | | | | |
| | | | | | | | | | | | |
| 7.1 | Providing and laying at or near | | | | | | | | | | |
| | ground level factory made kerb | | | | | | | | | | |
| | stone of M-25 grade cement | | | | | | | | | | • |
| , | concrete in position to the required | | | | | | | | | | |
| | line. level and curvature, jointed | | | | | | | | | | |
| | with cement mortar 1.3 (1 cement | | | | | | | | | 1.5 | |
| | אורוו רפווופוור וווסורמו דים לד בביווביוה: | | | | | ě | | | | | |
| | 3 coarse sand), including making | | 17 | 240 | | - | | 3. | 1 | | |
| | joints with or without grooves | | | | | | | | | | |
| | (thickness of joints except at sharp | 85 | | | | | | * | | | |
| | curve shall not to more than 5mm), | | | | | | | | | | |
| | including making drainage opening | | | | , | | | | 1 | | |
| | wherever required complete etc. as | | | | | | | | | | |
| 34 | per direction of Engineer-in-charge | | | | | | | | | | |
| | (length of finished kerb edging shall | | | | | | | | | | |
| | be measured for payment). (Precast | | | | | | | | | | 8/ |
| | C.C. kerb stone shall be approved by | | | | | | | | | | |
| | Engineer-in-charge). | | | | | | | | | | |
| 7.2 | Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, | nfered edg | e Cement Co | oncrete pa | ver block | cs in footpath, pa | rks, lawns, | drive ways or li | ght traffic park | ing etc, of requ | ired strength, |
| | thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and | vibratory | method usin | g PU mou | ld, laid in | ר required colour | & pattern | over 50mm thic | ck compacted | bed of sand, co | mpacting and |
| | proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the Joints with sand and | ng paver bl | ocks into the | e sand bec | Iding lay | er through vibrat | ory compac | tion by using pl | ate vibrator, fi | lling the joints | with sand and |
| | cutting of paver blocks as per required size and pattern, finishin | size ánd pa | ttern, finish | ng and sw | eeping e | g and sweeping extra sand. complete all as per direction of Engineer-in-Charge. | ete all as pe | r direction of E | ngineer-in-Cha | rge. | |
| 7.2.1 | | | | E. | | | | | * | | 9 |
| | 30 grade with approved color design | | | | | | | | | | |
| | and pattern. | | | | | | | | | | |



| | | | | | CCT % Gind | | | | | |
|--|------------------------|--------------------------------------|----------------------|---------------------|--|--------------------------|---------------------------------------|---|---|-----------------------------|
| Item Description | Basic unit price | Name of Manufact u- rer/0EM | Country of Origin | HSN/ SAC Code | GST Cess, if any) with Break- up of CGST/ STGST/ UTGST/IGST | Per unit GST Total | Packing & Forwarding in details | F.O.R. Station of Despatch Price | Freight (& Insurance charges) upto destination | FOR Destination Price |
| | А | В | C | D | Ħ | F= (A x E)/100 | 9 | H=A+F+G | Г |]*=H+I |
| DRAINAGE | | | | | | | | | | |
| Providing and laying non-pressure NP2 class (light duty) R.C.C. pi | class (light | duty) R.C.C. | pipes with | collars | pes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine | mixture of | sement mortar | in the proport | tion of 1:2 (1 ce | ment: 2 fine |
| sand) including testing of joints etc. complete: | nplete: | | | | | | | | | |
| 600 mm dia. R.C.C. pipe | | | | | | | | | | |
| RAIN WATER HARVESTING AND TUBEWELLS | VELLS | | | | | | | | | |
| Providing and fixing factory made | | | | | | | | | | |
| precast RCC perforated drain covers, | | | | | | , | | | | |
| having concrete of strength not less | | | | | | •0 | | | | |
| than M-25 (HD), of size 1000 x | | | | | | | | | | 8 |
| 450x50 mm, reinforced with 8 mm | | | | | | | | | | ie e |
| dia four nos longitudinal & 9 nos | | | | | | | | | | |
| cross sectional T.M.T. hoop bars, | | | | | | | | | | |
| including providing 50 mm dia | | | 14 | | | | | | | |
| perforations @ 100 to 125 mm c/c, | | | | | | | | ٠ | | |
| including providing edge binding | | | | | | | | | | |
| with M.S. flats of size 50 mm x 1.6 | | | | | | | | | | 9 |
| mm complete, all as per direction of | | | • | | | | 712 | | | |
| Engineer incharge. | | | | | | | | 323 | | 8 |
| STEEL WORK | | | | | | | | | | |
| "Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using | ns/ framed | work, inclu | iding cutti | ng, hoist | ting, fixing in pos | ition and | ipplying a prim | ning coat of a | pproved steel | orimer using |
| structural steel etc. as required." | | | | | | | | | | |
| in gratings, frames, guard bar, | | | | | | | | | | |
| ladder, railings, brackets, gates and | | | | | | | 8 | | | |
| similar works | | | | | | 7.0 | | | | |



| (Cost break-up of the quoted cost, showing inter-alia costs of all the concomitant Installation/Commissioning/ Training/Technical | al Services/Software/accessories, considered necessary to make the proposal self-contained and complete must be indicated here.) |
|---|--|
| Scope of Supply: (Cost bre | upport/Incidental Services, |
| 1. Sc | Sı |

- Taxation Details:-
- PAN Number
- Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc) (q
- **GSTIN** Number
- Registered Address as per GST Registration and Place of Delivery for GST Purpose.
- Contract Names, Nos & email IDs for GST matters (Please mention primary and secondary contracts) 9
- It is hereby certified that we have understood the General and Special Instructions to Tenderers (GIT and SIT), and also the General and Special Conditions of We hereby offer to supply the stores detailed above or such portion thereof, as you may specify in the acceptance of tender at the price quoted and agree to & VIII required and out offer is to supply stores strictly in accordance with the requirements and according to the terms of the tender. We agree to abide solely Contract (GCC and SCC) attached to the tender and have thoroughly examined specifications/Quality Control Requirement and other stipulations in Section VII by the General and Special Conditions of Contract and other conditions of the tender in accordance with the tender documents if the contract is awarded to us. 3
 - hold this offer open for acceptance for a period ofdays from the date of opening of tende (i.e. upto.......), We shall be bound by the communication of(form and reference number, acceptance dispatched within the prescribe time.
 -is enclosed in form of Earnests Money/Bid Guarantee for an amount equal to date) as per the Tender documents. 5

Dated.....

Signature and Seal of Manufacturer/Bidder

The Bidder may prepare their own offer forms as per this proforma.

in the proforma is permissible.

No erasures or alternations in the text of the offer are permitted. Any correction made in the offer shall be initialled by the bidder. Figures in Columns 5 to 7 (both inclusive) and in Break-up of price in column 6, should be in both figures and words.

This Section should not bring in any new Technical Parameter that has not been mentioned in the Technical Bid.



Section XII: Vendor Details

The tenderer should furnish specific details mentioned below. In case a question/ issue does not apply to a tenderer, the same should be answered with the remark "not applicable".

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/issues, its tender will be liable to be ignored.

| 1. vendor/ Contractor particulars: |
|---|
| (a) Name of the Company: |
| (b) Corporate Identity No. (CIN): |
| (c) Registration if any with SPMCIL: |
| (d) Complete Postal Address: |
| (e) Pin code/ ZIP code: |
| (f) Telephone nos. (with country/area codes): |
| (g) Fax No.: (with country/area codes): |
| (h) Cell phone Nos.: (with country/area codes): |
| (i) Contact persons / Designation: |
| (j) Email IDs: |
| 2. Taxation Details: |
| (a) PAN number: |
| (b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.): |
| (c) GSTIN number: |
| (d) Registered Address as per GST registration and Place of Delivery for GST Purpose: |
| (e) Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts) |
| |
| We solemnly declare that our GST rating on the GST portal / Govt. official website is NOT negative / blacklisted during the last three financial years. |
| (Signature with date) |
| (Full name, designation & address of the person duly authorized sign on behalf of the tenderer) For and on behalf of |
| ······································ |
| |
| (Name, address, and stamp of the tendering firm) |



Section XV: Bank Guarantee Form for Performance Security

PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND (ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)

| Ref | Date | | | 12 |
|------------------------|-------------------------------|--|---------------------------|-------------------------|
| Bank Guarantee No. | | * | | |
| To, | | | | |
| 2 | | | | 23 |
| (Insert Name & Add | lress of the Purchaser) | | | 2 |
| Dear Sir, | | | | Σl |
| 1. Against contract | vide Notification for Aw | ard of the Tender No | dated | covering |
| supply of | (hereinafte | er called the 'contract') en | itered into between | the |
| (insert name of Pur | chaser) (herein after cal | lled as the Purchaser) and M | 1/s | |
| called the 'Contracto | or'), this is to certify that | t, at the request of the Cont | tractor, we | |
| bank), are holding ir | n trust in favour of the Pi | urchaser, the amount of | (write the | e sum here in words), |
| to indemnify and kee | ep indemnified the Purcl | haser, against any loss or da | mage that may be cau | ised to, or suffered by |
| the Purchaser, by re | eason of any breach by t | the Contractor of any of the | terms and condition | s of the said contract |
| and/or in the perfor | mance thereof. We agre | e that the decision of the Pu | urchaser, whether an | y breach of any of the |
| terms and conditions | s of the said contract and | l/or in the performance the | reof has been commit | ted by the Contractor; |
| and the amount of lo | ss or damage that has b | een caused or suffered by the | he Purchaser, shall be | final and binding on |
| us, and the amount of | of the said loss or damag | ge shall be paid by us, forth | with on demand and | without demur to the |
| Purchaser. | | | | |
| 2. We | (name of the bank), fu | rther agree that, the guara | ntee herein contained | d, shall remain in full |
| soriefaction of both | sixty days after the o | complete conclusion of the | contractual obligati | ions to the complete |
| Sausiaction of Dou | Charaineften called the | e BUYER, including warra | anty period whiche | ver is later, i.e. till |
| (ne | ama of the hank) busing | he 'said date') and that if | any claim accrues | or arises against us |
| against us | (name | tue of this guarantee before of the bank), notwithstandi | ing the fact that the sam | e shall be enforceable |
| six months after the | said date provided that | notice of any such claim ha | ng the lact that the sa | me is enforced within |
| the bank) by the Pur | rchaser, before the said | notice of any such claim ha | s been given to us, | (name oj |
| | | shall be made promptly, up | on our receipt of noti | ce to that effect from |
| the Purchaser. | one bond of Suarunice | shan be made promptly, up | on our receipt of noti | ce to that effect, from |
| | tood that this guarante | e is effective from the dat | te of the said contra | ct and that we |
| (r. | name of the bank), und | ertake not to revoke this g | guarantee during its o | currency, without the |
| consent in writing of | the Purchaser. | | | |
| 4. We undertake to p | ay to the Purchaser, any | money so demanded, notw | vithstanding any disp | ute or disputes raised |
| by the Contractor, ir | n any suit or proceeding | g pending before any Court | or Tribunal, relating | thereto, our liability |
| under this present, b | eing absolute and unequ | uivocal. The payments so m | ade by us under this | bond, shall be a valid |
| discharge of our liabi | lity for payment thereun | nder, and the Contractor sha | ll have no claim again | st us, for making such |
| payments. | | | | |
| 5. We (| (name of the bank), fur | rther agree that the Purcha | aser shall have the fu | ıllest liberty, without |
| affecting in any mann | ier our obligations hereu | ınder, to vary any of the terr | ns and conditions of t | he said contract, or to |
| extend time of perfor | mance by the Contracto | r, from time to time, or to p | ostpone for any time | or form, time to time, |
| any of the powers ex | tercisable by the Purcha | ser, against the said Contra | ictor and to for bear | or enforce any of the |
| released from our lia | relating to the said con | tracts and we | (name of ti | he bank), shall not be |
| said Contractor or f | or any forbearance and | tee, by reason of any such v /or omission on the part o | f the Dunch care | being granted to the |
| Purchaser towards th | ne said Contractor, or by | any other matter or thing w | that cover which une | ny induigence by the |
| sureties, would, but f | or this provision, have th | ne effect of so releasing us fro | om our liability under | this guarantee |
| 6. This guarantee will | l not be discharged due t | to the change in the constitut | tion of the Bank or the | e Contractor. |
| Date | | | | |
| Place | | | | |
| | | | | Signature |
| | | | 能到 | (Printed Name) |
| 107 | | | | (Designation) |
| Witnesses | | | | , , |
| | | (Bank's Common Seal) | | |



Section XVI: Contract Form

(Address of SPMCIL's office issuing the contract)

| | (11441.655.61.51.1 | 교사교로 2016년 - 12일 | , | | |
|---|--|--|--|--|-----------------------|
| This is in conti | datednuation to this office' Notification or ress of the Supplier:nuder document No dated | | | dated | (If any), |
| issued by SPM | CII. | | | 82 | • |
| hetween the si | ender No dated and subse upplier and SPMCIL in connection w | vith this tender. | | | |
| 4. In addition t | to this Contract Form, the followin phs 2 and 3 above, shall also be dee | g documents etc, v emed to form and l | which are include be read and const | ed in the document rued as part of this | s mentioned contract: |
| (i) General Cor | nditions of Contract; | | | * - | |
| (ii) Special Cor (iii) List of Rec | nditions of Contract; | | | | |
| (iv) Technical | Specifications; | | , | | |
| (v) Quality Cor | ntrol Requirements; rm furnished by the supplier; | | | × | |
| (vii) Price Sche | edule(s) furnished by the supplier i | n its tender; | | | |
| (viii) Manufact | turers' Authorisation Form (if appli | cable for this tend | ler); | | |
| Note: The wor | Notification of Award ds and expressions used in this cor | ntract shall have th | ne same meanings | s as are respectivel | y assigned to |
| them in the co | onditions of contract referred to ab | ove. Further, the c | lefinitions and ab | breviations incorp | orated under |
| Section - V - 'C | General Conditions of Contract' of S s, conditions, stipulations etc. out | PMCIL's Tender do of the above-refer | ocument shall also red documents a | re reproduced bel | ow for ready |
| reference: | | | | | |
| (i) Brief partic | culars of the goods and services whi | ich shall be suppli | ed/ provided by t | | ınder: |
| Schedule | Brief description of goods/ | Accounting | Quantity to be | Unit Price (in Rs.) | Total price |
| No. | services | unit | supplied | RSI | price |
| | | | | | |
| | | | | | |
| Any other add | litional services (if applicable) and on figure)(In words) | cost there of: | | | |
| (ii) Delivery s | | 490 | — | | |
| (iii) Details of | Performance Security | • | | | |
| (iv) Quality Co | ontrol tage(s), and place(s) of conducting | inspections and te | ests. | | |
| (b) Designation | on and address of SPMCIL's inspecti | ing officer | | | |
| | n and despatch instructions | | | | |
| (vi) Consigned (vii) Warranty | e, including port consignee, if any | | | | |
| (viii) Paymen | y clause | | | | |
| (ix) Paying au | t terms | | | | * |
| | thority | | | | × |
| For and on be | thority ame, and address of SPMCIL's author Phalf of | | ż | | , |
| For and on be Received and | athority ame, and address of SPMCIL's author chalf of | | | | , |
| For and on be Received and (Signature, na | athority The me, and address of SPMCIL's author Thalf of accepted this contract The me, and address of the supplier's e | | norized to sign | | |
| For and on be Received and (Signature, na on behalf of the For and on be | ethority The me, and address of SPMCIL's author Thalf of The accepted this contract The accepted this contract The supplier's end address of the supplier's end and address of the supplier's end address of the su | | norized to sign | | , |
| For and on be Received and (Signature, na on behalf of the For and on be (Name and ac | athority ame, and address of SPMCIL's author chalf of | | norized to sign | | , |
| For and on be Received and (Signature, na on behalf of the For and on be (Name and ac | athority ame, and address of SPMCIL's authority chalf of | | norized to sign | | |
| For and on be Received and (Signature, na on behalf of the For and on be (Name and ac (Seal of the su Date: | athority ame, and address of SPMCIL's authority chalf of | | norized to sign | | |
| For and on be Received and (Signature, na on behalf of the For and on be (Name and ac (Seal of the su | athority ame, and address of SPMCIL's authority chalf of | | norized to sign | | |



Section XVII: Letter of Authority for attending a Pre-bid Conference/Bid Opening

| The General Manager | | |
|-------------------------------------|---------------------------------------|---|
| Unit Address | | |
| Subject: Authorization for attended | ding bid opening on | (date) in the Tender of |
| | | |
| | | |
| Following persons are hereby aut | horized to attend the | bid opening for the tender mentioned above on |
| behalf of | | |
| | | |
| Order of Preference | Name | Specimen Signatures |
| I. | HI I HI | |
| II. | | |
| Alternate Representative | | |
| Signatures of bidder or | | |
| Officer authorized to sign the bid | | |
| Documents on behalf of the | | |
| bidder. | | |

Note:

- 1. Maximum of two representatives will be permitted to attend pre-bid conference/bid opening. In cases where it is restricted to one, first named representative will be allowed to attend. Alternate representative will be permitted when regular representatives are not able to attend.
- 2. In case of pre-bid conference, self-attested copy of proof of purchase of Bid documents, in the name of the bidder must be enclosed with this authorization, without which entry would be refused. Bid documents would be available for sale at the site also.
- 3. Permission for entry to the hall where even is held may be refused in case authorization as prescribed above is not produced.



Section XVIII: Proforma of Bills for Payments

| Name and Add | lyong of the Eirn | | er Clause 22.6 o | | · . | |
|---|--|---|-----------------------------------|-----------------------------|---|------------------|
| | iress of the Firm | | | | | y |
| | r | | | | Batoaniini | |
| | ress of the cons | | | | | |
| S. No | Authority | Description | Number or | Rate | Price per | Amount |
| 0 | for purchase | of Stores | | Rs. P. | Rs. P. | ENERGY STATE |
| | tor parenage | 0, 010,00 | 4 | | | |
| Total | | | 1 | | . No. | |
| 2. Freight (if a 3. Excise Duty 4. Packing and 5. Others (Plea 6. PVC Amoun 7. (-) deductio 8. Net amount | (if applicable) Forwarding chase specify) t (with calculatine) n/Discount payable (in wo | arges (if applic ion sheet enclo rds Rs.) | sed) | | * | |
| | | | | | | |
| Dated | | | | | | (enclosed) |
| | | | | | Dated | (enclosed) |
| Place and Date | | | | = | | |
| | | | | | | |
| Rupees) | | | | | | |
| | . . . | | | nore than wh | nat is payable under | the provision |
| there under a | which GST has b nd the charges es made there u | on account of | ave not been ex GST on these g | kempted und goods are co | der the GST Act or t rrect under the pro | the rules made |
| | stered with abo purpose of GS | | GSTIN as dealer | r in the State | e where in their Bil | ling address is |
| | | | | | . The proper GST when deliveries ar | |
| | | | | | d all the obligation: der the contract. | s on the part of |
| Revenue stam | p | | | Si | gnature and of Stan | np Supplier |



Section XIX: NEFT Mandate

(Refer clause 22.2 of GCC)

| From: M/s Date: | |
|---|-------|
| To: | |
| (Insert Name and Address of Purchaser's Paying Authority as per NIT Clause 1) | |
| Sub: NEFT payments | |
| We refer to RBI's NEFT scheme. Our mandate SPMCIL for making payments to us through the | above |
| scheme to our under noted account. | 20010 |
| NATIONAL ELECTRONIC FUNDS TRANSFER MANDATE FORM | |

| 1 | Name of City | |
|----|--------------------------------|--|
| 2 | Bank Code No. | |
| 3 | Branch Code No. | |
| 4 | Bank's Name | |
| 5 | Branch Address | |
| 6 | Branch Telephone / Fax No. | |
| 7 | Supplier's Account No. | |
| 8 | Type of Account | |
| 9 | IFSC code for NEFT | The second secon |
| 10 | IFSC code for RTGS | |
| 11 | Supplier's name as per Account | |
| 12 | MICR Code No. | |

In Lieu of Bank Certificate to be obtained as under, please attach a bank cancelled cheque or photocopy of a cheque or front page of your bank passbook issued by your bank for verification of the above particulars.

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.

Date

Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and Signature of authorized official of the bank

