



India Security Press,
(A UNIT OF SECURITY PRINTING & MINTING CORPORATION OF INDIA
LTD.)WHOLLY OWNED BY GOVERNMENT OF INDIA
Nashik Road-422101 (Maharashtra)
(ISO-9001:2008 & 14001:2004 Certified Company)
Miniratna Category-I, CPSE
Tel.No:+91-253-2-402200;Fax No:+91-253-2462718,2466389
e-mail: purchase.isp@spmcil.com Web:http://ispnasik.spmcil.com
CIN: U22213DL2006GOI144763 GSTIN: 27AAJCS6111J2Z7

PR Number	PR Date	Indenter	Department
12005090	23.08.2023	MNT-CIV	Civil

Not Transferable

Security Classification: Non-Security

TENDER DOCUMENT FOR: Express Tender for Civil Works for installation of turnstile gates at three main entry gates viz. Green Gate, Workshop Gate & Black Gate of ISP Factory.

Tender Number: 6000018501/SY-13-30(12005090)/2023 dt 21.09.2023
This Tender Document Contains 58 Pages.

Details of Contact person in SPMCIL regarding this tender:

Name: Ashok Sharma
Designation: Jt. General Manager (Materials)
Address: ISPN (India Security Press, Nashik) India

Disclaimer

The information contained in this Bid Document or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of the Security Printing and Minting Corporation Limited (hereafter referred as the "Purchaser") or any of its employees or associated agencies, is provided to Bidder(s) on the terms and conditions set out in this Bid Document and such other terms and conditions subject to which such information is provided.

This Bid Document is not an agreement and is neither an offer nor invitation by the Purchaser to the prospective Bidder(s) or any other party hereunder. The purpose of this Bid Document is to provide the Bidder(s) with information to assist them in the formulation of their proposal submission. This Bid document does not purport to contain all the information Bidder(s) may require. This Bid document may not be appropriate for all bidders, and it is not possible for the Purchaser to consider particular needs of each Bidder. Each Bidder should conduct its own investigation and analysis, and should check the accuracy, reliability, and completeness of the information in this document and obtain independent advice from appropriate sources.

Information provided in this Bid Document to the Bidder(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Purchaser, its employees and other associated agencies accept no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

This Bid document and ensuing bids; communications and Contracts would alone determine the legal and commercial relationship between the bidders/ contractors and the Purchaser. No other Government or Purchaser's document/ guidelines/Manuals including its Procurement Manual (which are for internal and official use of its officers), have any locus standii in such a relationship. These documents/guidelines/Manuals therefore should not be cited or referred in any legal or dispute resolution or grievance redressal proceedings.

The Purchaser, its employees and other associated agencies make no representation or warranty and shall have no liability to any person, including any Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Bid Document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Bid Document and any assessment, assumption, statement or information contained therein or deemed to form part of this Bid Document or arising in any way for participation in this Bid Stage.

The Purchaser, its employees and other associated agencies also accept no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Bidder(s) upon the statements contained in this Bid Document.

The Purchaser may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this Bid Document.

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

The Bidder(s) shall bear all its costs associated with or relating to the preparation and submission of their Bids including but not limited to preparation, copying, postage, delivery fees, expenses associated with any submission of samples, demonstrations or presentations which may be required by the Purchaser or any other costs incurred in connection with or relating to their Bids. All such costs and expenses will remain with the Bidder(s) and the Purchaser shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Bidder(s) in preparation or submission of the Bid, regardless of the conduct or outcome of the Bidding Process.

This disclaimer forms an integral part of the Bid document and shall supplement but not supplant the provision of the Bid Document.



SECTION I: NOTICE INVITING TENDER (NIT)
INDIA SECURITY PRESS

(A Unit of Security Printing and Minting Corporation of India Limited)

Wholly owned by Government of India

Nashik Road – 422 101 (Maharashtra) Tel No 00 91 253 2402200, Fax No 00 91 253 2462718

Website: www.spmcil.com, email: purchase.isp@spmCIL.com

Tender No.: 6000018501/SY-13-30(12005090)/2023 dt 21.09.2023

1. Sealed tenders are invited from eligible and qualified tenderers for supply of the following

Schedule No.	Brief Description of Goods/ services	Quantity (with unit)	Earnest Money (in Rs.)	Remarks
1	Civil works for turnstile gates.	1 AU	Rs. 1,25,340/- (Rupees One Lakh Twenty Five Thousand Three Hundred Forty Only).	Delivery Schedule As per section VI: List of Requirement and detailed Technical Specification mentioned in Section VII.
Type of Tender (Two Bid/ PQB/ EOI/ RC/ Development/ Indigenization/ Disposal of Scrap/ Security Item etc.)			Two bid Tender (Single Stage) i.e. (Techno-commercial + Price Bid) Express National Competitive Bidding (NCB)	
Security Classification				
Authority in whose favour all tender related financial instruments (FD, DD, Banker's cheque etc) are to be made			India Security Press, Nashik Road, Unit of SPMCIL	
All Financial Instruments to be payable at:			Payable at Nashik	
Dates and place of issue of tender documents:			From 21.09.2023 to 03.10.2023 during office hours At ISP, Nashik	
Closing date and time for receipt of tenders			03.10.2023 up to 1430 Hrs	
Place of receipt of tenders			Green Gate, India Security Press, Nashik Road-422 101, Maharashtra, India	
Time and date of opening of tenders for Technical Bid. <i>Place, Time, and date of Opening of Price (Financial) bid would be intimated later on</i>			1500 Hours on 03.10.2023	
Place of opening of tenders			Purchase Section, India Security Press, Nashik Road-422 101, Maharashtra, India	
Nominated Person/ Designation to Receive Bulky Tenders (Clause 21.1 of GIT)			Manager (HR), India Security Press, Nashik Road:- 422101, Maharashtra, India	
Officer to be contacted for clarifications/ help:			Ashok Sharma, Jt. GM (Materials) India Security Press, Nashik Road	

2. Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.

3. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/

revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/ revised).

4. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website mentioned above for further details.

5. Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document, the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).

6. Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are dropped on or before the closing date and time indicated in the Para 1 above in the tender box located at the address given below, failing which the tenders will be treated as late and rejected. Tenders may also be sent through post at the address as above. However, Purchaser will not be responsible for any postal lapses or delays in receipt of the documents. In case NIT/ SIT provide for uploading of bids to nominated eProcurement portal, bidders must upload their bids along with scanned copies as required enclosures (including proofs of cost of Tender Documents and EMD as applicable - unless an online payment gateway is provided in the instruction) as per instructions given in this regard.

Original copies of such scanned uploaded required enclosures must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.


7. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.

8. The tender documents are not transferable.

9. The bidder, their affiliates, or subsidiaries – including subcontractors or suppliers for any part of the contract – should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).

10. EMD amount mentioned in Section VI – List of Requirements shall be furnished in one of the following forms: a) Account Payee Demand Draft or b) Fixed Deposit Receipt or c) Banker's cheque or d) Bank Guarantee; in acceptable form, otherwise the tender will not be accepted in any case. The demand draft, fixed deposit receipt or banker's cheque shall be drawn on any scheduled commercial bank in India, in favour of Account and place of payment specified in the Para 1 above. In case of bank guarantee, the same is to be provided from/confirmed by any scheduled commercial bank in India as per the format specified under Section XIII in these documents.

11. Undersigned confirms that the required goods mentioned above are not available on GeM as per "GeM - Availability Report and Past Transaction Summary" (GeM - AR&PTS). This unique ID is mentioned in para 1 above.



(Ashok Sharma)

Jt. General Manager (Materials)
India Security Press, Nashik Road-422101
Phone No 0253 2402219

For and on behalf of
Chief General Manager,
India Security Press, Nashik Road



Section II: General Instructions to Tenderer (GIT)

PART I & II: GENERAL INSTRUCTIONS Applicable to all Types of Tenders:

Please refer the link to <https://spmcil.com/uploaddocument/GIT/new.pdf> for further details.

GIT (Total pages: 61)

BIDDERS ARE REQUESTED TO DOWNLOAD 61 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT.



SECTION III: SPECIAL INSTRUCTIONS TO TENDERERS (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail. (Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

Sl. No.	GIT Clause No.	Topic	Modify/ Substitute/ Supplement	SIT Provision
1	3	Eligible Tenderers		As applicable
2	3.4	Eligible Goods and Services (Origin of Goods)		As applicable
3	6.1	The tender documents includes:	Modify	SIT 1 (Mentioned below)
4	8	Prebid Conference		Not applicable
5	9	Time Limit for receiving request for clarification of Tender Documents	Modify	SIT 2 (Mentioned below)
6	10.1	The Technical bid to be submitted by Tenderer shall contain the following documents, duly filled in, as required		As applicable
7	11.2	Tender Currency		As applicable
8	12.1	Tender Prices		As applicable
9	12.2, 33, 36.1	Schedule wise evaluation		As applicable
10	12.6	GST details		As applicable
11	16. a) to c)	Documents Establishing Tenderer's Eligibility and Qualifications	Modify	As per Section IX: Qualification / Eligibility Criteria
12	18.4, 18.5	Earnest Money Deposit (EMD)	Modify	SIT 3 (Mentioned below)
13	19	Tender Validity	Modify	SIT 4 (Mentioned below)
14	20.4	Number of Copies of Tenders to be submitted	Modify	SIT 5 (Mentioned below)
15	20.8	Two Bid System		As applicable
16	21	Submission of Tender	Modify	SIT 6 (Mentioned below)
17	24	Opening of Tender & Evaluation Process	Modify	SIT 7 (Mentioned below)

SIT 1:- The tender documents includes:- The tender documents includes:

1. Section I - Notice Inviting Tender (NIT)
2. Section II - General Instructions to Tenderers (GIT)
3. Section III - Special Instructions to Tenderers (SIT)
4. Section IV - General Conditions of Contract (GCC)
5. Section V - Special Conditions of Contract (SCC)
6. Section VI - List of Requirements
7. Section VII - Technical Specifications
8. Section VIII - Quality Control Requirements
9. Section IX - Qualification/ Eligibility Criteria



10. Section X - Tender Form
11. Section XI - Price Schedule
12. Section XII - Vendor Details
13. Section XV - Bank Guarantee Form for Performance Security
14. Section XVI - Contract Form
15. Section XVII: Letter of Authority for attending a Bid Opening
16. Section XVIII: Proforma of Bills for Payments f
17. Section XIX: NEFT Mandate

SIT 2: Time Limit for receiving request for clarification of Tender Documents:- A tenderer requiring any clarification or elucidation on any issue of the tender document may take up the same with ISP Nashik in writing or by fax/ e-mail/ post. ISP Nashik will respond in writing to such request provided the same is received by ISP Nashik not later than **07 days prior** to the prescribed date of submission of tender.

SIT 3: Earnest Money Deposit (EMD): Rs. 1,25,340/- (Rupees One Lakh Twenty Five Thousand Three Hundred Forty Only). EMD must be submitted along with the tender in form of DD/ Bankers cheque/ FDR drawn from any Scheduled Commercial Bank in India only in favor of SPMCIL unit ISP payable at Nashik. Only the firms who are registered under Startups may be exempted from submitting the EMD on producing valid certificate. Otherwise, certificate will not be considered for exemption of EMD.

SIT 4: Tender Validity:-

(i) The tenders shall remain valid for acceptance for a period of **120 days after the date of tender opening** prescribed in the tender document. Any tender valid for a shorter period shall be treated as unresponsive and rejected.

(ii) In exceptional cases, the tenderers may be requested by ISP Nashik to extend the validity of their tender upto a specified period. Such request(s) and response thereto shall be conveyed by surface mail or by fax/ e-mail followed by surface mail. The tenderers who agree to extend the tender validity, are to extend the same without any change or modification of their original tender.

(iii) In case the day upto which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for ISP Nashik, the tender validity should automatically be extended upto the next working day.

(iv) Compliance with the Clauses of this Tender Document: Tenderer must comply with all the clauses of this Tender Document. In case there are any deviations, these should be listed in a chart form without any ambiguity along with justification.

SIT 5: Number of Copies of Tenders to be Submitted: - Tenderer shall submit their tender in "Original" only

SIT 6: Submission of tender: Techno Commercial Bid and the Price Bid are to be submitted in Two Separate double sealed Envelopes on or before the due date of the submission of the tender as stated below otherwise tender/ bid / quotation shall be liable for rejection.



PART I: Techno-Commercial bid :- (First Envelope):

- (i) **Earnest Money Deposit:** Rs. 1,25,340/- (Rupees One Lakh Twenty Five Thousand Three Hundred Forty Only).
EMD must be submitted along with the tender in form of DD/ Bankers cheque/ FDR drawn from any Scheduled Commercial Bank in India only in favor of SPMCIL unit ISP payable at Nashik. Only the firms who are registered under Startups may be exempted from submitting the EMD on producing valid certificate. Otherwise, certificate will not be considered for exemption of EMD.
- (ii) **Power of Attorney/ Authorization** with the seal of company indicating that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract.
- (iii) The eligibility criteria for the tender are given in **Section IX- Qualification/ Eligibility Criteria**. The bidder has to submit all the desired documents and relevant documentary proof in support of relevant clauses mentioned in Section IX: Qualification/ Eligibility Criteria. The Qualifying Criteria should be submitted in original.
- (iv) The tenderer shall submit detailed techno-commercial offer as per Technical Specifications mentioned as per Section-VII and List of Requirement as per Section-VI of the tender document.
- (v) The tenderer has to submit sealed and signed tender document by authorized signatory of the tenderer as a token of acceptance of all section/ terms and conditions of this tender document (GIT, SIT, GCC & SCC, Quality Control Requirement, List of Requirement, Technical Specification, Tender form etc.)

Part-II: Price Bid (Second Envelope):

The tenderer shall quote their prices strictly as per the proforma given in Section-XI of the Tender document. No additional/ extra item with price shall be included other than that of Section XI.

NOTE:-

- i. Each envelope containing bids shall be super scribed as, Techno-commercial Bid and Price Bid separately as the case may be for **“Civil Works for installation of turnstile gates at three main entry gates viz. Green Gate, Workshop Gate & Black Gate of ISP Factory**
- ii. “The sealed envelopes shall be again put in another envelope and super scribed as tender for **“Civil Works for installation of turnstile gates at three main entry gates viz. Green Gate, Workshop Gate & Black Gate of ISP Factory.”**
- iii. If the tender is not submitted as per above format, offer/ bid/ tender will be liable for rejection.
- iv. Late Tender shall not be accepted. Tenderer shall submit their offer only on prescribed form. Tenders by fax/ email shall not be accepted. Tender by Post/hand/courier received on or before the due date and time shall be accepted. Postal delay/ delay by courier services etc. shall not be condoned, what so ever reason may be.

SIT 7: Opening of Tender & Evaluation Process:

- 7.1 In the first instance, the **Techno-Commercial** part of Tender document will be opened and considered for the evaluation. These offers/ bid will be scrutinized and evaluated by the competent committee/ authority with reference to the parameters prescribed in the eligibility criteria (**Section IX**).



The technical acceptance of the bids is on the basis of **Technical Specifications** offered by the bidders as per **Section -VII** Technical Specification and Section-VI List of Requirement of the tender document and acceptance of the terms and conditions as per GIT, SIT, GCC, SCC, other conditions of tender. **Conditional offers will be liable for rejection.**

7.2 In the second stage, the Price Bid of only Techno Commercially Qualified firm offers (as mentioned first stage) will be opened for further scrutiny and evaluation.

The intimation regarding opening of price bids shall be given to qualified tenderers to enable them to attend the price bid opening, if they so desire.

7.3 **Price bid evaluation:** In the second stage, the price bid of only Techno Commercially Qualified firm will be opened for further scrutiny and evaluation. The price quoted shall be compared on Total Price basis (FOR ISP Nashik Road), including all taxes, duties, etc. The evaluation criteria for awarding the contract shall be total price wise to L1 bidder schedule mentioned in **Section XI Price Bid.**



SECTION IV: GENERAL CONDITION OF CONTRACT (GCC)

Please refer the below link for further details:

<https://spmCIL.com/uploaddocument/GCC/new.pdf> **GCC (Total pages: 36)**

BIDDERS ARE REQUESTED TO DOWNLOAD 36 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DCOUMENT.

SECTION V: SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.
(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

S. No.	GCC Clause No.	Topic	Modify/ Substitute/ Supplement	SCC Provision
1	1.2	Abbreviations:		As Applicable
2	6.1, 6.3 & 6.5	Performance Bond/ Security	Modify	SCC 1 (Mentioned below)
3	8.2	Packing and Marking		As Applicable
4	9	Inspection and Quality Control		As Applicable
5	11.2	Transportation of Domestic Goods	Modify	SCC 2 (Mentioned below)
6	12	Insurance	Modify	SCC 3 (Mentioned below)
7	14.1	Incidental Services		As Applicable
8	15	Distribution of Despatch Documents for clearance/ Receipt of Goods		As Applicable
9	16.2, 16.4	Warranty Clause	Modify	SCC 4 (Mentioned below)
10	19.3	Option Clause	Modify	SCC 5 (Mentioned below)
11	20.1	Price Adjustment Clause		Not Applicable
12	21	Taxes and Duties	Modify	SCC 6 (Mentioned Below)
13	22	Terms and Mode of payments	Modify	SCC 7 (Mentioned Below)
14	24.1	Quantum of LD	Modify	SCC 8 (Mentioned Below)
15	25.1	Bank Guarantee and Insurance for Material Loaned to Contractor		Not Applicable
16	33.1	Resolution of Disputes		As applicable
17	36.3.2, 36.3.9	Disposal/ Sale of Scrap by Tender		Not Applicable

SCC 1: Performance Bond/ Security: The successful bidder has to submit Performance Bond/ Security equivalent to 3% of the order(s) value, valid for a period of 60 days beyond the completion of all contractual obligations, within 21 days from the date of issue of Letter of Intent.

The Performance security shall be denominated in Indian Rupees in one of the following forms:

- a) Account Payee Demand Draft or Fixed Deposit Receipt drawn on any commercial bank in India, in favour of India Security Press, Unit SPMCIL.
- b) Bank Guarantee issued by a commercial bank in India, in the prescribed form as provided in section XV of this document.



SCC 2: Transportation of Domestic Goods: The transportation of goods to be procured will be done by the supplier on FOR ISP Basis. The total cost of the transportation should be indicated in the price bid of the item to be procured.

SCC 3: Insurance: Specific Insurance cover for each consignment /supply is to be given by the firm, as applicable.

SCC 4: Warrantee Clause: One year from the date of Site handover to ISP after successful completion of the work as per Purchase Order, Scope of Work, Terms and Conditions and accepted by ISP.

SCC 5: Option Clause: Purchaser reserves the right to increase the ordered works by 25% at any time, till final completion date of the contract by giving reasonable notice even though the ordered works initially has been completed in full before the last date of Delivery Period.

SCC 6: Taxes and Duties: If the tenderer fails to include taxes and duties as per law of the land in the tender, no claim thereof will be considered by purchaser at a later stage.

SCC 7: Terms and Mode of Payment:

(i) No advance payment will be paid.

(ii) 100% payment will be made after satisfactory completion of work on the basis of actual work done & measurement basis.

(iii) Bill will be as per actual work done quantity. (work done quantity should not exceed Qty specified in P.O.)

(iv) The firm shall provide the details viz. bank details, branch name, details of Account No., IFS Code, PAN card copy etc at the time of raising the bill.

SCC 8: Quantum of LD: Subject to GCC clause 28, if the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the ½% percent (or any other percentage if prescribed in the SCC) of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% (or any other percentage if prescribed in the SCC) of the delayed goods' or services' contract price(s). During the above-mentioned delayed period of supply and / or performance, the conditions incorporated under GCC sub-clause 23.4 above shall also apply. In all such cases GST would also be applicable on LD.



Section VI: List of Requirements

Sch No.	Brief Description of Goods/ services	Quantity (with unit)	Earnest Money (in Rs)	Place of Delivery for GST Purpose
	Civil Works for installation of turnstile gates at three main entry gates viz. Green Gate, Workshop Gate & Black Gate of ISP Factory.		Rs. 1,25,340/- (Rupees One Lakh Twenty Five Thousand Three Hundred Forty Only).	India Security Press, Nashik Road- 422101. Maharashtra, India

(a)	Required Delivery Schedule	:	The work shall be completed within 03 months from the date of issue of PO.
(b)	Required Terms of Delivery	:	On FOR ISP Basis.
(c)	Destination	:	India Security Press, Nashik Road-422101 Maharashtra, India
(d)	Preferred mode of transportation	:	By Road (FOR)

1. All the copies of tenders shall be complete in all respects with all their attachments/ enclosures duly numbered and signed on each and every page.

2. The total cost should be inclusive of all elements as cited above on FOR India Security Press, Nashik Road (Maharashtra), India, basis.

3. The Bidder has to submit documents as per the following Check list along with the Technical bid Documents (First envelop):

Sr. No.	Description	Submitted/ Not Submitted
1)	EMD (Earnest Money Deposit)	
2)	Documentary evidence towards Experience and past performance as per clause 1(i) of section IX.	
3)	Documentary evidence towards Capability, equipment and manufacturing facilities as per clause 1(ii) of section IX.	
4)	Documentary evidence towards Financial Standing as per clause 1(iii) of section IX.	
5)	Undertaking as per clause 3 under section IX	
6)	Copy of PAN and GST registration certificate.	
7)	Power of Attorney/ Authorization with the seal of company indicating that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract.	
8)	Adherence to the Delivery Schedule as per Section VI on Bidder's Letter Head.	
9)	Adherence to the Technical Specification as per Section VII: Technical Specifications on Bidder's Letter Head	
10)	Adherence to the Quality Control Requirements as per Section VIII on Bidder's Letter Head.	
11)	Tender Form: As per Section X	



Sr. No.	Description	Submitted/ Not Submitted
12)	Vendor Details: As per Section XII.	
13)	NEFT Mandate as per section XIX	
14)	All pages of the tender documents (including GIT, GCC, SIT, SCC, List of requirements, Technical specification, quality requirements, etc.) duly signed and stamped by the Authorized signatory of the bidder.	

The Bidder has to submit the Check list as per Format given below along with the Price Bid (**Second Envelope**):

Sr. No.	Description	Submitted / Not Submitted	Page No.
1.	Duly filled Section XI: Price bid		

SECTION VII: TECHNICAL SPECIFICATIONS

Brief/Indicative Scope of civil work as per drawing is as below.

- 1) Provision of structural steel work for Green, workshop and Black gate.
- 2) Provision of GI roofing with accessories at all gates. Green gate approximately 10m (L) x 8m (W) & Workshop gate approximately 16m (L) x 15m (W)
- 3) Dismantling existing sheds at Workshop Gate parking.
- 4) Providing chain link fencing wherever required.
- 5) Providing & laying Plain Cement Concrete of grade 1:5:10.
- 6) Providing & laying reinforced cement concrete.
- 7) Steel reinforcement for RCC work.
- 8) Providing & applying cement plaster.
- 9) Structural steel work is riveted, bolted or welded is provided in built up sections.
- 10) Providing & fixing concertina coil fencing wherever required.
- 11) Providing and laying vitrified floor tiles in Turn stile sheds at all gates.
- 12) Providing and laying CC paver blocks at all gates wherever required.
- 13) Bill of Quantity

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing attached.				
DSR	Sr. No.	ITEMS	UNIT	QTY to be consider for execution of work
2	1	Earth work		
2.1	1.1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:		
2.1.1	1.1.1	All kinds of soil	sqm	170.00
2.6	1.2	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width aswell as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-incharge.		
2.6.1	1.2.1	All kinds of soil	cum	200.00
4	2	Concrete work		
4.1	2.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:		
4.1.3	2.1.1	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	130.00

4.1.5	2.1.1	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	85.00
4.1.10.	2.1.2	1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	33.00
4.3	2.2	Centering and shuttering including strutting, propping etc. and removal of form work for		
4.3.1	2.2.1	Foundations, footings, bases for columns	sqm	25.00
4.3.3	2.2.3	Columns, piers, abutments, pillars, posts and struts	sqm	50.00
5	3	REINFORCED CEMENT CONCRETE		
5.1	3.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :		
5.1.2	3.1.1	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	cum	25.00
5.22	3.2	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.		
5.22.6	3.2.1	Thermo-Mechanically Treated bars of grade Fe-500D or more.	kg	2767.00
10	4	STEEL WORK		
10.2	4.1	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	kg	11500.00
10.16	4.2	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.		
10.16.2	4.2.1	Hot finished seamless type tubes	kg	1500.00
11	5	FLOORING		

11.41A	5.1	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement:4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.		
11.41A.1	5.1.1	Double charge vitrified tile polished finish of size		
		Size of Tile 600 x 600 mm	sqm	340.00
12	6	ROOFING		
12.5	6.1	Providing and fixing pre-coated galvanised iron profile sheets (size,shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 micronsepoxy primer on both side of the sheet and polyester top coat 15-18microns. Sheet should have protective guard film of 25 micronsminimum to avoid cratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	sqm	950.00
12.51	6.2	Providing and fixing pre-coated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :		
12.51.1	6.2.1	Ridges plain (500 - 600mm)	meter	30.00
12.51.6	6.2.2	Gutter (600 mm over all girth)	meter	20.00

12.41	6.3	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.		
12.41.2	6.3.1	110 mm diameter	meter	25.00
12.42	6.4	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.		
12.42.5	6.4.1	Bend 87.5°		
		12.42.5.2 110 mm bend	each	4.00
12.42.6	6.4.2	Shoe (Plain)		
		12.42.6.2 110 mm Shoe	each	4.00
13	7	FINISHING		
13.1	7.1	12 mm cement plaster of mix :		
13.1.2	7.1.1	1:6 (1 cement: 6 fine sand)	sqm	50.00
13.48A.1	7.2	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	sqm	50.00
13.61	7.3	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :		
13.61.1	7.3.1	Two or more coats on new work	sqm	550.00
15	8	Demolishing and Dismantling		
15.2	8.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.		
15.2.2	8.1.1	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	cum	100.00
15.60.	8.2	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	cum	150.00
15.18	8.3	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.	kg	2000.00
15.28	8.4	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:		

15.28.2	8.4.1	Asbestos Cement sheet	sqm	300.00
15.43	8.5	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge :		
15.43.2	8.5.1	Bituminous road	sqm	15.00
15.36	8.6	Dismantling barbed wire or flexible wire rope in fencing including making rolls and stacking within 50 metres lead.	kg	50.00
16	9	Road work		
16.19	9.1	Supplying at site Angle iron post & strut of required size including bottom to be split and bent at right angle in opposite direction for 10 cm length and drilling holes upto 10 mm dia. etc. complete.	kg	400.00
16.53	9.2	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mmwith tape (0.52 mmthick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	meter	55.00
16.70.	9.3	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.		
16.70.1	9.3.1	Made of G.I. wire of dia 4 mm	sqm	130.00

16.91	9.4	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge.		
16.91.1	9.4.1	60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.	sqm	520.00

Terms and Conditions

1. During execution of work as per site condition & site requirement alignment of work may change & if required items other than considered in estimate may be required to be executed.
2. The entire work will be executed as per directions of Competent Authority of ISP and his decision will be final in case where ambiguity / difference of opinion etc arises during execution of the work.
3. Construction material to be used in the work (such as cement, steel) shall be ISI marked.
4. Testing of Materials (such as concrete, steel, etc.) shall be done as per the IS standards through NABL certified/Govt engineering college laboratory and cost of the testing shall be borne by the firm/contractor. Report to be submitted to ISP during work.
5. Stipulated time period for the work = 03 Months from the date of P.O. The Firm shall complete the execution of the work as per the schedule of the work and the delivery period specified.
6. Firm/ contractor shall provide all PPEs and safety gears to all its workmen and fully responsible for the safety and well being of its staff. ISP shall not be responsible for any damage what so ever. If any accident /injury /casualty happens the sole responsibility will be of the firm. No compensation will be borne by ISP.
7. ISP, Nasik Road is a security sensitive organisation. Hence, it is advised that the firm shall have a site visit to understand the security procedures, nature of the work, before participating in the bidding process.
8. Firm shall have to ensure that it should not damage any existing ISP property such as Underground cables, pipelines, adjacent structures. The damage, if any shall be rectified by the firm immediately at its own cost.



9. All requisite raw material, tools & plants shall be arranged by the firm.
10. Electric and water supply will be provided by ISP. Required size of electric cable, switch board etc for, rubber pipe etc for water supply should have to arrange by the agency.
11. Working Hours - 8.00am to 6.00pm (Including lunch hour). If required work will be permitted during extended hours and Sundays and Holidays also.
12. The firm shall clean the area/work site thoroughly daily after completing the day's work.
13. The said scope of work with mentioned Bill of quantity as per attached annexure A is tentative and may be increased or decreased at the time of execution of work on the unit rate basis of the firm as submitted in its quotation/offer.

Note: Tenderer's attention is drawn to GIT clause 17 and GIT sub-clause 10.1.

The tenderer is to provide the required details, information, confirmations, etc accordingly, failing which it is tender is liable to be ignored. Prospective bidders shall comply with the feature specifications (including Warrantee Obligations) and submit a "Specification Compliance Certificate" with their Technical Bid.



SECTION VIII: QUALITY CONTROL REQUIREMENTS

The work executed/material supplied by the successful bidder will be accepted on all parameters as per specification as stated in Section-VII. The purchaser reserves the right to get the material supplied tested from in-house laboratory or any other laboratory of repute and in case the material is found not meeting the specification, the purchaser shall be entitled to cancel the contract, and if so desired, purchase or otherwise the purchase of the stores at the risk and cost of the contractor.

SECTION IX: QUALIFICATION/ ELIGIBILITY CRITERIA

(1) Minimum Eligibility Criteria:

- (i) **Experience and Past Performance:** The bidder should have experience of having successfully completed similar civil works during last 7 years ending on '31.03.2023'
- a. Three similar completed civil works each costing not less than the amount equal to Rs.25,06,800/-.
- or
- b. Two similar completed civil works each costing not less than the amount equal to Rs.31,33,500/-.
- or
- c. One similar completed civil work costing not less than the amount equal to Rs.50,13,600/-.

Note: Only Start-ups are exempted from Experience and Past Performance criteria being a works tender. In case any bidder is seeking exemption from Experience and Past Performance criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

(ii) Capability, equipment and manufacturing facilities:-

The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government /PSU / Autonomous bodies.

Note: Purchase Order/Experience Certificate copy of Similar civil Works from above mentioned government entities must be submitted along with Completion Certificate.

(iii) Financial Standing:

- (i) Average annual financial turnover of the bidder during the last three years, ending on 31.03.2023, should be at least Rs.25,06,800/- as per the annual report (audited balance sheet and profit & loss account) of the relevant period duly authenticated by a Chartered Accountant/Cost Accountant in India.

Note: The Average Annual Turnover criteria are exempted for Start-up only being a works tender. In case any bidder is seeking exemption from Average Turnover criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

- (ii) The bidder should not have suffered any financial loss for more than one year during the last three years, ending on 31.03.2023.

- (iii) The net worth of the bidder should not be negative as on 31.03.2023 and also not have eroded by more than 30% in the last three years, ending on 31.03.2023.

Note: The criteria for Capability, Equipment and Manufacturing facilities as well as financial loss and net worth under the financial standing eligibility criteria (above) shall be applicable to all the bidder firms including Startup Firms.

(2) Other Requirements:

- (a) **PAN:** The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.
- (b) **Goods & Services Tax Registration:** - The Bidder should be registered with the Goods & Services Tax Department. The bidder firm should submit GST Registration Certificate. Relevant proof in support shall be submitted.

(3) Undertaking(s) on firm's letter head:-

- (a) The firm should give undertaking that, *"We have not been black-listed/ debarred for dealing with any Govt. Organization / Public Sector Undertaking (PSU) / Reputed Organization in the past"*.
- (b) That *"the information given in the documents are correct and the Bidder is aware that in case any information provided is found to be false at a later stage, ISP reserves the right to reject/ disqualify the bidder at any stage of the tendering process without assigning any reason."*
- (c) The firm should give undertaking that, *"We agree to withdraw all the deviations, if any, unconditionally and accept all the terms and conditions of the tender document including the technical specifications"*.

(4) Applicability in Special Cases:

For Existing successful Past Suppliers: In case the bidder who is a successful past supplier of 'The Product' in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)



Section X: Tender Form

Date.....

To

.....
.....

(complete address of SPMCIL)

Ref: Your Tender document No. dated

We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No. -----, dated ----- (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver..... (description of goods and services) in conformity with your above referred document for the sum shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V – —Special Conditions of Contract||, for due performance of the contract.

We agree to keep our tender valid for acceptance for a period upto -----, as required in the GIT clause 19, read with modification, if any in Section-III – —Special Instructions to Tenderers|| or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We confirm that in case of downloaded Tender Document, we have not changed/edited its contents. We realize that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We also solemnly declare as under:

1. MSMEs Status:

Having read and understood the Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 (as amended and revised till date), and solemnly declare the following:

(a) Company /Partnership Firm /Proprietary Concern / Society/Trust / NGO/Others (Please Specify):.....

(b) Micro/ Small / Medium Enterprise/ SSI/ Govt. Deptt. / PSU/ Others:....

(c) Name of MSME Registering Body (NSIC/ DIC/ KVIC/KVIB etc.):.....

(d) MSME Registration no. (With copy of registration):.....

(e) Udyog Aadhaar Memorandum no.....

(f) Whether Proprietor/ Partner belongs to SC/ ST or Women category.

(Please specify names and percentage of shares held by SC/ST Partners):.....

2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/



Department, and solemnly declare the following:

(a) Self-Certification for category of supplier:

- Class-I Local Supplier /
- Class-II Local Supplier /
- Non Local Supplier /

(b) We also declare that:

- There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or
- We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order.

3. Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017

Having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23rd July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:

- We do not belong to any Country whose bidders are notified as ineligible under this order

4. Debarment Status: Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Deptts. of Government of India or by any State Govt:

- Yes (with period of Ban)
- No, we, solemnly declare that neither we nor any of our affiliates or subsidiaries- including subcontractors or suppliers for any part of the contract - do not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations.

5. Penalties for false or misleading declarations: I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self- declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.

.....
(Signature with date)

.....
(Name and designation)

Duly authorized to sign tender for and on behalf of

.....
.....



**Section XI Price Bid
Indigenous Offers : All prices to be in Indian Rupees**

To,
Chief General Manager
India Security Press,
(A unit of Security Printing & Minting Corporation of India Ltd.)
Nashik Road - 422101 (Maharashtra), India.

OFFER FORM for Tender No: 6000018501/SY-13-30(12005090)/2023 dt 21.09.2023 opening on 03.10.2023 Time 15.00.Hours

We.....hereby certify that we are established firm of manufacturers/authorized agents of M/s.With factories atwhich are fitted with modern equipment and where the production methods, quality control and testing of all materials and parts manufactured or used by us are open to inspection by the representative of(Name of Purchaser). We hereby offer to supply the following items at the prices indicated below:-

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specifi- cation	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimenions of package per unit
1	2	3	4	5	6=J*	7 = 6 x 5	8	9	10
1	Earth work	As per section VII							
1.1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:								
1.1.1	All kinds of soil		sqm	170.00					
1.2	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-incharge.								
1.2.1	All kinds of soil		cum	200.00					

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing							Gross weight and dimensions of package per unit	
Sr. No.	ITEMS	Specifi- cation	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)		Terms of Payments
2	Concrete work							
2.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:							
2.1.1	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)		cum	130.00				
2.1.1	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)		cum	85.00				
2.1.2	1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 20 mm nominal size derived from natural sources)		cum	33.00				
2.2	Centering and shuttering including strutting, propping etc. and removal of form work for							
2.2.1	Foundations, footings, bases for columns		sqm	25.00				
2.2.3	Columns, piers, abutments, pillars, posts and struts		sqm	50.00				
3	REINFORCED CEMENT CONCRETE							
3.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:							
3.1.1	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III)		cum	25.00				



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specifi- cation	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimensions of package per unit
		derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)							
3.2		Steel reinforcement for R.C.C. work including straightening, cutting,bending, placing in position and binding all complete upto plinth level.							
3.2.1		Thermo-Mechanically Treated bars of grade Fe-500D or more.	kg	2767.00					
4		STEEL WORK							
4.1		Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	kg	11500.00					
4.2		Steel work in built up tubular (round, square or rectangular hollow tubesetc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.							
4.2.1		Hot finished seamless type tubes	kg	1500.00					
5		FLOORING							
5.1		Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade,							



DR. S. S. SURESH
DIRECTOR GENERAL
CONSTRUCTION OF ANDHRA PRADESH

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specification	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimensions of package per unit
5.1.1		laid on 20 mm thick cement mortar 1:4 (1 cement:4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only. Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.							
		Double charge vitrified tile polished finish of size							
6		Size of Tile 600 x 600 mm	sqm	340.00					
		ROOFING							
6.1		Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 micron epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling / self tapping screws of size (5.5 x 55 mm) with EPDM seal, complete upto any pitch in horizontal / vertical or curved	sqm	950.00					



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specification	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimensions of package per unit
		surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.							
6.2	Providing and fixing pre-coated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :								
6.2.1	Ridges plain (500 - 600mm)		meter	30.00					
6.2.2	Gutter (600 mm over all girth)		meter	20.00					
6.3	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (j) Single socketed pipes.								
6.3.1	110 mm diameter		meter	25.00					
6.4	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.								
6.4.1	Bend 87.5°								
	12.42.5.2 110 mm bend		each	4.00					
6.4.2	Shoe (Plain)								
	12.42.6.2 110 mm Shoe		each	4.00					



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specifi- cation	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimensions of package per unit
7	FINISHING								
7.1	12 mm cement plaster of mix :								
7.1.1	1:6 (1 cement: 6 fine sand)		sqm	50.00					
7.2	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)		sqm	50.00					
7.3	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade:								
7.3.1	Two or more coats on new work		sqm	550.00					
8	Demolishing and Dismantling								
8.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.								
8.1.1	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)		cum	100.00					
8.2	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.		cum	150.00					
8.3	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding		kg	2000.00					



ಕರ್ನಾಟಕ ಸರ್ಕಾರ
KARNATAKA GOVT

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specifi- cation	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimensions of package per unit
		etc. including dismembering and stacking within 50 metres lead.							
8.4		Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:							
8.4.1		Asbestos Cement sheet	sqm	300.00					
8.5		Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge :							
8.5.1		Bituminous road	sqm	15.00					
8.6		Dismantling barbed wire or flexible wire rope in fencing including making rolls and stacking within 50 metres lead.	kg	50.00					
9		Road work							
9.1		Supplying at site Angle iron post & strut of required size including bottom to be split and bent at right angle in opposite direction for 10 cm length and drilling holes upto 10 mm dia. etc. complete.	kg	400.00					
9.2		Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain	meter	55.00					



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specifi- cation	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimensions of package per unit
9.3	horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mmwith tape (0.52 mmthick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)								
9.3.1	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.		sqm	130.00					
9.4	Made of G.I. wire of dia 4 mm Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-charge.		sqm	520.00					
9.4.1	60mm thick cement concrete paver block of M-		sqm	520.00					



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory as per drawing									
Sr. No.	ITEMS	Specification	UNIT	QTY	Total Price per unit (INR) See table below for Break-up of Price	Total Value of offer (INR)	Terms of Payments	Delivery Period	Gross weight and dimensions of package per unit
	35	grade with approved colour, design & pattern.							
Grand Total in INR								--	

Break-up of Price in Column - 6 (In Indian Rupees)

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
1	Earth work	A	B	C	D	E	$F = \frac{A \times E}{100}$	G	H=A+F+G	I	J*=H+I
As per section VII											
1.1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in-Charge:										
1.1.1	All kinds of soil				995	18%					

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.

Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
1.2	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge.				419						
1.2.1	All kinds of soil				995 419	18%					
2	Concrete work										
2.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:										
2.1.1	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)				995 419	18%					




Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.

Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/IGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
2.1.1	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)				995 419	18%					
2.1.2	1:5:10 (1 cement : 5 coarse sand (zone-III) derived from natural sources : 10 graded stone aggregate 20 mm nominal size derived from natural sources)				995 419	18%					
2.2	Centering and shuttering including strutting, propping etc. and removal of form work for										
2.2.1	Foundations, footings, bases for columns				995 419	18%					
2.2.3	Columns, piers, abutments, pillars, posts and struts				995 419	18%					
3	REINFORCED CEMENT CONCRETE										
3.1	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:										



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.


Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
3.1.1	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)				995 419	18%					
3.2	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level.										
3.2.1	Thermo-Mechanically Treated bars of grade Fe-500D or more.				995 419	18%					
4	STEEL WORK										
4.1	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.				995 419	18%					
4.2	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special										



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any with Break-up of CGST/STGST/IGST)	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
	shaped washers etc. complete.										
4.2.1	Hot finished seamless type tubes				995 419	18%					
5	FLOORING										
5.1	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement:4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber										



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/SGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
	mallet for placing the tiles gently and easily.										
5.1.1	Double charge vitrified tile polished finish of size										
	Size of Tile 600 x 600 mm				995 419	18%					
6	ROOFING										



Civil works for installation of turnstile gates at three entry gates viz. Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/IGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
6.1	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 micron epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid cratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.				995 419	18%					



MINISTRY OF HOUSING AND URBAN AFFAIRS
GOVERNMENT OF INDIA

Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
6.2	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :										
6.2.1	Ridges plain (500 - 600mm)				995 419	18%					
6.2.2	Gutter (600 mm over all girth)				995 419	18%					
6.3	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (f) Single socketed pipes.										
6.3.1	110 mm diameter					18%					



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
6.4	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.										
6.4.1	Bend 87.5°										
	12.42.5.2 110 mm bend				995 419	18%					
6.4.2	Shoe (Plain)										
	12.42.6.2 110 mm Shoe				995 419	18%					
7	FINISHING										
7.1	12 mm cement plaster of mix :										
7.1.1	1:6 (1 cement: 6 fine sand)				995 419	18%					
7.2	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)				995 419	18%					
7.3	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :										



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/SGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
7.3.1	Two or more coats on new work				995 419	18%					
8	Demolishing and Dismantling										
8.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.										
8.1.1	Nominal concrete 1:4:8 or leaner mix (/c equivalent design mix)				995 419	18%					
8.2	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.				995 419	18%					
8.3	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.				995 419	18%					



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.

Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
8.4	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:										
8.4.1	Asbestos Cement sheet				995 419	18%					
8.5	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge:										
8.5.1	Bituminous road				995 419	18%					
8.6	Dismantling barbed wire or flexible wire rope in fencing including making rolls and stacking within 50 metres lead.				995 419	18%					
9	Road work										
9.1	Supplying at site Angle iron post & strut of required size including bottom to be split and bent at right angle in opposite direction for 10 cm length and drilling holes upto 10 mm dia. etc. complete.				995 419	18%					



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.

Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
9.2	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mmthick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)				995 419	18%					
9.3	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of										



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.											
Sl. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
	Engineer-in-charge.										
9.3.1	Made of G.I. wire of dia 4 mm				995419	18%					
9.4	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of										



Civil works for installation of turnstile gates at three entry gates viz, Green Gate, Workshop Gate and Black Gate of ISP factory.

Sr. No.	Item Description	Basic unit price	Name of Manufacturer/OEM	Country of Origin	SAC Code	GST % (incl GST Cess, if any) with Break-up of CGST/STGST/UTGST/IGST	Per unit GST Total	Packing & Forwarding in details	F.O.R. Station of Despatch Price	Freight (& Insurance charges) upto destination	FOR Destination Price
	Engineer-in-Charge.										
9.4.1	60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.				995419	18%					

(Note: The contract will be awarded on total wise basis.)

Scope of Supply: (Cost break-up of the quoted cost, showing inter-alia costs of all the concomitant Installation/Commissioning/ Training/Technical Support/Incidental Services/Software/accessories, considered necessary to make the proposal self-contained and complete must be indicated here.)

1. Taxation Details:-

- PAN Number
- Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc)
- GSTIN Number
- Registered Address as per GST Registration and Place of Delivery for GST Purpose.



e) Contract Names, Nos & email IDs for GST matters (Please mention primary and secondary contracts)

2. It is hereby certified that we have understood the General and Special Instructions to Tenderers (GIT and SIT), and also the General and Special Conditions of Contract (GCC and SCC) attached to the tender and have thoroughly examined specifications/Quality Control Requirement and other stipulations in Section VII & VIII required and out offer is to supply stores strictly in accordance with the requirements and according to the terms of the tender. We agree to abide solely by the General and Special Conditions of Contract and other conditions of the tender in accordance with the tender documents if the contract is awarded to us.
3. We hereby offer to supply the stores detailed above or such portion thereof, as you may specify in the acceptance of tender at the price quoted and agree to hold this offer open for acceptance for a period ofdays from the date of opening of tenders (i.e. upto.....). We shall be bound by the communication of acceptance dispatched within the prescribe time.
4. Earnests Money/Bid Guarantee for an amount equal tois enclosed in form of(form and reference number, date) as per the Tender documents.

Dated.....

Signature and Seal of Manufacturer/Bidder

Note:-

- (i) The Bidder may prepare their own offer forms as per this proforma.
- (ii) in the proforma is permissible.
- (iii) No erasures or alternations in the text of the offer are permitted. Any correction made in the offer shall be initialled by the bidder.
- (iv) Figures in Columns 5 to 7 (both inclusive) and in Break-up of price in column 6, should be in both figures and words.

This Section should not bring in any new Technical Parameter that has not been mentioned in the Technical Bid.



Section XII: Vendor Details

The tenderer should furnish specific details mentioned below. In case a question/ issue does not apply to a tenderer, the same should be answered with the remark "not applicable".

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

1. Vendor/ Contractor particulars:

- (a) Name of the Company:.....
- (b) Corporate Identity No. (CIN):
- (c) Registration if any with SPMCIL:
- (d) Complete Postal Address:
- (e) Pin code/ ZIP code:
- (f) Telephone nos. (with country/area codes):
- (g) Fax No.: (with country/area codes):
- (h) Cell phone Nos.: (with country/area codes):
- (i) Contact persons /Designation:
- (j) Email IDs:

2. Taxation Details:

- (a) PAN number:
- (b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.):
- (c) GSTIN number:
- (d) Registered Address as per GST registration and Place of Delivery for GST Purpose:
- (e) Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts):
.....

We solemnly declare that our GST rating on the GST portal / Govt. official website is NOT negative / blacklisted during the last three financial years.

.....
(Signature with date)

.....
(Full name, designation & address of the person duly authorized sign on behalf of the tenderer)

For and on behalf of

.....
(Name, address, and stamp of the tendering firm)



Section XV: Bank Guarantee Form for Performance Security

**PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND
(ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)**

Ref Date

Bank Guarantee No

To,

(Insert Name & Address of the Purchaser)

Dear Sir,

1. Against contract vide Notification for Award of the Tender No dated covering supply of (hereinafter called the 'contract') entered into between the ***(insert name of Purchaser)*** (herein after called as the Purchaser) and M/s. (here in after called the 'Contractor'), this is to certify that, at the request of the Contractor, we ***(name of the bank)***, are holding in trust in favour of the Purchaser, the amount of ***(write the sum here in words)***, to indemnify and keep indemnified the Purchaser, against any loss or damage that may be caused to, or suffered by the Purchaser, by reason of any breach by the Contractor of any of the terms and conditions of the said contract and/or in the performance thereof. We agree that the decision of the Purchaser, whether any breach of any of the terms and conditions of the said contract and/or in the performance thereof has been committed by the Contractor; and the amount of loss or damage that has been caused or suffered by the Purchaser, shall be final and binding on us, and the amount of the said loss or damage shall be paid by us, forthwith on demand and without demur to the Purchaser.

2. We ***(name of the bank)***, further agree that, the guarantee herein contained, shall remain in full force and effect, for sixty days after the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the BUYER, including warranty period whichever is later, i.e. till, (hereinafter called the 'said date') and that if any claim accrues or arises against us ***(name of the bank)***, by virtue of this guarantee before the said date, the same shall be enforceable against us ***(name of the bank)***, notwithstanding the fact that the same is enforced within six months after the said date, provided that notice of any such claim has been given to us ***(name of the bank)***, by the Purchaser, before the said date. Payment under this bond of guarantee shall be made promptly, upon our receipt of notice to that effect, from the Purchaser.

3. It is fully understood that this guarantee is effective from the date of the said contract and that we ***(name of the bank)***, undertake not to revoke this guarantee during its currency, without the consent in writing of the Purchaser.

4. We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute or disputes raised by the Contractor, in any suit or proceeding pending before any Court or Tribunal, relating thereto, our liability under this present, being absolute and unequivocal. The payments so made by us under this bond, shall be a valid discharge of our liability for payment thereunder, and the Contractor shall have no claim against us, for making such payments.

5. We ***(name of the bank)***, further agree that the Purchaser shall have the fullest liberty, without affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the said contract, or to extend time of performance by the Contractor, from time to time, or to postpone for any time or form, time to time, any of the powers exercisable by the Purchaser, against the said Contractor and to for bear or enforce any of the terms and conditions relating to the said contracts and we ***(name of the bank)***, shall not be released from our liability under this guarantee, by reason of any such variation or extension being granted to the said Contractor, or for any forbearance and/or omission on the part of the Purchaser, or any indulgence by the Purchaser towards the said Contractor, or by any other matter or thing whatsoever, which under the law relating to sureties, would, but for this provision, have the effect of so releasing us from our liability under this guarantee.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.

Date

Place

Witnesses

(Bank's Common Seal)

Signature
(Printed Name)
(Designation)



Section XVI: Contract Form

(Address of SPMCIL's office issuing the contract)

Contract No..... dated.....

This is in continuation to this office' Notification of Award No..... dated

1. Name & address of the Supplier:

2. SPMCIL's Tender document No..... dated..... and subsequent Amendment No....., dated..... (If any), issued by SPMCIL

3. Supplier's Tender No..... dated..... and subsequent communication(s) No..... dated (If any), exchanged between the supplier and SPMCIL in connection with this tender.

4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as part of this contract:

- (i) General Conditions of Contract;
- (ii) Special Conditions of Contract;
- (iii) List of Requirements;
- (iv) Technical Specifications;
- (v) Quality Control Requirements;
- (vi) Tender Form furnished by the supplier;
- (vii) Price Schedule(s) furnished by the supplier in its tender;
- (viii) Manufacturers' Authorisation Form (if applicable for this tender);
- (ix) SPMCIL's Notification of Award

Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under Section - V - 'General Conditions of Contract' of SPMCIL's Tender document shall also apply to this contract.

5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready reference:

(i) Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:

Schedule No.	Brief description of goods/ services	Accounting unit	Quantity to be supplied	Unit Price (in Rs.)	Total price

Any other additional services (if applicable) and cost there of:

Total value (in figure) _____ (In words) _____

- (ii) Delivery schedule
- (iii) Details of Performance Security
- (iv) Quality Control
 - (a) Mode(s), stage(s), and place(s) of conducting inspections and tests.
 - (b) Designation and address of SPMCIL's inspecting officer
- (v) Destination and despatch instructions
- (vi) Consignee, including port consignee, if any
- (vii) Warranty clause
- (viii) Payment terms
- (ix) Paying authority

.....
(Signature, name, and address of SPMCIL's authorized official)

For and on behalf of.....

Received and accepted this contract

(Signature, name, and address of the supplier's executive duly authorized to sign on behalf of the supplier)

For and on behalf of

(Name and address of the supplier)

.....
(Seal of the supplier)

Date:

Place:



**Section XVII: Letter of Authority for attending a
Pre-bid Conference/ Bid Opening**

The General Manager
Unit Address

Subject: Authorization for attending bid opening on _____ (date) in the Tender of _____

Following persons are hereby authorized to attend the bid opening for the tender mentioned above on behalf of _____ (Bidder) in order of preference given below.

Order of Preference	Name	Specimen Signatures
I.		
II.		
Alternate Representative		
Signatures of bidder or Officer authorized to sign the bid Documents on behalf of the bidder.		

Note:

1. Maximum of two representatives will be permitted to attend pre-bid conference/ bid opening. In cases where it is restricted to one, first named representative will be allowed to attend. Alternate representative will be permitted when regular representatives are not able to attend.
2. In case of pre-bid conference, self-attested copy of proof of purchase of Bid documents, in the name of the bidder must be enclosed with this authorization, without which entry would be refused. Bid documents would be available for sale at the site also.
3. Permission for entry to the hall where even is held may be refused in case authorization as prescribed above is not produced.



Section XVIII: Proforma of Bills for Payments

(Refer Clause 22.6 of GCC)

Name and Address of the Firm.....

Bill No.....

Dated.....

Purchase order.....No.....Dated.....

Name and address of the consignee.....

S. No	Authority for purchase	Description of Stores	Number or quantity	Rate Rs. P.	Price per Rs. P.	Amount
Total						

1. GST/ CGST/ SGST/ UTGST/ IGST Amount
2. Freight (if applicable)
3. Excise Duty (if applicable)
4. Packing and Forwarding charges (if applicable)
5. Others (Please specify)
6. PVC Amount (with calculation sheet enclosed)
7. (-) deduction/Discount
8. Net amount payable (in words Rs.)

Dispatch detail RR No. other proof of despatch.....

Dated.....(enclosed)

Inspection Certificate No.....Dated.....(enclosed)

Place and Date

Received Rs.....

Rupees).....

We solemnly certify that:

a. Goods and Services Tax (GST) charged on this Bill is not more than what is payable under the provision of the relevant Act or the Rules made there under.

b. Goods on which GST has been charged have not been exempted under the GST Act or the rules made there under and the charges on account of GST on these goods are correct under the provisions of that Act or the Rules made there under.

c. We are registered with above indicated GSTIN as dealer in the State where in their Billing address is located for the purpose of GST.

d. This bill form / invoice is not a replacement for the GST invoice. The proper GST invoice as per requirements of GST rules has been sent to the Purchaser as and when deliveries are made to the consignee.

e. that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.

Revenue stamp

Signature and of Stamp Supplier



Section XIX: NEFT Mandate

(Refer clause 22.2 of GCC)

From: M/s. Date:

To:

(Insert Name and Address of Purchaser's Paying Authority as per NIT Clause 1)

Sub: NEFT payments

We refer to RBI's NEFT scheme. Our mandate SPMCIL for making payments to us through the above scheme to our under noted account.

NATIONAL ELECTRONIC FUNDS TRANSFER MANDATE FORM

1	Name of City	
2	Bank Code No.	
3	Branch Code No.	
4	Bank's Name	
5	Branch Address	
6	Branch Telephone / Fax No.	
7	Supplier's Account No.	
8	Type of Account	
9	IFSC code for NEFT	
10	IFSC code for RTGS	
11	Supplier's name as per Account	
12	MICR Code No.	

In Lieu of Bank Certificate to be obtained as under, please attach a bank cancelled cheque or photocopy of a cheque or front page of your bank passbook issued by your bank for verification of the above particulars.

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.


Date

Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and
Signature of authorized
official of the bank


GREEN GATE



19/01/20
 D. G. S. (General) Manager (T)
 India Security Press,
 1/11/11, Noida Road.

47

WORKSHOP GATE



D. G. ...
D. G. ... Manager (T.O.)
India Security Press,
Nashik Road.

BLACK GATE

EXISTING ROAD 6 MT WIDE

TOWARDS CLONE WADI GATE

TURN STILE SIZE: 2.55M(CL) X 2.0M(W)

Security Wall
WICKET GATE

BLACK GATE

Security Wall

VENTILATION PLAT No. 9

Security Wall

72

18/8/2012
D.G.M. (T.O.)

[Signature]
19/08/12

