India Security Press,
(A UNIT OF SECURITY PRINTING & MINTING CORPORATION OF INDIA
LTD.)WHOLLY OWNED BY GOVERNMENT OF INDIA
Nashik Road-422101 (Maharashtra)
(ISO-9001:2008 & 14001:2004 Certified Company)
Miniratna Category-I, CPSE

Tel.No:+91-253-2-402200;Fax No:+91-253-2462718,2466389 e-mail: purchase.isp@spmcil.com Web:http://ispnasik.spmcil.com

CIN: U22213DL2006G0I144763 GSTIN: 27AAJCS6111J2Z7

PR Number	PR Date	Indenter	Department
11011361	13.05.2024	MNT-CIV	MNT-CIV

Not Transferable

Security Classification: Non-Security

TENDER DOCUMENT FOR: Rate Contract for Civil Construction, Maintenance, Fabrication works in India Security Press, Nashik Road.

Tender Number: SPMCIL/ISP/CPP-ET/6000018867

CPP ID: 2024_SPMCI_200692

This Tender Document Contains _____Pages.

Details of Contact person in SPMCIL regarding this tender:

Name: Diganta Kumar Deka

Designation: Additional General Manager (Materials) **Address:** ISPN (India Security Press, Nashik) India

Disclaimer

The information contained in this Bid Document or subsequently provided toBidder(s), whether verbally or in documentary or any other form by or on behalfof the Security Printing and Minting Corporation Limited (hereafter referred asthe "Purchaser") or any of its employees or associated agencies, is provided toBidder(s) on the terms and conditions set out in this Bid Document and such other and conditions subject to which such information is provided.

This Bid Document is not an agreement and is neither an offer nor invitation by the Purchaser to the prospective Bidder(s) or any other party hereunder. The purpose of this Bid Document is to provide the Bidder(s) with information to assist them in the formulation of their proposal submission This Bid document does not purport contain all the information Bidder(s) may require. This Bid document may not appropriate for all bidders, and it is not possible for the Purchaser to consider particular needs of each Bidder. Each Bidder should conduct its own investigation and analysis, and should check the accuracy, reliability, and completeness of their formation in this document and obtain independent advice from appropriates ources.

Information provided in this Bid Document to the Bidder(s) is on a wide range ofmatters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Purchaser, its employees and other associated agencies accept no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

This Bid document and ensuing bids; communications and Contracts would alonedetermine the legal and commercial relationship between the bidders/ contractors and the Purchaser. No other Government or Purchaser's document/ guidelines/Manuals including its Procurement Manual (which are for internal and official useof its officers), have any locus standii in such a relationship. These documents/guidelines/ Manuals therefore should not be cited or referred in any legal or disputeresolution or grievance redressal proceedings.

The Purchaser, its employees and other associated agencies make norepresentation or warranty and shall have no liability to any person, including anyBidder under any law, statute, rules or regulations or tort, principles of restitutionor unjust enrichment or otherwise for any loss, damages, cost or expense whichmay arise from or be incurred or suffered on account of anything contained in this Bid Document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Bid Document and any assessment, assumption, statement or information contained therein or deemed to form part of this BidDocument or arising in any way for participation in this Bid Stage.

The Purchaser, its employees and other associated agencies also accept no liability of any nature whether resulting from negligence or otherwise howsoever causedarising from reliance of any Bidder(s) upon the statements contained in this BidDocument.

The Purchaser may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this Bid Document.

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

The Bidder(s) shall bear all its costs associated with or relating to the preparationand submission of their Bids including but not limited to preparation, copying,postage, delivery fees, expenses associated with any submission of samples,demonstrations or presentations which may be required by the Purchaser or anyother costs incurred in connection with or relating to their Bids. All such costs and expenses will remain with the Bidder(s) and the Purchaser shall not be liable in anymanner whatsoever for the same or for any other costs or other expenses incurred by a Bidder(s) in preparation or submission of the Bid, regardless of the conduct or outcome of the Bidding Process.

This disclaimer forms an integral part of the Bid document and shall supplementbut not supplant the provision of the Bid Document.

SECTION I: NOTICE INVITING TENDER (NIT) INDIA SECURITY PRESS

(A Unit of Security Printing and Minting Corporation of India Limited)
Wholly owned by Government of India

Nashik Road – 422 101 (Maharashtra) Tel No 00 91 253 2402200, Fax No 00 91 253 2462718 Website: www.spmcil.com, email: purchase.isp@spmcil.com

Tender No.: SPMCIL/ISP/CPP-ET/6000018867

1. Sealed tenders are invited from eligible and qualified tenderers for supply of the following

GeM-Availability Report and Past Transaction Summary- GEM/GARPTS/08072024/UMSRL1BMWCQD

Schedu Brief Description of Quantity		,	Earnest	Remarks		
le No.	Goods/ services	(with unit)		Money (in Rs.)		
1	Rate Contract for Civil Construction, Maintenance, Fabrication works in India Security Press, Nashik Road.	1 Al	IJ	Not applicable being rate contract	Delivery Schedule As per section VI: List of Requirement and detailed Technical Specification mentioned in Section VII.	
Type of Tender (Two Bid/ PQB/ EOI/ RC/ Development/Indigenization/ Disposal of Scrap/ Security Item etc.) Security Classification Authority in whose favour all tender related financial instruments (FD, DD, Banker's cheque etc) are to be made				Two Bid, Single stage (two packets), NCB (National Competitive Bidding) Non-Security India Security Press, Nashik Road, Unit of SPMCIL		
All Financial Instruments to be payable at: Dates and place of issue of tender documents:				Payable at Nashik From 15.07.2024 to 15.08.2024 on e-tendering website https://etenders.gov.in/eprocure/app		
					nly be obtained after on the website	
	late and time for receipt of ter	nders	15.08.2024up to 15.00Hrs			
Place of receipt of tenders			On e-tendering website https://etenders.gov.in/eprocure/app through online mode only duly verified by authorized DSC of vendor.			
Time and date of opening of tenders for Technical Bid. Place, Time, and date of Opening of Price bid would be intimated later on			15:00 Hours on 16.08.2024			
Place of	opening of tenders		https:	endering website //etenders.gov.i mode only	n/eprocure/app through	

2.Information and instructions for bidders:

The Bidder shall go through the tender document carefully and shall comply with each clause of all the sections of the tender documents.

Prospective Tenderers are advised to go through https://etenders.gov.in/eprocure/app and get themselves aware for e-tendering participation requirements.

REGISTRATION:

- a) Bidders are required to register on the e-tendering portal of CPPP (https://etenders.gov.in/eprocure/app).
- b) Upon registration, Vendors/Suppliers must have valid Class-III Digital Signature both Signing & Encryption type Certificate to participate in tenders. DSC can be procured from any of the Licensed Certifying Authorities by Controller of Certifying Authorities, details available at www.cca.gov.in.
- 3. Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.
- 4. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/revised).
- 5. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website mentioned above for further details.
- 6. Tenderers shall strictly ensure that their tenders, duly stamped and signed and authorized by DSC, complete in all respects as per instructions contained in the Tender Documents, will be submitted only through online mode on https://etenders.gov.in/eprocure/app on or before the closing date and time indicated in the Para 1 above, failing which the tenders will not be accepted. Bidders must upload their bids along with scanned copies as required enclosures (including proofs of cost of Tender Documents and EMD as applicable unless an online payment gateway is provided in the instruction) as per instructions given in this regard.

Original copies of such scanned uploaded required enclosures(including proofs of cost of Tender Documents and EMD as applicable - unless an online payment gateway is provided in the instruction) must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.

- 7. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.
- 8. The tender documents are not transferable.
- 9. The bidder, their affiliates, or subsidiaries including subcontractors or suppliers for any part of the contract should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).
- 10. Undersigned confirms that the required Goods (as per technical specification provided by User Section) are not available on GeM as per "GeM-Availability Report and Past Transaction Summary". The Unique ID is GEM/GARPTS/08072024/UMSRL1BMWCQD.

11. The Chief General Manager, ISP Nashik reserves the right to accept / reject / cancel any or all tender document without assigning any reason thereof. Chief General Manager, ISP Nashik also reserves the right to accept the tender in whole or in part. Incomplete documents, not submitted in accordance with the directions issued, will be liable for rejection.

Addl.General Manager (Materials)
India Security Press, Nashik Road-422101
Phone No 0253 2402219
For and on behalf of
Chief General Manager,
India Security Press, Nashik Road

Section II: General Instructions to Tenderer (GIT)

PART I & II: GENERAL INSTRUCTIONS Applicable to all Types of Tenders:

Please refer the link to https://spmcil.com/uploaddocument/GCC3.0.pdf for further details. GIT (Total pages: 46)

BIDDERS ARE REQUESTED TO DOWNLOAD 46 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT.

SECTION III: SPECIAL INSTRUCTIONS TO TENDERERS (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.(Clauses of GIT listed below include a possibility for variation in their provisions

through SIT. There could be other clauses in SIT as deemed fit.)

Sl.	GIT Clause	Topic	Modify/	SIT Provision
No.	No.		Substitute/	
1	2	Platin manda a sa	Supplement	A . A 1' 1.1 .
1	3	Eligible Tenderers		As Applicable
2	3.4	Eligible Goods and Services (Origin of Goods)		As Applicable
3	6.1	The tender documents includes:	Modify	SIT 1 (Mentioned below)
4	8	Pre-bid Conference		SIT 2(Mentioned below)
5	9	Time Limit for receiving request for clarification of Tender Documents	Modify	A tenderer requiring any clarification or elucidation on any issue of the tender document may take up the same with ISP Nashik in writing or by fax/ e-mail/ post. ISP Nashik will respond in writing to such request provided the same is received by ISP Nashik not later than 21 days prior to the prescribed date of submission of tender.
5	10.1	The Technical bid to be submitted by Tenderer shall contain the following documents, duly filled in, as required		As Applicable
6	11.2	Tender Currency	Modify	The tenderer shall quote only in Indian rupees
7	12.1	Tender Prices		As Applicable
8	12.2, 33, 36.1	Schedule wise evaluation		Not Applicable
9	12.6	GST details		As Applicable
10	14	PVC Clause & Formula	Modify	Prices quoted by the tenderer shall remain firm and fixed during the currency of the contract and not subject to variation on any account
11	14.4 to 14.7	Exchange Rate Variation (ERV)		Not Applicable
12	16.2 a) to c)	Documents Establishing Tenderer's Eligibility and Qualifications	Modify	As per Section IX: Qualification / Eligibility Criteria
13	18.4, 18.5	Earnest Money Deposit (EMD)	Modify	Not applicable being rate contract

Sl. No.	GIT Clause No.	Topic	Modify/ Substitute/ Supplement	SIT Provision
14	19	Tender Validity	Modify	SIT-2(Mentioned below)
15	20.4	Number of Copies of Tenders to be submitted	Modify	Tenderer shall submit their tender in "Original" only.
16	20.8	Two Bid System	Modify	SIT 3 (Mentioned below)
17	20.9	E-Procurement		Applicable
18	34 and 35.1	Comparison on CIF Destination Basis		Not Applicable
19	35.2 to 35.6	Additional Factors for Evaluation of Offers and Preferential schemes		As Applicable
20	43	Parallel Contract		Not Applicable
21	44.1	Serious Misdemeanors		As Applicable
22	44.3	Integrity Pact		Not Applicable
23	45.1	Notification of Award		As Applicable
24	50	Applicability of additional GIT for rate contracts		As Applicable
25	51	Applicability of additional GIT for PQB Tenders		Not Applicable
26	52	Applicability of additional GIT for Tender involving Samples		Not Applicable
27	53	Applicability of additional GIT for EOI Tenders		Not Applicable
28	54	Applicability of additional GIT for Tenders for disposal of Scrap		Not Applicable
29	55	Applicability of additional GIT for Development/Indigenization Tenders		Not Applicable
30		Evaluation of tender		SIT 4 (Mentioned below)

SIT 1:-The tender documents includes:- The tender documents includes:

Section I - Notice Inviting Tender (NIT)

Section II - General Instructions to Tenderers (GIT)

Section III - Special Instructions to Tenderers (SIT)

Section IV -General Conditions of Contract (GCC)

Section V - Special Conditions of Contract (SCC)

Section VI - List of Requirements

Section VII - Technical Specifications

Section VIII - Quality Control Requirements

Section IX - Qualification/ Eligibility Criteria

Section X - Tender Form

Section XII - Vendor Details

Section XV - Bank Guarantee Form for Performance Security

Section XVI - Contract Form

Section XVII: Letter of Authority for attending a Bid Opening

Section XVIII: Proforma of Bills for Payments

Section XIX: NEFT Mandate

SIT 2: Pre- bid conference: Bidders are requested to attend a pre-bid conference for clarification on technical specifications and commercial conditions of the Tenders on 24.07.2024 on 11:00 hrs at India Security Press Nashik 422101. Participation is not mandatory, however, in case a bidder chooses not to participate (or fails to do so) in the pre-bid conference, it would be assumed that they have no issues regarding the Technical/ commercial specifications/ conditions.

SIT 3: Tender Validity

- **3.1.** The tenders shall remain valid for acceptance for a period of 120 days after the date of tender opening prescribed in the tender document. Any tender valid for a shorter period shall be treated as unresponsive and rejected.
- **3.2** In exceptional cases, the tenderers may be requested by SPMCIL to extend the validity of their tenders upto a specified period. Such request(s) and responses thereto shall be conveyed by surface mail or by fax/email/ telex/ cable followed by surface mail. The tenderers, who agree to extend the tender validity, are to extend the same without any change or modification of their original tender and they are also to extend the validity period of the EMD accordingly.
- **3.3** In case the day upto which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for SPMCIL, the tender validity shall automatically be extended upto the next working day.
- **3.4** Compliance with the Clauses of this Tender Document: Tenderer must comply with all the clauses of this Tender Document. In case there are any deviations, these should be listed in a chart form without any ambiguity along with justification.
- **SIT 4: Two Bid System:** E-Tender will consist of Two Bid system i.e.**Technical Bid and Financial/ Price Bid. Technical bid and the Price Bid**are to be submitted through e-tendering portal only on or before the due date of submission of tenders. The tenderer shall quote their prices (**Price bid**) strictly as per the price parameters given in e-tendering portal only.

SIT 5: Evaluation of tender: The evaluation of tender will be on total value basis.

SECTION IV: GENERAL CONDITION OF CONTRACT (GCC)

Please refer the below link for further details:

https://spmcil.com/uploaddocument/GCC3.0.pdf GCC (Total pages: 30)

BIDDERS ARE REQUESTED TO DOWNLOAD 30 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DCOUMENT.

SECTION V: SPECIAL CONDITIONS OF CONTRACT (SCC) The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

S. No.	GCC Clause No.	Topic	Modify/ Substitute/	SCC Provision
IVO.	Clause No.		Supplement	1 10 13 10 11
1	1.2	Abbreviations:	• •	As Applicable
2	6.1, 6.3 &6.5	Performance Bond/	Modify	SCC 1 (Mentioned below)
		Security		
3	8.2	Packing and Marking		As Applicable
4	9	Inspection and Quality		As Applicable
		Control		
5	11.2	Transportation of	Modify	SCC 2 (Mentioned below)
		Domestic Goods		
6	12	Insurance	Modify	SCC 3 (Mentioned below)
7	14.1	Incidental Services		As Applicable
8	15	Distribution of Despatch		As Applicable
		Documents for clearance/		
		Receipt of Goods		
9	16.2, 16.4	Warrantee Clause	Modify	SCC 4 (Mentioned Below)
10	19.3	Option Clause		SCC 5 (Mentioned Below)
11	20.1	Price Adjustment Clause		Not Applicable
12	21	Taxes and Duties	Modify	SCC 6 (Mentioned Below)
13	22	Terms and Mode of	Modify	SCC 7(Mentioned Below)
		payments		
14	24.1	Quantum of LD	Modify	SCC 8 (Mentioned Below)
15	25.1	Bank Guarantee and		Not Applicable
		Insurance for Material		
		Loaned to Contractor		
16	33.1	Resolution of Disputes		As applicable
17	36.3.2,	Disposal/ Sale of Scrap by		Not Applicable
	36.3.9	Tender		

SCC 1:Performance Bond/ Security: The successful bidder has to submit Performance Bond/ Security equivalent to 3% of the order(s) value, valid for a period of 60 days beyond the completion of all contractual obligations, within 21 days from the date of issue of Letter of Intent.

The Performance security shall be denominated in Indian Rupees in one of the following forms:

- a) Account Payee Demand Draft or Fixed Deposit Receipt drawn on any commercial bank in India, in favor of India Security Press, Unit SPMCIL.
- b) Bank Guarantee issued by a commercial bank in India, in the prescribed form as provided in section XV of this document.

- **SCC 2: Transportation of Domestic Goods**: The transportation of goods to be procured will be done by the supplier on FOR ISP Basis. The total cost of the transportation should be indicated in the price bid of the item to be procured.
- **SCC 3: Insurance:** Specific Insurance cover for each consignment /supply is to be given by the firm, as applicable.
- SCC 4: Warranty Clause: 12 Months after completion of the work.
- **SCC 5: Option clause**: Purchaser reserves the right to increase the ordered works by 25% at any time, till final completion date of the contract by giving reasonable notice even though the ordered works initially has been completed in full before the last date of delivery Period.
- **SCC 6: Taxes and Duties**: If the tenderer fails to include taxes and duties as per law of the land in the tender, no claim thereof will be considered by purchaser at a later stage.

SCC 7: Terms and Mode of Payment:

- (i) No advance payment will be paid.
- (ii) Payment shall be done Quarterly as per actual work done and measurements recorded.

SCC8: Quantum of LD: Subject to GCC clause 28,if the supplier fails to deliver any orall of the goods or fails to perform the services within the timeframe(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated amages, a sum equivalent to the ½% percent (or any other percentage if prescribed in the SCC) of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to amaximum deduction of the 10% (or any other percentage if prescribed in the SCC) of the delayed goods' or services' contract price(s). During the above-mentioned delayed period of supplyand / or performance, the conditions incorporated under GCCsub-clause 23.4 above shall also apply. In all such cases GST would also be applicable on LD.

Section VI: List of Requirements

Sch	Brief Description of Goods/	Quantity	Earnest Money (in Rs)
No.	services	(with unit)	
1	Rate Contract for Repair and Re-coating of Existing Epoxy Flooring in the different sections of ISP Factory Premises.	1 AU	Not applicable being rate contract

(a)	Required	:	i)Stipulated time period for the work = 12 Months from the date of award
	Delivery		of
	Schedule		Purchase Order.
			ii)Since order is on rate contract basis, the prices quoted shall remain fixed
			for one year.
(b)	Required Terms	:	On FOR ISP Basis.
	of Delivery		
(c)	Destination	:	India Security Press,
			Nashik Road-422101
			Maharashtra, India
(d)	Preferred mode	:	By Road (FOR)
	of transportation		

- 1. All the copies of tenders shall be complete in all respects with all their attachments/ enclosures duly numbered and signed on each and every page.
- 2. The total cost should be inclusive of all elements as cited above on FOR India Security Press, Nashik Road (Maharashtra), India, basis.
- 3. The Bidder has to submit documents as per the following Check list along with the Technical bid Documents (Technical Cover):

Sr. No.	Description	Submitted/Not Submitted
1)	Documentary evidence towards Experience and past performance as per clause 1(i) of section IX.	
2)	Documentary evidence towards Capability, equipment and manufacturing facilities as per clause1(ii) of section IX.	
3)	Documentary evidence towards Financial Standing as per clause 1(iii) of section IX.	
4)	Undertaking as per clause 3 under section IX	
5)	Copy of PAN and GST registration certificate.	
6)	Power of Attorney/ Authorization with the seal of company indicating that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract.	
7)	Adherence to the Delivery Schedule as per Section VI on Bidder's Letter Head.	
8)	Adherence to the Technical Specification as per Section VII: Technical Specificationson Bidder's Letter Head	

Sr.	Description	Submitted/Not
No.		Submitted
0)	Adherence to the Quality Control Requirements as per Section VIII on Bidder's	
9)	Letter Head.	
10)	Tender Form: As per Section X	
11)	Vendor Details: As per Section XII.	
12)	NEFT Mandateas per section XIX	
	All pages of the tender documents (including GIT, GCC, SIT, SCC, List of	
13)	requirements, Technical specification, quality requirements, etc.) duly signed	
	and stamped by the Authorized signatory of the bidder.	

Note:The Bidder has to submit Prices in Price bid (**Price Cover**) as per price parameters given in BOQ of e-tendering portal. (Excel Format)

SECTION VII: TECHNICAL SPECIFICATIONS

Subject: Rate Contract for Civil Construction, Maintenance, Fabrication works in India Security Press, Nashik Road.

For detail schedule of work, refer ANNEXURE-A.

Scope of the work: Following scope of the work is considered.

- 1. Provision of Earthwork.
- 2. Provision of Plain Cement Concrete.
- 3. Provision of Reinforced Cement Concrete.
- 4. Provision of Brick work.
- 5. Provision of structural steel work.
- 6. Provision of GI Sheet roofing with roofing accessories.
- 7. Provision of Laying go paver blocks and Kerb stones.
- 8. Provision of Drainage and repairs to buildings
- 9. Provision of dismantling of old items and

subsequent disposal.

- 10. Provision of cladding work/wall tiles.
- 11. Provision of flooring and floor tiles

Terms and Conditions: - As follows

- 1. Material arrangement: -i) The firm shall arrange for all the required materials, consumables, labour, ladders, scaffolding, tools & tackles, equipment etc.
- 2. The Rate Contract is of Annual maintenance nature and therefore, the work shall be executed as and when need arises. Hence the entire quantities shown against each item may not be exhausted.
- 3. The entire work will be executed as per directions of Competent Authority of ISP and his decision will be final in case were ambiguity / Difference of opinion etc arises during execution of the work.
- 4. The firm must depute its supervisor along with working crew during execution of works.
- 5. The firm must obtain police verification report (PVR) for contractor, supervisor and its labour without PVR, the firm may not be allowed to execute work in ISP premises.
- 6. Delivery Schedule: i) Stipulated time period for the work = 12 Months from the date of award of Purchase Order.
- ii)Since order is on rate contract basis, the prices quoted shall remain fixed for one year.
- 7. Firm/ contractor shall provide all PPEs and safety wears to all its workmen and fully responsible for the safety and wellbeing of its staff. ISP shall not be responsible for any damage what so ever.
- 8. If any accident /injury /casualty happens the sole responsibility will be of the firm. No compensation will be borne by ISP.
- 9. Firm shall have to ensure that it should not damage Any existing ISP property. The damage, if any shall be rectified by the firm immediately at its own cost.
- 10. Electricity and water supply will be provided by ISP. Required size of electric cable, switch board etc for, rubber pipe etc for water supply should have to arrange by the agency.
- 11. Working Hours 8.00am to 6.00pm (Including lunch hour) If required work will be permitted & firm has to carry out work during extended hours and Sundays and Holidays also.

- 12. The firm shall clean the area/work site thoroughly daily after completing the day's work and before handing over site to ISP.
- 13. The firm has to deposit taken out/ dismantled carpentry material, scrap etc. Generated during execution of work in ISP Stores scrap yard. Dispose off all debris, broken items etc away from site or in dumping yard of ISP.
- 14. Being a rate contract situation may arise during the period of contract that some quantities may get utilized earlier while other being unutilized. Hence the said scope of work with mentioned bill of quantities as per attached Annexure- A is tentative and may increase or decrease at the time of execution of work on unit rate basis of the firm as submitted in its quotation/offer.
- 15) Warranty 12 Months after completion of the work.
- 16) Construction material (Such as Cement, Steel etc. or as applicable) to be used in the work shall be of ISI mark.
- 17) Testing of material (such as concrete, steel etc.) will be carried out through Govt engineering colleges/labs/NABL labs. Cost of testing including all charges such as transportation, postal etc. shall be borne by contractor and reports are to be submitted to ISP.
- 18) Payment Terms :(i) No advance payment will be paid.
- (ii) Payment shall be done Quarterly as per actual work done and measurements recorded.
- 19) Penalty Clause: During the period of contract, the Firm shall respond to the complaint/work assign by ISP within 48 hours of reporting, failing which a penalty of INR 500 per day will be imposed. If in some exceptional scenario, if any material/item is to be arranged from outside Nashik additional 48 hours time may be given upon due justification submitted by Firm in writing.
- 20) Item wise price breakup to be provided by Agency/Firm, along with Price Bid in the tender.

For detailed schedule of the work, kindly refer attached Annexure – 'A'

	ANNEXURE-A								
Rate Con	Rate Contract for Civil Construction, Maintenance, Fabrication works in India Security Press, Nashik								
Road.	Road.								
Sr. No.	Description	Qty	Unit						
1	EARTH WORK								
1.1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including getting out and disposal of excavated earth upto 50 m and lift upto 1.5 m, as directed by Engineer-in- Charge:								
1.1.1	All kinds of soil.	500	SQM						
1.2	Earth work in excavation by mechanical means (Hydraulic excavator)/manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-incharge.								
1.2.1	All kinds of soil	300	CUM						
1.3	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	300	CUM						
2	CONCRETE WORK								
2.1	Providing and laying in position cement concrete of specified grade								

	excluding the cost of centering and shuttering - All work upto plinth level		
	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources :		
2.1.1	6 graded stone aggregate 20 mm nominal size derived from natural sources)	40	cum
2.2	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete.		
2.2.1	All works above plinth and upto floor V level		
2.2.1.1	Concrete of M15 grade with minimum cement content of 240 kg /cum	20	cum
2.3	Centering and shuttering including strutting, propping etc. and removal of form work for :		
2.3.1	Foundations, footings, bases for columns	200	Sqm
2.4	Retaining walls, return walls, walls (any thickness) including attached pilasters, buttresses, plinth and string courses fillets, kerbs and steps etc.	30	Sqm
2.5	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	100	Sqm
3	REINFORCED CEMENT CONCRETE		
3.1	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete.		
3.1.1	All works upto plinth level		
3.1.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	28	Cum

3.3 Centering and shuttering including strutting, propping etc. and removal of form for 3.3.1 Foundations, footings, bases of columns, etc. for mass concrete 3.3.2 Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc. 3.3.3 Lintels, beams, plinth beams, girders, bressumers and cantilevers 3.3.4 Columns, Pillars, Piers, Abutments, Posts and Struts 3.4 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level 3.4.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3.5 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4.1 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) 4.2 Gement mortar 1:3 (1 cement : 3 coarse sand) 4.3 Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement : 3 coarse sand) 4.2 Thermo-thermotrar 1:3 (1 cement : 3 coarse sand) 4.3 Forviding and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size Ptype				
3.2.1.1 Concrete of M25 grade with minimum cement content of 330 kg /cum 15	3.2	cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the		
3.3 Centering and shuttering including strutting, propping etc. and removal of form for 3.3.1 Foundations, footings, bases of columns, etc. for mass concrete 3.3.2 Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc. 3.3.3 Lintels, beams, plinth beams, girders, bressumers and cantilevers 3.3.4 Columns, Pillars, Piers, Abutments, Posts and Struts 3.4 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level 3.4.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3.5 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4.1 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) 4.2 Gement mortar 1:3 (1 cement : 3 coarse sand) 4.3 Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement : 3 coarse sand) 4.2 Thermo-thermotrar 1:3 (1 cement : 3 coarse sand) 4.3 Forviding and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size Ptype	3.2.1	All works above plinth level upto floor V level		
3.3 Centering and shuttering including strutting, propping etc. and removal of form for 3.3.1 Foundations, footings, bases of columns, etc. for mass concrete Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc. 3.3.2 Lintels, beams, plinth beams, girders, bressumers and cantilevers 3.3.3 Lintels, beams, plinth beams, girders, bressumers and cantilevers 1.00 Sqm 3.3.4 Columns, Pillars, Piers, Abutments, Posts and Struts 1.00 Sqm 3.4 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level 3.4.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3.5.1 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4.1 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1 Cement mortar 1:6 (1 cement : 6 coarse sand) 4.2 of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2 Gement mortar 1:3 (1 cement : 3 coarse sand) 4.2 providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level. 4.2 Gement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size Ptype	3.2.1.1	Concrete of M25 grade with minimum cement content of 330 kg /cum	15	Cum
3.3.2 Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc. 3.3.3 Lintels, beams, plinth beams, girders, bressumers and cantilevers 3.3.4 Columns, Pillars, Piers, Abutments, Posts and Struts 3.4 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level 3.4.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3.5 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4.1 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement :6 coarse sand) 4.2 of class designation 7.5 in superstructure above plinth level up to floor V level in cement mortar 1:4 (1 cement above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement :4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type	3.3	Centering and shuttering including strutting, propping etc. and removal		
3.3.2 Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc. 3.3.3 Lintels, beams, plinth beams, girders, bressumers and cantilevers 3.3.4 Columns, Pillars, Piers, Abutments, Posts and Struts 3.4 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level 3.4.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3.5 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement: 6 coarse sand) 4.2 of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement: 3 coarse sand) 4.2 roviding and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement: 4 coarse sand) 4.3 floor V level in cement mortar 1:4 (1 cement: 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type	3.3.1	Foundations, footings, bases of columns, etc. for mass concrete	100	Sam
3.3.4 Columns, Pillars, Piers, Abutments, Posts and Struts 3.4 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level 3.4.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3.5 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) 4.2 of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type				Sqm
3.3.4 Columns, Pillars, Piers, Abutments, Posts and Struts 3.4 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level 3.4.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3.5 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4.1 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) 4.2 Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) 4.3 Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size Ptype	3.3.3	Lintels, beams, plinth beams, girders, bressumers and cantilevers	100	Sqm
3.41 Thermo-Mechanically Treated bars of grade Fe-500D or more. 3000 Kg		Columns, Pillars, Piers, Abutments, Posts and Struts	100	Sqm
3.5 Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 1500 kg 4 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement: 6 coarse sand) 40 Cum Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement: 3 coarse sand) 100 Sqm Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement: 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular) 30 each	3.4			
3.5 bending, placing in position and binding all complete above plinth level. 3.5.1 Thermo-Mechanically Treated bars of grade Fe-500D or more. 4 MASONRY WORK 4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) 4.2 Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type 5.1.1 With common burnt clay F.P.S. (non modular) 30 each	3.4.1		3000	Kg
4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular) 30 each	3.5			
4.1 Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular) 30 each			1500	kg
4.1 designation 7.5 in foundation and plinth in: 4.1.1 Cement mortar 1:6 (1 cement : 6 coarse sand) 4.2 Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type 5.1.1 With common burnt clay F.P.S. (non modular) 30 each	4	MASONRY WORK		
Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular) 30 each	4.1			
4.2 of class designation 7.5 in superstructure above plinth level up to floor V level. 4.2.1 Cement mortar 1:3 (1 cement :3 coarse sand) Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular) 30 each	4.1.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	40	Cum
Providing and laying autoclaved aerated cement blocks masonry with 100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular) 30 each	4.2	of class designation 7.5 in superstructure above plinth level up to floor V		
100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work. 5 Drainage Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular) 30 each	4.2.1	Cement mortar 1:3 (1 cement :3 coarse sand)	100	Sqm
Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type 5.1.1 1 With common burnt clay F.P.S. (non modular) 30 each		100 mm thick AAC blocks in super structure above plinth level up to floor V level in cement mortar 1:4 (1 cement : 4 coarse sand). The rate includes providing and placing in position 2 Nos 6 mm dia M.S. bars at every third course of masonry work.	40	Cum
with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: 5.1.1 100x100 mm size P type With common burnt clay F.P.S. (non modular)	5			
5 1 1 1 With common burnt clay F.P.S. (non modular) 30 each	5.1	with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard		
5	5.1.1	100x100 mm size P type		
Difers of class designation 7.5	5.1.1.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	30	each

5.2	Constructing brick masonry manhole in cement mortar 1:4 (1 cement: 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement: 4 coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement: 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design:		
5.2.1	Inside size $90x80$ cm and 45 cm deep including C.I. cover with frame (light duty) $455x610$ mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg):		
5.2.1.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	10	each
5.3	Inside size 120x90 cm and 90 cm deep including C.I. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 116 kg (weight of cover 58 kg and weight of frame 58 kg): 19.7.2.1 With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	5	each
5.3.1	Extra for depth for manholes :		
5.3.1.1	Size 90x80 cm		
5.3.1.1. 1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	6	metre
5.4	Providing M.S. foot rests including fixing in manholes with $20x20x10$ cm cement concrete blocks 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) as per standard design :		
5.4.1	With 20x20 mm square bar	50	each
5.5	Providing and fixing in position pre-cast R.C.C. manhole cover and frame of required shape and approved quality		
5.5.1	L D- 2.5		
5.5.1.1	Rectangular shape 600x450 mm internal dimensions	20	each
5.5.2	M D - 10		
5.5.2.1	Square shape 450 mm internal dimension	20	each
5.6	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :		
5.6.1	150 mm dia. R.C.C. pipe	50	metre
5.6.2	300 mm dia. R.C.C. pipe	70	metre
5.6.3	450 mm dia. R.C.C. pipe	25	metre



	Dismantling of old S.W. pipes including breaking of joints and bed		
5.7	concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps :		
5.7.1	100 mm diameter	100	metre
5.7.2	150 mm diameter	100	metre
6	Repairs to Building		
6.1	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.		
6.1.1	With cement mortar 1:4 (1 cement : 4 fine sand)	400	sqm
6.2	Renewing glass panes, with wooden fillets wherever necessary:		
6.2.1	Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm)	150	sqm
6.3	Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in- Charge.	130	each
6.4	Making the opening in brick masonry including dismantling in floor or walls by cutting masonry and making good the damages to walls, flooring and jambs complete, to match existing surface i/c disposal of mulba/ rubbish to the nearest municipal dumping ground, all complete as per direction of Engineer-in-Charge.		
6.4.1	For door/ window/ clerestory window	10	sqm
6.5	Cleaning and desilting of gully trap chamber, including removal of rubbish mixed with earth etc. and disposal of same, all as per the direction of Engineer-in-charge.	250	each
6.6	Cleaning of chocked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum jetting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water jetting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial desilting of manholes and dechocking of sewer lines. Dechocking and flushing of sewer line from one manhole to another by high pressure jetting system of 2200 PSI for sewer line from 150mm dia upto 300mm .	1000	metre
6.7	Dismantling 15 to 40 mm dia G.I. pipe including stacking of dismantled pipes (within 50 metres lead) as per direction of Engineerin-Charge. (a) Internal Work- Exposed on wall	500	metre
7	FINISHING		
7.1	12 mm cement plaster of mix:		
7.1.1	1:4 (1 cement: 4 fine sand)	400	sqm
8	DISMANTLING AND DEMOLISHING		
8.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.		



8.1.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	50	Cum
8.2	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	20	Cum
8.3	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge :		
8.3.1	bituminous road	30	cum
8.4	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	100	cum
8.5	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of nserviceable material within 50 metres lead as per direction of Engineer-in-charge.		
8.5.1	In cement mortar	20	Cum
8.6	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.		
8.6.1	For thickness of tiles 10 mm to 25 mm	500	sqm
8.7	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:		
8.7.1	Asbestos Cement sheet	300	Sqm
8.8	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead:		
8.8.1	75 to 80 mm dia pipe	50	metre
8.8.2	100 mm dia pipe	50	metre
9	STEEL WORK		
9.1	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	5000	kg
9.2	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.		
9.2.1	Using M.S. angels 40x40x6 mm for diagonal braces	30	Sqm
9.3	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.		



9.3.1	In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete	500	kg
9.3.2	in gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	2500	kg
9.4	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.		
9.4.1	Fixed to steel windows by welding	200	kg
9.4.2	Fixed to openings / wooden frames with rawl plugs screws etc.	200	kg
9.5	Providing & fixing fly proof wire gauze to windows, clerestory windows & doors with M.S. Flat 15x3 mm and nuts & bolts complete.		
9.5.1	Stainless steel (grade 304) wire gauze of 0.5 mm dia wireand 1.4 mm aperture on both sides	200	Sqm
10	ROAD WORK		
10.1	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	9	cum
10.2	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge.		
10.2.1	80 mm thick C.C. paver block of M-30 grade with approved color design and pattern.	300	sqm
10.3	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	300	sqm
10.4	Laying old cement cocrete interlocking paver blocks of any design/shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineerincharge. (Old CC paver blocks shall be supplied by the department free of cost).	300	Sqm



11	CLADDING WORK		
11.1	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.		
11.1.1	Granite stone slab colour black, cherry/Ruby red		
11.1.1.1	Area of slab upto 0.50 sqm	20.00	sqm
11.1.1.2	Area of slab over 0.50 sqm	20.00	sqm
11.2	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	475.00	sqm
12	FLOORING		
12.1	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.		
12.1.1	Size of Tile 600x600 mm	750	sqm
12.2	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.		
12.2.1	Galzed vitrified tiles mat/anti skid finish of size 300mm x 300mm	400	sqm
12.3	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	100	sqm



12.4	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.		
12.4.1	40 mm thick with 20 mm nominal size stone aggregate	200.00	sqm
13	Water proofing		
13.1	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	100.00	Sqm
14	Roofing		
14.1	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.		
14.1.1	75 mm diameter	150.00	metre
14.1.2	110 mm diameter	150.00	metre
14.2	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion.		
14.2.1	Coupler		
14.2.1.1	75 mm	50.00	each
14.2.1.2	110 mm	50.00	each
14.2.2	Single pushfit Coupler		
14.2.2.1	75 mm	25.00	each
14.2.2.2	110 mm	25.00	each
14.2.3	Single tee with door		
14.2.3.1	75x75x75 mm	30.00	each
14.2.3.2	110x110x110 mm	30.00	each
14.2.4	Single tee without door		
14.2.4.1	75x75x75 mm	25.00	each
14.2.4.2	110x110x110 mm	25.00	each
14.2.5	Bend 87.5°		
14.2.5.1	75 mm bend	25.00	each
14.2.5.2	110 mm bend	25.00	each
14.2.6	Shoe (Plain)		
14.2.6.1	75 mm Shoe	25.00	each
14.2.6.2	110 mm Shoe	25.00	each



14.3	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.		
14.3.1	75 mm	75.00	each
14.3.2	110 mm	75.00	each
14.4	Providing and fixing to the inlet mouth of rain water pipe cast iron grating 15 cm diameter and weighing not less than 440 grams.	100.00	each
14.5	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-harge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	500.00	Sqm
14.6	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/self tapping screws complete:		
14.6.1	Ridges plain (500 - 600mm)	200.00	metre
14.6.2	Gutter (600 mm over all girth)	100.00	metre

Note: Tenderer's attention is drawn to GIT clause 17 and GIT sub-clause 10.1.

The tenderer is to provide the required details, information, confirmations, etc. accordingly, failing which it is tender is liable to be ignored. Prospective bidders shall comply with the feature specifications (including Warrantee Obligations) and submit a "Specification Compliance Certificate" with their Technical Bid.



SECTION VIII: QUALITY CONTROL REQUIREMENTS

The work executed/material supplied by the successful bidder will be accepted on all parameters as per specification as stated in Section-VII. The purchaser reserves the right to get the material supplied tested from in-house laboratory or any other laboratory of repute and in case the material is found not meeting the specification, the purchaser shall be entitled to cancel the contract, and if so desired, purchase or otherwise the purchase of the stores at the risk and cost of the contractor.



SECTION IX: OUALIFICATION/ELIGIBILITY CRITERIA

(1) Minimum Eligibility Criteria:

- (i) Experience and Past Performance: The bidder should have experience of having successfully completed similar works (Similar means- Related civil works) during last 7 years ending on '31.03.2023'
 - a. Three similar completed work each costing not less than the amount equal to Rs.39,50,479/-. ar
 - b. Two similar completed work each costing not less than the amount equal to Rs. 49,38,099/-. or
 - c. One similar completed work costing not less than the amount equal to Rs. 79,00,958/-.

Note: Only Start-ups are exempted from Experience and Past Performance criteria, being a works tender. In case any bidder is seeking exemption from Experience and Past Performance criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

(ii) Capability, equipment and manufacturing facilities: -

a. The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government /PSU / Autonomous bodies.

Note: Firms capacity and capability may be verified (if necessary) by the ISP.

(iii) Financial Standing:

(i) Average annual financial turnover of the bidder during the last three years, ending on 31.03.2023, should be at least Rs. 39,50,479/- as per the annual report (audited balance sheet and profit & loss account of FY 2020-21, 2021-22 and 2022-23) of the relevant period duly authenticated by a Chartered Accountant/Cost Accountant in India.

Note: The financial criteria shall be exempted for Start-ups (registered for the tendered item) only, being a works tender. In case any bidder is seeking exemption from financial criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

- ii) The net worth of the Bidder should not be negative on 31.03.2023 and also
- iii) should not have eroded by more than 30% in the last three years, ending on 31.03.2023.
- Note 1: To ascertain this criteria net worth of initial and last financial year should be compared.

Note 2: All the financial criteria shall be exempted for Start-ups (registered for the tendered item) only, being a works tender. In case any bidder is seeking exemption from financial criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

Note 3: The criteria for Capability, Equipment and Manufacturing facilities shall be applicable to all the bidder firms including Startup Firms.

(2) Other Requirements:

- (a) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.
- **(b) Goods & Services Tax Registration:** The Bidder should be registered with the Goods & Services Tax Department. The bidder firm should submit GST Registration Certificate. Relevant proof in support shall be submitted.



(3) Undertaking(s) on firm's letter head: -

- (a) The firm should give undertaking that, "We M/s____have not been black-listed/ debarred for dealing with any Govt. Organization / Public Sector Undertaking (PSU) / Reputed Organization in the past".
- **(b)** That "the information given in the documents are correct and the Bidder is awarded that in case any information provided is found to be false at a later stage, ISP reserves the right to reject/ disqualify the bidder at any stage of the tendering process without assigning any reason."
- **(c)** The firm should give undertaking that, "We agree to withdraw all the deviations, if any, unconditionally and accept all the terms and conditions of the tender document including the technical specifications".

(4) Applicability in Special Cases:

For Existing successful Past Suppliers: In case the bidderwho is a successful past supplier of 'The Work' in at least one of therecent past three procurements, who do not meet any or more ofrequirements above, would also be considered to be qualified inview of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for SecurityItems as notified by Government of India from time to time.)



Section X: Tender Form

P.	Date
Γο	
(Complete address of SPMCIL)	
Ref: Your Tender document No dated dated	
We, the undersigned have examined the above-mentioned tender enquamendment No, dated (if any), the receipt of which is hereby comply and deliver (Description of goods and services) in conformity document for the sum shown in the price schedule(s), attached herewith and	confirmed. We now offer to with your above referred
If our tender is accepted, we undertake to supply the goods and perform above, in accordance with the delivery schedule specified in the List of Requi	
We further confirm that, if our tender is accepted, we shall provide you with required amount in an acceptable form in terms of GCC clause 6, read with Section V – —Special Conditions of Contract , for dueperformance of the cont	ith modification, if any, in
We agree to keep our tender valid for acceptance for a period uptoclause19, read with modification, if any in Section-III – —Special Instruct subsequently extended period, if any, agreed to by us. We also accordingly tender upto the aforesaid period and this tender may be accepted any time aforesaid period. We further confirm that, until a formal contract is executy our written acceptance thereof within the aforesaid period shall conspetweenus.	ions to Tenderers or for y confirm to abide by this he before the expiry of the ted, this tender read with
We confirm that in case of downloaded Tender Document, we have contents. We realize that in case any such change is noticed at any stage in contract, we would be liable to action under clause 44 of the GIT.	
We further understand that you are not bound to accept the lowest or an against your above-referred tender enquiry.	y tender you may receive
We also solemnly declare as under:	
	owing:
Partners):	

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:



	ertification for category ofsupplier: Class-I Local Supplier / Class-II Local Supplier / Non-Local Supplier / to declarethat:
	There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or
	We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order.
	tions on procurement from bidders from a country or countries, or a class of countries le 144 (xi) of the General Financial Rules2017
Having readated 23rd	ad and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD d July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance above provision and solemnly declare the following:
	We do not belong to any Country whose bidders are notified as ineligible under this order
banned by	nent Status: Please state whether business dealings with you currently stand suspended/ any Ministry/ Deptts. of Government of India or by any State Govt: Yes (with period of Ban) No, we, solemnly declare that neither we nor any of our affiliates or subsidiaries- including
	subcontractors or suppliers for any part of the contract – do not stand declared ineligible, blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country 's laws or official regulations.
above are We under	ties for false or misleading declarations: I/we hereby confirm that the particulars given correct and complete and also undertake to advise any future changes to the above details. stood that any wrong or misleading self- declaration by us would be violation of code of would attract penalties as mentioned in this tender document, including debarment.
(Signature	with date)
(Name and	d designation) orized to sign tender for and on behalf of



Section XII: Vendor Details

The tenderer should furnish specific details mentioned below. In case a question/ issue does not apply to a tenderer, the same should be answered with the remark "not applicable".

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

1. Vendor/ Contractor particulars:
(a) Name of the Company:
(b) Corporate Identity No. (CIN):
(c) Registration if any with SPMCIL:
(d) Complete Postal Address:
(e) Pin code/ ZIP code:
(f) Telephone nos. (with country/area codes):
(g) Fax No.: (with country/area codes):
(h) Cell phone Nos.: (with country/area codes):
(i) Contact persons / Designation:
(j) Email IDs:
2. Taxation Details:
(a) PAN number:
(b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.):
(c) GSTIN number:
(d) Registered Address as per GST registration and Place of Delivery for GST Purpose:
(e) Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts)
blacklisted during the last three financial years.
(Ci
(Signature with date)
(Full name, designation & address of the person duly authorized sign on behalf of the tenderer)
For and on behalf of
(Name, address, and stamp of the tendering firm)
(Maine, address, and stamp of the tendering min)



Section XV: Bank Guarantee Form for Performance Security

PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND (ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)

Ref Date	
Bank Guarantee No	
То,	
(Insert Name & Address of the Purchaser)	
Dear Sir,	
1. Against contract vide Notification for Award of the Tender No dated dated	covering
supply of (hereinafter called the 'contract') entered into between the	
(insert name of Purchaser) (herein after called as the Purchaser) and M/s	
called the 'Contractor'), this is to certify that, at the request of the Contractor, we	
bank), are holding in trust in favour of the Purchaser, the amount of(write the su	
to indemnify and keep indemnified the Purchaser, against any loss or damage that may be caused	
the Purchaser, by reason of any breach by the Contractor of any of the terms and conditions o and/or in the performance thereof. We agree that the decision of the Purchaser, whether any bo	
terms and conditions of the said contract and/or in the performance thereof has been committed	
and the amount of loss or damage that has been caused or suffered by the Purchaser, shall be fin	
us, and the amount of the said loss or damage shall be paid by us, forthwith on demand and wit	
Purchaser.	
2. We	hall remain in ful
force and effect, for sixty days after the complete conclusion of the contractual obligations	s to the complete
satisfaction of both the BIDDER and the BUYER, including warranty period whichever	
, (hereinafter called the 'said date') and that if any claim accrues or	
(name of the bank), by virtue of this guarantee before the said date, the same s	
against us	
six months after the said date, provided that notice of any such claim has been given to us, the bank), by the Purchaser, before the said	(name o _j
date. Payment under this bond of guarantee shall be made promptly, upon our receipt of notice	to that effect from
the Purchaser.	to that checky if on
3. It is fully understood that this guarantee is effective from the date of the said contract	and that we
consent in writing of the Purchaser.	
4. We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute	
by the Contractor, in any suit or proceeding pending before any Court or Tribunal, relating th	
under this present, being absolute and unequivocal. The payments so made by us under this bo	
discharge of our liability for payment thereunder, and the Contractor shall have no claim against t	is, for making such
payments. 5. We	et liberty without
affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the	
extend time of performance by the Contractor, from time to time, or to postpone for any time or	
any of the powers exercisable by the Purchaser, against the said Contractor and to for bear or	
terms and conditions relating to the said contracts and we	<i>bank)</i> , shall not be
released from our liability under this guarantee, by reason of any such variation or extension be	~ ~
said Contractor, or for any forbearance and/or omission on the part of the Purchaser, or any	
Purchaser towards the said Contractor, or by any other matter or thing whatsoever, which under	
sureties, would, but for this provision, have the effect of so releasing us from our liability under th 6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Co	
o. This guarantee will not be discharged due to the change in the constitution of the bank of the C	Jiili actor.
Date	
Place	
	Signature
	(Printed Name)
TAV: burners	(Designation)
Witnesses	



For and on behalf of(Name and address of the supplier)

(Seal of the supplier)

Date: Place:

Section XVI: Contract Form (Address of SPMCIL's office issuing the contract) Contract No..... dated..... dated.... 1. Name & address of the Supplier: issued by SPMCIL 3. Supplier's Tender No....... dated dated (If any), exchanged between the supplier and SPMCIL in connection with this tender. 4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as part of this contract: (i) General Conditions of Contract; (ii) Special Conditions of Contract; (iii) List of Requirements; (iv) Technical Specifications; (v) Quality Control Requirements: (vi) Tender Form furnished by the supplier: (vii) Price Schedule(s) furnished by the supplier in its tender; (viii) Manufacturers' Authorisation Form (if applicable for this tender): (ix) SPMCIL's Notification of Award Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under Section - V - 'General Conditions of Contract' of SPMCIL's Tender document shall also apply to this contract. 5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready (i) Brief particulars of the goods and services which shall be supplied/provided by the supplier are as under: Schedule Brief description of goods/ Accounting Quantity to Unit Price (in Total No. services unit he Rs.) price supplied Any other additional services (if applicable) and cost there of: Total value (in figure) _____ (In words) ___ (ii) Delivery schedule (iii) Details of Performance Security (iv) Quality Control (a) Mode(s), stage(s), and place(s) of conducting inspections and tests. (b) Designation and address of SPMCIL's inspecting officer (v) Destination and despatch instructions (vi) Consignee, including port consignee, if any (vii) Warranty clause (viii) Payment terms (ix) Paying authority (Signature, name, and address of SPMCIL's authorized official) For and on behalf of..... Received and accepted this contract (Signature, name, and address of the supplier's executive duly authorized to sign on behalf of the supplier)

Page **13** of **36**



Section XVII: Letter of Authority for attending a Pre-bid Conference/ Bid Opening

NA



Section XVIII: Proforma of Bills for Payments

(Refer Clause 22.6 of GCC)

Bill No		nNo			 Dated	
Name and add	ress of the cons	signee				
S. No	Authority	Description	Number or	Rate	Price per	Amount
	for purchase			Rs. P.	Rs. P.	
	•		•			
Total						
2. Freight (if a) 3. Excise Duty 4. Packing and 5. Others (Plea 6. PVC Amoun 7. (-) deductio 8. Net amount Dispatch detai Dated	(if applicable) Forwarding chase specify) t (with calculation/Discount payable (in woll RR No. other payable No	arges (if application sheet enclosed rds Rs.)	sed)		 Dated	(enclosed)
	ervices Tax (GS	T) charged on t es made there u		ore than wha	t is payable und	er the provision
there under a		on account of (the rules made covisions of that
	stered with abo purpose of GST		STIN as dealer	in the State v	where in their B	illing address is
						invoice as per re made to the
		med is strictly payment has be				ns on the part of
Revenue stam	p			Sign	ature and of Sta	mp Supplier



Section XIX: NEFT Mandate

(Refer clause 22.2 of GCC)

From: M/s Date:
To:
(Insert Name and Address of Purchaser's Paying Authority as per NIT Clause 1)
Sub: NEFT payments
We refer to RBI's NEFT scheme. Our mandate SPMCIL for making payments to us through the above
scheme to our under noted account.
NATIONAL ELECTRONIC FUNDS TRANSFER MANDATE FORM

1	Name of City	
2	Bank Code No.	
3	Branch Code No.	
4	Bank's Name	
5	Branch Address	
6	Branch Telephone / Fax No.	
7	Supplier's Account No.	
8	Type of Account	
9	IFSC code for NEFT	
10	IFSC code for RTGS	
11	Supplier's name as per Account	
12	MICR Code No.	
		1 1 1 1 1 11 1 1 .

In Lieu of Bank Certificate to be obtained as under, please attach a bank cancelled cheque or photocopy of a cheque or front page of your bank passbook issued by your bank for verification of the above particulars.

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.

Date Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and Signature of authorized official of the bank