

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-06-2025 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-06-2025 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
क्रेता ईमेल/Buyer Email	buyer89.spmcils.mh@gembuyer.in
Total Quantity/कुल मात्रा	36
Item Category/मद केटेगरी	EATON ON OFF Rotary Switch P5 125 B00011 , LEUZE Safety light Relay TN35 24V DC , Finder Solid state relay39 20 7 024 9024 , Finder relay 55 34 9 024 0090 , Wenglor Retro Reflex Sensor P1KK001 PNP , P plus F Indu Sensor NBB2 8GM40 E3 V3 PNP NC , P plus F Photo Retroreflective Sensor ML9 54 , KEYENCE Photoelectric Sensor PZ G61P , Microsonic Sensor 2245446 dbk , P plus f capacitiv sensor CBN15 F64 E2 , Leuze Safety light sensor 50121917 , Omron Photoelectric Sens E3S AD36 PNP OC , Sick Photoelectric Sensor KTM WP11172P , Leuze Photoelectric Sensor 50111319 , Sick Contrast Sensor KTXWP91142252ZZZZ , Balluff Prox Switch BES R04KCNSC15B EV02 , Keyence analog laser sensor LV NH100 , Keyence Amplifier LV N11MN NPN , Thermal Magnetic Circuit Breaker GV2 P14 , EATON Emergency Stop M22 PV K11 1NO 1NC , BCS004T BALLUFF CAPACITIVE SENSOR

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>EATON Rotary Switch P5125 B00011/8420/500, LEUZE Safety light Relay MSI-TRIB Type – TNT35 Voltage – 24V DC, Finder SS Relay 39.20.7.024.9024 1 NO (SPST-NO) DC 24V; 6A, Finder Relay – 55.34.9.024.0090 4CO 7A Coil voltage: 24VDC, Wenglor Retro Reflex Sensor P1KK001, Pepperl inductive sensor NBB2-8GM40-E3-V3, Pepperl+Fuchs Photo Retroreflective Sensor ML9-54- G/25/110/123/143, Keyence Self Contained Photoelectric Sensor PZ-G61P, Microsonic Sensor dbk 2245446, Pepperl+fuchs capacitive sensor CBN15-F64-E2, Leuze Safety light barrier sensor SLE46C-40.K2/4PM12, Omron Photoelectric Sensor E3S-AD36, Sick Photoelectric Sensor (contrast) KTM-WP11172P, Leuze Photoelectric contrast Sensor KRTW3B/6.1121-S8, Sick Emergency Sensor KTXWP91142252ZZZZ, Balluff Proximity Switch BES R04KCNSC15B-EV02, Keyence analog laser sensor LV-NH100, Keyence Amplifier LV-N11MN NPN, Thermal magnetic circuit breaker GV2P14, Eaton Emergency stop M22 PV/K11</p>
	<p>Searched String: EATON Rotary Switch P5125 B00011/8420/500</p> <p>Rotary Switch, Non Flammable Electronic Contact Cleaner, HRC Fuse as per IS 13703</p> <p>Searched String: LEUZE Safety light Relay MSI-TRIB Type – TNT35 Voltage – 24V DC</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Finder SS Relay 39.20.7.024.9024 1 NO (SPST-NO) DC 24V; 6A</p> <p>Shirt Disposable Cotton Voile for Special Clothing Personnel Related to Special Platform, thermal gloves, Stabilized Hydrogen Peroxide (V2) as per IS 2080, Trouser Disposable Cotton Voile for Special Clothing Personnel Related to Special Platform, Overall CE (Indian Navy Specification), Boot Ankle Leather Direct Vulcanized Sole, 75 Kg (Nominal Charge) Capacity Wheeled Mounted DCP Fire Extinguisher (PNG) as per IS 16018:2012 (Latest Amendment), 25 Kg (Nominal Charge) Capacity Wheeled Mounted DCP Fire Extinguisher as per IS 16018:2012 (Latest) (PNG), Shoes Black Non-Slip for Camouflage Rig ICG, Equipment Camouflage Nets (Jute)</p> <p>Searched String: Finder Relay – 55.34.9.024.0090 4CO 7A Coil voltage: 24VDC</p> <p>Locking Compression Plates (V2)</p> <p>Searched String: Wenglor Retro Reflex Sensor P1KK001</p> <p>Occupancy sensor, Holographic Reflex Sight (MHA), Ultrasonic Sensor, LVDT Sensor, Video - Nystagmography (VNG) for Vertigo Clinics</p> <p>Searched String: Pepperl inductive sensor NBB2-8GM40-E3-V3</p> <p>Inductive Proximity Sensor, Laminar air flow cabinets or stations, Platform Trolley (V2), Bucket Mop Wringer Trolley, Polypropylene Ropes as per IS 5175, XLPE Cable for Working</p>

Bid Details / बिड विवरण	<p>Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Split Air Conditioner Including Green AC, Wall Mount Type (V2), Blood Collection Tube, Switch Mode Power Supply (SMPS) as per IS 14886:, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2)</p> <p>Searched String: Pepperl+Fuchs Photo Retroreflective Sensor ML9-54- G/25/110/123/143</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Keyence Self Contained Photoelectric Sensor PZ-G61P</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Microsonic Sensor dbk 2245446</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Pepperl+fuchs capacitive sensor CBN15-F64-E2</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Leuze Safety light barrier sensor SLE46C-40.K2/4PM12</p> <p>Shirt Man's Angola (IAF), Photoelectric Sensor, Multi Gas Detector (LEL,O2,H2S and CO/NH3/SO2/C12 Level) with Pump - Combustible Sensor Detector (Catalytic Type) (IOCL), High Mast Lighting Octagonal Tower with Solar Based LED Street Light, White - LED Based Solar Street Lighting System, High Mast Lighting Tower for large area with LED Flood Lighting System, PCR Mini Cooler</p> <p>Searched String: Omron Photoelectric Sensor E3S-AD36</p> <p>Photoelectric Sensor, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Lithium - Ion Cells and Batteries for Portable Application (Rechargeable Batteries) as per IS 16047 / IEC 61960, Synthetic Cast Bandage (V2), Temperature sensor, Fluorescent Lamps (Fluorescent Tubular Lamps) as per IS 2418 (Part 1, 2, 3 and 4), Personal Protective Equipment (V2) Safety footwear As per IS 15298 (Part 2)</p> <p>Searched String: Sick Photoelectric Sensor (contrast) KTM-WP11172P</p> <p>Photoelectric Sensor</p> <p>Searched String: Leuze Photoelectric contrast Sensor KRTW3B/6.1121-S8</p> <p>Photoelectric Sensor, Multi Gas Detector (LEL,O2,H2S and CO/NH3/SO2/C12 Level) with Pump - Combustible Sensor Detector (Catalytic Type) (IOCL)</p> <p>Searched String: Sick Emergency Sensor KTXWP91142252ZZZZ</p>
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	

Bid Details/बिड विवरण	Category not available on GeM for the text string uploaded by the buyer Searched String: Balluff Proximity Switch BES R04KCNSC15B-EV02 Category not available on GeM for the text string uploaded by the buyer Searched String: Keyence analog laser sensor LV-NH100 LVDT Sensor Searched String: Keyence Amplifier LV-N11MN NPN Public Address System Searched String: Thermal magnetic circuit breaker GV2P14 MSW and Medical Waste Decomposition System (Magnetic and Thermal), MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Thermal Conductivity Apparatus for liquid, Circuit Breakers for DC Operation, Xlpe Cables, Category C2 - FR - LSH, for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB), Low temperature suit, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester Searched String: Eaton Emergency stop M22 PV/K11 Laminar air flow cabinets or stations, Networking / Server Rack, water baths, taps or valves of nonferrous metals, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Laboratory Incubators, emergency recovery trolley, Muffle Furnace, Ultra low temperature laboratory deep freezer, BOD Incubator
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Rotary Switch • Photoelectric Sensor • Inductive Proximity Sensor
BOQ Title/बीओक्यू शीर्षक	Procurement of General Electronics Spares
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Past Performance, Certificate (Requested in ATC), Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	40 %

Bid Details/बिड विवरण	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Single Packet Bid
Primary product category	EATON ON OFF Rotary Switch P5 125 B00011
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	632820
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	Indusind bank
EMD Amount/ईएमडी राशि	12700

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	Indusind bank
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	15

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Chief General Manager
India Security Press, Nashik
(India Security Press, A Unit Of Spmcil)

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and

based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

EATON ON OFF Rotary Switch P5 125 B00011

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

LEUZE Safety Light Relay TN35 24V DC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Finder Solid State Relay39 20 7 024 9024

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	84

Finder Realy 55 34 9 024 0090

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	10	84

Wenglor Retro Reflex Sensor P1KK001 PNP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	84

P Plus F Indu Sensor NBB2 8GM40 E3 V3 PNP NC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	84

P Plus F Photo Retroreflective Sensor ML9 54

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	84

KEYENCE Photoelectric Sensor PZ G61P

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Microsonic Sensor 2245446 Dbk

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

P Plus F Capacitiv Sensor CBN15 F64 E2

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Leuze Safety Light Sensor 50121917

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Omron Photoelectric Sens E3S AD36 PNP OC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Sick Photoelectric Sensor KTM WP11172P

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Leuze Photoelectric Sensor 50111319

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Sick Contrast Sensor KTXWP91142252ZZZZ

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Balluff Prox Switch BES R04KCNSC15B EV02

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	84

Keyence Analog Laser Sensor LV NH100

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Keyence Amplifier LV N11MN NPN

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

Thermal Magnetic Circuit Breaker GV2 P14

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

EATON Emergency Stop M22 PV K11 1NO 1NC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	84

BCS004T BALLUFF CAPACITIVE SENSOR

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	84

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Buyer Added Bid Specific ATC

The Bidder firm should meet following eligibility criteria to qualify in the Techno Commercial Bid:-

I) For MSE/Start-up firm: Capability - Equipment & Manufacturing Facilities: The bidder firm should have capability to supply of tendered item.

II) For other firm - Experience and past performance: The bidder firm may be Manufacturer/ Proven supplier/Authorized dealer or distributor of tendered item or bidder may participate with manufacturing authorization form (issued by manufacturer of tendered item).

Note: i. Participating bidder needs to submit all related documents along with the bid. In case, the bidder is a Manufacturer/Proven supplier/Authorized dealer or distributor of the offered material, bidder has to submit relevant documents for the same. In case, the bidder 76 / 81 is not a Manufacturer/Proven supplier/Authorized dealer or distributor of the offered material, then bidder has to submit the Manufacturing Authorization Form (issued by Manufacturer of tendered item).

III) For Existing successful Past Suppliers: In case the bidder (manufacturer or principal of authorized representative) who is a successful past supplier of 'The Product' in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)

IV) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.

V) Goods & Service Tax Registration (GST): The Bidder should be registered with Goods & Service Tax (GST). Relevant proof of registration Certificate shall be submitted.

VI) Undertaking:-

- a. The bidder has to provide the undertaking that **"We M/s. <Name of the firm> have not been blacklisted by Government of India/Any State Government/PSU/Any reputed Organization in the past"**.
- b. The bidder has to provide the undertaking that **"We M/s. <Name of the firm> agree to withdraw all the deviations, if any, unconditionally and accept all the Terms and conditions of the tender document including the technical specifications."**
- c. The bidder firm should have capability to Manufacture/supply the material/services as per tender document. **We M/s. <Name of the firm> have the capability to Manufacture/supply the material/services as per tender document.**

VII) Technical Specification of the Material:

1. **EATON ON/OFF Rotary Switch P5-125 B00011**

Model/Article No. - P5-125 B00011/8420/500 P5-125/EA/SVR-SW

2. LEUZE Safety light Relay TN35 24V DC

LEUZE Safety light Relay

Model/Article No. - MSI-TRIB

Type - TNT35 Voltage - 24V DC

3. Finder Solid state relay 39.20.7.024.9024

Finder Solid state relay

Model/Article No. - 39.20.7.024.9024

1NO (SPST-NO) DC 24V; 6A

4. Finder relay 55.34.9.024.0090

Finder make General purpose relay

Model/Article No. - 55.34.9.024.0090 4CO

7A Coil voltage: 24VDC

5. Wenglor Retro Reflex Sensor P1KK001 PNP

Wenglor Retro Reflex Sensor

Model/Article No. - P1KK001

Range - 1500 mm.

PNP NC+NO

Voltage - 10 to 30 V DC

6. P+f Indu. Sensor NBB2-8GM40-E3-V3 PNP NC

P+f Inductive Sensor

Model/Article No. - NBB2-8GM40-E3-V3

Sn: 2mm Flush, PNP, NC

7. P+F Photo Retroreflective Sensor ML9-54

P+F Photo Retroreflective Sensor

Model/Article No. - ML9-54- G/25/110/123/143

Connection: M8 x1 connector, 4pin

8. KEYENCE Photoelectric Sensor PZ-G61P

Keyence Self Contained Photoelectric

Sensor Model/Article No. - PZ-G61P

Retro-reflective , Rectangular PNP

9. Microsonic Sensor 2245446 dbk

Microsonic Sensor

Model/Article No. - 2245446 Type - dbk

10. P+f capacitiv sensor CBN15-F64-E2

P+f capacitive sensor

Model/Article No. - CBN15-F64-E2

Sn: 15mm, non-flush Construction type: Rectangular

Sensitivity adjustment: potentiometer

Part No. - 310470

11. Leuze Safety light sensor 50121917

Leuze Safety light barrier

sensor SLE46C-40.K2/4PM12

Part No. - 50121917

12. Omron Photoelectric Sens E3S-AD36 PNP OC

Omron Photoelectric Sensor (Diffuse-reflective)

Model/Article No. - E3S-AD36

PNP open collector

13. Sick Photoelectric Sensor KTM-WP11172P

Sick Photoelectric Sensor (contrast) KTM-WP11172P

Part no. - 1082138. WX2252

14. Leuze Photoelectric Sensor 50111319

Leuze Photoelectric contrast Sensor

KRTW3B/6.1121-S8; Part No.: 50111319

15. Sick Contrast Sensor KTXWP91142252ZZZZ

Sick Contrast Sensor

Model/Article No. - KTXWP91142252ZZZZ

Sensing distance: 13mm

Sensing tolerance: ± 5 mm PNP

16. Balluff Prox Switch BES R04KCNSC15B-EV02

Balluff Proximity Switch

Model/Article No. - BES R04KCNSC15B-EV02

Sn:1.5mm,NPN, NO

17. Keyence analog laser sensor LV-NH100

Keyence analog laser sensor

Model/Article No. - LV-NH100 (Both Transmitter and Receiver)

18. Keyence Amplifier LV-N11MN NPN

Keyence Amplifier

Model/Article No. - LV-N11MN NPN

Type: Monitor output

19. Thermal Magnetic Circuit Breaker GV2 P14

Thermal magnetic circuit breaker GV2P

Model/Article No. - GV2 P14 6A to 10A

20. EATON Emergency Stop M22 PV/K11 1NO+1NC

EATON Emergency stop Button

Model/Article No. - M22 PV/K11 1NO+1NC 38mm,

Non-illuminated Pull to release function

21. BCS004T BALLUFF CAPACITIVE SENSOR

BALLUFF make Capacitive Sensor

PNP, NO+NC, Sn=10mm adjustable, V=24DC,

BCS004T: BCS M30B4M2-PPM20C-S04G

VIII) Quantum of LD:- If the Seller/Service Provider fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% of the contract value of delayed quantity per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value of delayed quantity without any controversy/dispute of any sort whatsoever.

XI) Delivery Schedule:- Within 12 weeks from the date of issuance of GeM Contract.

X) Warranty Clause:- Warranty shall be applicable for one year from date of supply/delivery of the material.

XI) Payment Terms:- 100% payment will be done within 30 days of receipt of material and acceptance of the same by ISP.

XII) Ministry of Finance, Department of Expenditure, Public Procurement Division, Orders (Public Procurement 1,2 and 3) F. No. 6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from specified countries shall be applicable to this tender. Bidders are required submit the appropriate undertaking in this regard. Salient features of this are:

a) Any bidder from a country which shares a land border with India (excluding countries as listed in the website of Ministry of External Affairs, to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects) will be eligible to bid in this tender only if the bidder is registered with the Registration Committee constituted by the Department for promotion of Industry and Internal Trade (DPIIT). The bidders shall enclose following certificate in this regard.

"We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfil all requirements in this regard and are eligible to be considered."

b) In tenders for Turnkey contracts including works contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is similarly registered with the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT). In such cases the bidders shall enclose following certificate:

"We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries;; and solemnly certify that we are not from such a country or, if from such a country, we are registered with Competent Authority (copy enclosed) and we will not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regard and are eligible to be considered."

c) "Bidder" including the terms 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated here in before, including any agency branch or office controlled by such person, participating in a procurement process.

d) "Bidder from a country which shares a land border with India" for the purpose of this Order means:- a) An entity incorporated, established or registered in such a country; or

i) A subsidiary of an entity incorporated, established or registered in such a country; or

ii) An entity substantially controlled through entities incorporated, established or registered in such a country; or

iii) An entity whose beneficial owner is situated in such a country; or

iv) An Indian (or other) agent of such an entity; or

v) A natural person who is a citizen of such a country; or

vi) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

e) The beneficial owner for the purpose of (III) above will be as under:

i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercise control through other means.

ii) Explanation:

(1) "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company.

(2) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of Capital or profits of the partnership.

(3) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

(4) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official.

(5) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

(6) An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

XIII) Bidder must submit check list of below mentioned documents:-

Sr. No.	Description	Submitted / Not Submitted
1.	EMD	
2.	MSE/Startup Certificate	
3.	Documentary evidence towards Capability as per clause I)	
4.	Documentary evidence towards Experience as per clause II)	
5.	Documentary evidence towards PAN & GST Registration as per clause IV) & V)	

6.	Undertakings/Declarations as per clause VI) a),b),c)	
7.	Duly sealed and signed copy of Technical specifications as per clause VII)	
8.	Undertaking for Land border sharing criteria as per clause no. XII)	

Clarification of Bids/Shortfall Documents:

During the evaluation and comparison of bids, the purchaser may, at his discretion, ask the bidder for clarifications on the bid. The request for clarification shall be sought only once on GeM portal, asking the bidder to respond by a specified date/period (**i.e. three days**). If the bidder does not comply or respond by the date/period (**i.e. within three days**), his tender will be liable to be rejected.

Depending on the outcome, such bids are to be ignored or considered further. No post-bid clarification at the initiative of the bidder shall be entertained.

Note: While submitting the Clarification/Shortfall Document any technical difficulty occurs on GeM portal, then the bidder can submit the Clarification / Shortfall Document through e-mail (e-mail id: purchase.isp@spmcil.com).

The Procuring Entity reserves its right to, but without any obligation to do so, seek any shortfall information/ documents only in case of historical documents that pre-existed at the time of the Bid Opening, and which have not undergone change since then and does not grant any undue advantage to any bidder. As far as the submission of documents is concerned regarding qualification criteria, after submission of the bid, only related shortfall documents shall be asked for and considered.

For example, if the bidder has submitted a supply order without its completion/performance certificate, the certificate will be asked for and considered. However, no new supply order shall be asked for to qualify the bidder.

“Anti-Bribery Management System (ABMS): By participating in this tender, the suppliers/Vendors/ Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.”

3. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

India Security Press, A Unit of SPMCIL
payable at
Nashik

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

India Security Press, A Unit of SPMCIL

The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

5. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

India Security Press, A Unit of SPMCIL
payable at
Nashik

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

6. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

India Security Press, A Unit of SPMCIL
payable at
Nashik

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

7. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

India Security Press, A Unit of SPMCIL
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---