



बिड संख्या/Bid Number: GEM/2026/B/7295957

दिनांक /Dated: 04-04-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details

बिड बंद होने की तारीख/समय / Bid End Date/Time	18-04-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	18-04-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/ Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम/ Ministry/State Name	Ministry Of Finance
विभाग का नाम/ Department Name	Department Of Economic Affairs
संगठन का नाम/ Organisation Name	Security Printing And Minting Corporation Of India Limited (spmci)
कार्यालय का नाम/ Office Name	3rd Floor Tower G World Trade Centre Nauroji Nagar
कुल मात्रा/ Total Quantity	262

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

TCB 3RV24314TA 3RV2901 1116A , TCB
 3RV10111AA103RV2901 16A , TCB
 3RV10110GA103RV2901 063A , Thermal circuit
 breaker3RV10214BA1020A , TCB 3RV24111HA103RV2901
 568A , TCB 3RV20111DA103RV2901 32A , Thermal break
 cont 3RV 10111KA10125A , TCB 3RV10111FA103RV2901
 355A , TCB 3RT20151BB42 24VDC , Thermal break cont
 3RV 10111BA102A , TCB PKEXTU12 1NO1NC , TCB
 PKEXTU32 1NO1NC , RAP thermal circuit breaker PKZM04 ,
 RAP thermal circuit breaker PKZ016 , BreakerPKZM016 ,
 RAP thermal circuit breaker PKZM01 , TCB PKEXTU65 3240A
 1NO1NC , RAP thermal circuit breaker PKZM025 , TCB
 PKEXTU4 1NO1NC , TCB PKZM 010 8310A 1NO1NC , TCB
 3RV10111AA10 12216A , TCB 3RT20151BB42 1NO1NC
 24VDC , Circuit Breaker EA32AC BB2AEAC020 20A , Circuit
 Breaker EA32AC BB2AEAC030 30A , Circuit Breaker EA33AC
 BB3AEAC030 30A , Circuit Breaker EA33AC BB3AEAC015
 15A , Circuit Breaker EA33AC BB3AEAC010 10A , Circuit
 Breaker EA103C BB3AEAC075 75A , Circuit Breaker EA32AC
 BB2AEAC010 10A , Circuit Breaker EA33AC BB3AEAC020
 20A , Circuit Breaker EA53AC BB3BEAC040 40A , Circuit
 Breaker EA63AC BB3CEC060 60A , Circuit Breaker EA53AC
 BB3EEAC100 100A , Circuit Breaker EA103AC BB3EEAC075
 75A , Circuit Breaker EA103AC BB3EEAC020 20A , Circuit
 Breaker EA32AC BB2AEAC015 15A , Circuit Breaker
 EA103AC BB3AEEAC02020A , Circuit Breaker EG103C
 EB3EEC075B 75A , Circuit Breaker EG103C EB3EEC100B
 100A , Circuit Breaker EG103C EB3EEC050B 50A , Circuit
 Breaker EG53C EB3BEC050B 50B , Circuit Breaker EA203C
 BB3GEC175 175A , Circuit Breaker EG33C EB3AEC020B 20A
 , Circuit Breaker EG32AC EB2AEAC005B 5A , Circuit Breaker
 BW100AAG3P075 100AF , Circuit Breaker BW50AAG3P020
 50AF , Circuit Breaker BW32AAG3P030 32AF , Circuit
 Breaker BW100AAG3P100 100AF , Circuit Breaker
 BW32AAG2P030 32AF , Circuit Breaker BW50AAG3P050
 50AF , Circuit Breaker BW32AAG3P010 32AF , Circuit
 Breaker BW50AAG3P030 50 AF , Circuit Breaker
 BW32AAG3P015 32AF , Circuit Breaker BW32AAG2P010
 32AF , Circuit Breaker BW250EAG3P175 250AF , Circuit
 Breaker BW50AAG3P040 50AF , Circuit Breaker
 BW32AAG3P015 15A , Circuit Breaker BW32AAG2P005 32AF
 , Circuit Breaker EW50EAG3P50B 50AF , Circuit Breaker
 EW50EAG3P050B 50A , Circuit Breaker EW100EAG3P075B
 75A , Circuit Breaker EW32AAG2P005B 32AF , Circuit
 Breaker C60NC32 3 Pole , Circuit Breaker C60NC6 2 Pole ,
 Circuit Breaker C60NC3 2 Pole , Circuit breaker C60NC50 3
 Pole , Circuit Breaker C60NC6 3 Pole , Circuit Breaker
 C60NC10 2 Pole , Circuit Breaker GV2ME146 10A , Circuit
 Breaker GV2ME071625A , Circuit Breaker GV2ME08254A ,
 Circuit Breaker GV2ME061016A , Circuit Breaker
 GV2ME10463A , Circuit Breaker GV2ME040406A , Circuit
 Breaker 3RV1421 1KA10 , Circuit Breaker 3RV1021 1HA10 ,
 Circuit Breaker 3RV1421 1HA10 , Circuit Breaker 3RV1021
 0HA10 , Circuit Breaker 3RV1021 0FA10 , Circuit Breaker
 3RV1021 0EA10 , Circuit Breaker 3RV1021 0BA10 , Circuit
 Breaker 3RV1021 0JA10 , Circuit Breaker 3RV1021 1JA10 ,
 Circuit Breaker 3RV1021 1EA10 , Circuit Breaker 3RT1017
 1BB41 , Circuit Breaker 3RT1016 1BB41 , Circuit Breaker
 3RN1010 1CB00 , Circuit Breaker 3RF2310 1AA02 , Circuit
 Breaker 3RT1025 1BB40 , Circuit Breaker 3VU13001MJ00 ,
 Circuit Breaker 3VU13001MN00 , Circuit Breaker
 3VU13001MM00 , Circuit Breaker 3VU13001MK00 , Circuit

बिड विवरण / Bid Details

Breaker 3VU13001MG00 , Circuit Breaker 3VU13001MD00 , Contactor CL25 300T

Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type: 3RV2431- 4TA10+3RV2901-1E, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1011-1AA10+3RV2901-1E, Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV1011- OGA10+3RV2901-1E, Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV102 - 4BA10+3RV2901-1E, Thermal circuit Breaker with auxiliary contact 1INO + 1NC,Type- 3RV2411 - 1HA10 + 3RV2901 -1E, Thermal circuit Breaker with auxiliary contact 1INO + 1N, Type- 3RV2011 -1DA10 + 3RV2901- 1E, Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV1011-1KA10 +3RV2901-1E, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RV1011-1FA10 +3RV2901-1E, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RT2015 -1BB42, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1011- 1BA10+3RV2901-1E, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- PKE-XTU-12, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- PKE-XTU-32, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- PKZM0-4, Thermal circuit Breaker with auxiliary contact 1NO + 1NC ,Type- PKZ0-16, Motor Protection switch with auxiliary contact 1NO + 1NC,Type- PKZM00-1.6, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKZM0-1, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKE-XTU-65, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKZM00-25, Thermal circuit Breaker with auxiliary contact 1NO + 1NC.Type- PKE-XTU-12, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKE-XTU-4, Thermal circuit Breaker with au iary contact 1INO + 1NC,Type- PKZM00-10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RV1011 - 1AA10, Thermal circuit Breaker with au iary contact 1INO + 1NC, Type- 3RT2015 - 1BB42, Auto Circuit Breaker, Type: EA32AC BB2AEAC-020, Auto Circuit Breaker, Type: EA32AC BB2AEAC-030, Auto Circuit Breaker, Type: EA33AC BB3AEAC-030, Auto Circuit Breaker, Type: EA33AC BB3AEAC-015, Auto Circuit Breaker, Type: EA33AC BB3AEAC-010, Auto Circuit Breaker, Type: EA103C BB3AEEC-075, Auto Circuit Breaker, Type: EA32AC BB2AEAC-010, Auto Circuit Breaker, Type: EA33AC BB3AEAC-020, Auto Circuit Breaker, Type: EA53AC BB3BEAC-040, Auto Circuit Breaker, Type: EA63AC BB3CEC-060, Auto Circuit Breaker,EA53AC BB3EEAC-100, Auto Circuit Breaker,EA103AC BB3EEAC-075, Auto Circuit Breaker, Type: EA103AC BB3EEAC-020, Auto Circuit Breaker, Type: EA32AC BB2AEAC-015, Auto Circuit Breaker, Type:EA103AC BB3AEEAC-020, Earth Leakage Circuit Breaker, Type: EG103C EB3EEC-075B, Earth Leakage Circuit Breaker, Type: EG103C EB3EEC-100B, Earth Leakage Circuit Breaker, Type: EG103C EB3EEC-050B, Earth Leakage Circuit Breaker, Type: EG53C EB3BEC-050B, Earth Leakage Circuit Breaker, Type:EA203C BB3GEC-175, Earth Leakage Circuit Breaker, Type:EG33C EB3AEC-020B, Earth Leakage Circuit Breaker, Type:EG32AC EB2AEAC-005B, Auto Circuit Breaker, Type: BW100AAG-3P075, Auto Circuit Breaker, Type: BW50AAG-3P020, Auto Circuit Breaker, Type: BW32AAG-2P030, Auto Circuit Breaker, Type: BW32AAG-3P030, Auto Circuit Breaker, Type: BW100AAG-3P100, Auto Circuit Breaker, Type: BW50AAG-3P050, Auto Circuit Breaker, Type: BW32AAG-3P010, Auto Circuit

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

विड विवरण/Bid Details	Breaker, Type:BW50AAG-3P030, Auto Circuit Breaker, Type:BW32AAG-3P015, Auto Circuit Breaker, Type:BW32AAG-2P010, Auto Circuit Breaker, Type:BW250EAG-3P175, Auto Circuit Breaker, Type:BW50AAG-3P040, Auto Circuit Breaker, Type: BW32AAG-2P005, Earth Leakage Circuit Breaker, Type:EW50EAG-3P50B, Earth Leakage Circuit Breaker, Type: EW50EAG-3P050B, Earth Leakage Circuit Breaker, Type: EW100EAG-3P075B, Earth Leakage Circuit Breaker, Type: EW32AAG-2P005B, Miniature circuit Breaker, Type- C60N-C32 400V, Miniature circuit Breaker, Type- C60N-C6 400V, Miniature circuit Breaker, Type- C60N-C3 400V, Miniature circuit Breaker, Type- C60N-C50 400V, Miniature circuit Breaker, Type- C60N-C6 400V, Miniature circuit Breaker, Type-C60N-C10 400V, Thermal circuit Breaker with auxi ry contact 1NO + 1NC ,Type- GV2ME146-10A, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- GV2ME07/1.6-2.5A, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- GV2ME08/2.5-4A, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-GV2ME06-/1.0-1.6A, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- GV2ME10/4-6.3A, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- GV2ME04/0.4-0.6A, Thermal circuit Breaker with auxiliary contact 1INO + 1NC,Type- 3RV1421- 1KA10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1021- 1HA10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1421-1HA10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RV1021- OHA10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1021- OFA10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1021- 0EA10, Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV1021- 0BA10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RV1021- 0JA10, Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1021- 1JA10, Thermal circuit Breaker with auxiliary contact 1INO + 1NC,Type- 3RV1021- 1EA10, Thermal circuit Breaker with auxiliary contact 1NO +1NC, Type- 3RT1017-1BB41, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RT1016 - 1BB41, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RN1010 -1CB00, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RF2310 - 1AA02, Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RT1025 - 1BB40, 3 Phase MCB with overload, Type:3VU1300-1MJ00, 3 Phase MCB with Overload, Type:3VU1300-1MNOO, 3 Phase MCB with Overload, Type-3VU1300-1MM00, 3 Phase MCB with Overload, Type-3VU1300-1MK00, 3 Phase MCB with Overload, Type-3VU1300-1MG00, 3 Phase MCB with Overload, Type-3VU1300-1MD00, Contactor , Type:CL25A300T
	<p>Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type: 3RV2431- 4TA10+3RV2901-1E</p> <p>Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To</p>

बिड विवरण / Bid Details

IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1011- 1AA10+3RV2901-1E

Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Circuit Breakers for DC Operation, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Line Interactive UPS with AVR (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Correspondence Envelopes (V3) Conforming to IS 13892, Digital Light Meter

Searched String: Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV1011- OGA10+3RV2901-1E

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Correspondence Envelopes (V3) Conforming to IS 13892, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2)

Searched String: Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV102 - 4BA10+3RV2901-1E

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Digital Light Meter, Portable Toilet, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV2411 -1HA10 + 3RV2901 -1E

Line Interactive UPS with AVR (V2), Diclofenac + Linseed Oil + Menthol + Methyl Salicylate Topical Forms (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular

बिड विवरण / Bid Details

Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cardiopulmonary Bypass Connectors (V2), PVC Insulated

Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Non Sparking Double Ended Ring Spanner (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1N, Type- 3RV2011 -1DA10 + 3RV2901- 1E

Line Interactive UPS with AVR (V2), Diclofenac + Linseed Oil + Menthol + Methyl Salicylate Topical Forms (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Cardiopulmonary Bypass Connectors (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Correspondence Envelopes (V3) Conforming to IS 13892, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1011-1KA10 +3RV2901-1E

Line Interactive UPS with AVR (V2), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Correspondence Envelopes (V3) Conforming to IS 13892, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1011-1FA10 +3RV2901-1E

Line Interactive UPS with AVR (V2), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RT2015 -1BB42

MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Welding Electrode - Covered Arc

बिड विवरण / Bid Details

Welding Electrode - Rutile Type (BEML), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1011- 1BA10+3RV2901-1E

Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Circuit Breakers for DC Operation, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Line Interactive UPS with AVR (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Correspondence Envelopes (V3) Conforming to IS 13892, Digital Light Meter

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- PKE-XTU-12

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- PKE-XTU-32

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- PKZM0-4

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC ,Type- PKZ0-16

Category not available on GeM for the text string uploaded by the buyer

Searched String: Motor Protection switch with auxiliary contact 1NO + 1NC,Type- PKZM00-1.6

Line Interactive UPS with AVR (V2), Electric Two Wheeler - Motorcycle, Scooter and Moped, Digital Motor Protection Relays, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Micro/Semi-Micro/Analytical weighing balance, Stereo Microscope (V1), Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014

Searched String: Thermal circuit Breaker with auxiliary

विड विवरण/Bid Details contact 1NO + 1NC,Type- PKZMO-1

Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Earth Leakage Circuit Breaker (ELCB), Circuit Breakers for DC Operation, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKE-XTU-65

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKZMO0-25

Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC.Type- PKE-XTU-12

Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKE-XTU-4

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- PKZMO0-10

Crawler Hydraulic Excavator (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RV1011 - 1AA10

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Non Sparking Double Ended Ring Spanner (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RT2015 - 1BB42

MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Residual Current Device (RCD) or Earth-leakage circuit

विड विवरण/Bid Details

breaker (ELCB) Tester, Welding Electrode - Covered Arc
Welding Electrode - Rutile Type (BEML), PVC Insulated

Aluminium Cable Single Core and Multi Core Circular
Sheathed with Rigid Conductor ISI Marked To IS 694,
Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Auto Circuit Breaker, Type: EA32AC
BB2AEAC-020

Vacuum Circuit Breakers - Indoor type as per IS 13118, MCB
- Miniature Circuit - Breakers for A.C. Operation as per IS /
IEC 60898 (Part 1), Vacuum Circuit Breaker - Outdoor Type -
Rated Voltage up to and Including 72.5 KV as per IS 13118,
Residual Current Operated Circuit Breakers (RCBO) with
Integral Overcurrent Protection ISI Marked To IS 12640 (Part
2), Circuit Breakers for DC Operation, Molded Case Circuit
Breakers (MCCB) as per IS / IEC 60947, Earth Leakage
Circuit Breaker (ELCB), AC EV Charging Station

Searched String: Auto Circuit Breaker, Type: EA32AC
BB2AEAC-030

Vacuum Circuit Breakers - Indoor type as per IS 13118, MCB
- Miniature Circuit - Breakers for A.C. Operation as per IS /
IEC 60898 (Part 1), Vacuum Circuit Breaker - Outdoor Type -
Rated Voltage up to and Including 72.5 KV as per IS 13118,
Residual Current Operated Circuit Breakers (RCBO) with
Integral Overcurrent Protection ISI Marked To IS 12640 (Part
2), Circuit Breakers for DC Operation, Molded Case Circuit
Breakers (MCCB) as per IS / IEC 60947, Earth Leakage
Circuit Breaker (ELCB), AC EV Charging Station

Searched String: Auto Circuit Breaker, Type: EA33AC
BB3AEAC-030

Vacuum Circuit Breakers - Indoor type as per IS 13118,
Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947,
Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up
to and Including 72.5 KV as per IS 13118, MCB - Miniature
Circuit - Breakers for A.C. Operation as per IS / IEC 60898
(Part 1), Residual Current Operated Circuit Breakers (RCBO)
with Integral Overcurrent Protection ISI Marked To IS 12640
(Part 2), Circuit Breakers for DC Operation

Searched String: Auto Circuit Breaker, Type: EA33AC
BB3AEAC-015

Vacuum Circuit Breakers - Indoor type as per IS 13118,
Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947,
Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up
to and Including 72.5 KV as per IS 13118, MCB - Miniature
Circuit - Breakers for A.C. Operation as per IS / IEC 60898
(Part 1), Residual Current Operated Circuit Breakers (RCBO)
with Integral Overcurrent Protection ISI Marked To IS 12640
(Part 2), Circuit Breakers for DC Operation

Searched String: Auto Circuit Breaker, Type: EA33AC
BB3AEAC-010

Vacuum Circuit Breakers - Indoor type as per IS 13118,
Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947,
Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up
to and Including 72.5 KV as per IS 13118, MCB - Miniature
Circuit - Breakers for A.C. Operation as per IS / IEC 60898
(Part 1), Residual Current Operated Circuit Breakers (RCBO)
with Integral Overcurrent Protection ISI Marked To IS 12640

(Part 2), Circuit Breakers for DC Operation
बिड विवरण/Bid Details

Searched String: Auto Circuit Breaker, Type: EA103C
BB3AEEC-075

Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation, Correspondence Envelopes (V3) Conforming to IS 13892, Welding Electrode - Covered Arc Welding Electrode - Basic Type (BEML), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)

Searched String: Auto Circuit Breaker, Type: EA32AC
BB2AEAC-010

Vacuum Circuit Breakers - Indoor type as per IS 13118, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB), AC EV Charging Station

Searched String: Auto Circuit Breaker, Type: EA33AC
BB3AEAC-020

Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation

Searched String: Auto Circuit Breaker, Type: EA53AC
BB3BEAC-040

Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation

Searched String: Auto Circuit Breaker, Type: EA63AC
BB3CEC-060

Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCBO)

विड विवरण / Bid Details with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation

Searched String: Auto Circuit Breaker,EA53AC BB3EEAC-100

Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), Flameproof LED Emergency Light, SF6 Circuit Breaker, 245 kV, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Earth Leakage Circuit Breaker (ELCB), Motor Protection Circuit Breaker (MPCB)

Searched String: Auto Circuit Breaker,EA103AC BB3EEAC-075

Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), Flameproof LED Emergency Light, SF6 Circuit Breaker, 245 kV, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Earth Leakage Circuit Breaker (ELCB), Motor Protection Circuit Breaker (MPCB)

Searched String: Auto Circuit Breaker, Type: EA103AC BB3EEAC-020

Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation

Searched String: Auto Circuit Breaker, Type: EA32AC BB2AEAC-015

Vacuum Circuit Breakers - Indoor type as per IS 13118, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Earth Leakage Circuit Breaker (ELCB), AC EV Charging Station

Searched String: Auto Circuit Breaker, Type:EA103AC BB3AEEAC-020

Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), SF6 Circuit Breaker, 145 kV, Circuit Breakers for DC Operation, Earth Leakage Circuit Breaker (ELCB), Motor Protection Circuit Breaker (MPCB)

बिड विवरण/Bid Details
Searched String: Earth Leakage Circuit Breaker, Type: EG103C EB3EEC-075B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118

Searched String: Earth Leakage Circuit Breaker, Type: EG103C EB3EEC-100B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118

Searched String: Earth Leakage Circuit Breaker, Type: EG103C EB3EEC-050B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118

Searched String: Earth Leakage Circuit Breaker, Type: EG53C EB3BEC-050B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118

Searched String: Earth Leakage Circuit Breaker, Type:EA203C BB3GEC-175

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Miniature Circuit Breakers Distribution Boards as per IS 13032

Searched String: Earth Leakage Circuit Breaker, Type:EG33C EB3AEC-020B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester,

बिड विवरण / Bid Details

Vacuum Circuit Breakers - Indoor type as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Miniature Circuit Breakers Distribution Boards as per IS 13032

Searched String: Earth Leakage Circuit Breaker, Type:EG32AC EB2AEAC-005B

Earth Leakage Circuit Breaker (ELCB), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Laboratory Desiccator (V2), Circuit Breakers for DC Operation, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Auto Circuit Breaker, Type: Type: BW100AAG-3P075

Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Fluid Automotive Transmission Type 'A' Suffix 'A'- Defence (V2), Electronic Weighing Scales, Automatic Fully Mechanised Organic Waste Machine for Compost Non Heating Type, Automatic Line Voltage Correctors (Step Type) For Domestic Use (Stabilizer) Conforming To IS 8448, Mobile Storage Compactors, Fruit and Vegetable Washing Machine (V2), Motor Protection Circuit Breaker (MPCB)

Searched String: Auto Circuit Breaker, Type: BW50AAG-3P020

Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Earth Leakage Circuit Breaker (ELCB), Circuit Breakers for DC Operation

Searched String: Auto Circuit Breaker, Type: BW32AAG-2P030

Air Circuit Breaker, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 72.5 kV (V2), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), SF6 Circuit Breaker, 245 kV, Circuit Breakers for DC Operation, SF6 Circuit Breaker, 145

विड विवरण / Bid Details	kV, Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Motor Protection Circuit Breaker (MPCB)
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: Auto Circuit Breaker, Type: BW32AAG-3P030</p> <p>Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), SF6 Circuit Breaker, 145 kV, Circuit Breakers for DC Operation, Earth Leakage Circuit Breaker (ELCB), Motor Protection Circuit Breaker (MPCB)</p> <p>Searched String: Auto Circuit Breaker, Type: BW100AAG-3P100</p> <p>Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Motor Protection Circuit Breaker (MPCB), SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Earth Leakage Circuit Breaker (ELCB), Circuit Breakers for DC Operation</p> <p>Searched String: Auto Circuit Breaker, Type: BW50AAG-3P050</p> <p>Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Earth Leakage Circuit Breaker (ELCB), Circuit Breakers for DC Operation</p> <p>Searched String: Auto Circuit Breaker, Type: BW32AAG-3P010</p> <p>Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), SF6 Circuit Breaker, 145 kV, Circuit Breakers for DC Operation, Earth Leakage Circuit Breaker (ELCB), Motor Protection Circuit Breaker (MPCB)</p> <p>Searched String: Auto Circuit Breaker, Type: BW50AAG-3P030</p> <p>Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Electronic Weighing Scales, SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCCB) without Integral</p>

बिड विवरण / Bid Details

Overcurrent Protection ISI Marked To IS 12640 (Part 1), Earth Leakage Circuit Breaker (ELCB), Mobile Storage

Compactors

Searched String: Auto Circuit Breaker, Type: BW32AAG-3P015

Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), Flameproof LED Emergency Light, SF6 Circuit Breaker, 245 kV, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 145 kV, Electronic Weighing Scales, Earth Leakage Circuit Breaker (ELCB), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1)

Searched String: Auto Circuit Breaker, Type: BW32AAG-2P010

Air Circuit Breaker, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 72.5 kV (V2), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), SF6 Circuit Breaker, 245 kV, Circuit Breakers for DC Operation, SF6 Circuit Breaker, 145 kV, Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Motor Protection Circuit Breaker (MPCB)

Searched String: Auto Circuit Breaker, Type: BW250EAG-3P175

Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Electronic Weighing Scales, SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Earth Leakage Circuit Breaker (ELCB), Mobile Storage Compactors

Searched String: Auto Circuit Breaker, Type: BW50AAG-3P040

Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 245 kV, Electronic Weighing Scales, SF6 Circuit Breaker, 145 kV, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Earth Leakage Circuit Breaker (ELCB), Mobile Storage Compactors

Searched String: Auto Circuit Breaker, Type: BW32AAG-2P005

Air Circuit Breaker, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), SF6 Circuit Breaker, 72.5 kV (V2), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), SF6 Circuit Breaker, 245 kV, Circuit Breakers for DC Operation, SF6 Circuit Breaker, 145 kV, Earth Leakage Circuit Breaker (ELCB), Molded Case

विड विवरण/Bid Details
Circuit Breakers (MCCB) as per IS / IEC 60947, Motor Protection Circuit Breaker (MPCB)

Searched String: Earth Leakage Circuit Breaker, Type:EW50EAG-3P50B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Air Circuit Breaker, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), SF6 Circuit Breaker, 72.5 kV (V2), Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), SF6 Circuit Breaker, 245 kV, Circuit Breakers for DC Operation, SF6 Circuit Breaker, 145 kV

Searched String: Earth Leakage Circuit Breaker, Type: EW50EAG-3P050B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation, Electronic Weighing Scales, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1)

Searched String: Earth Leakage Circuit Breaker, Type: EW100EAG-3P075B

Earth Leakage Circuit Breaker (ELCB), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Motor Protection Circuit Breaker (MPCB), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Circuit Breakers for DC Operation, Miniature Circuit Breakers Distribution Boards as per IS 13032, Electronic Weighing Scales

Searched String: Earth Leakage Circuit Breaker, Type: EW32AAG-2P005B

Earth Leakage Circuit Breaker (ELCB), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Vacuum Circuit Breakers - Indoor type as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Circuit Breakers for DC Operation, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947

Searched String: Miniature circuit Breaker, Type- C60N-C32 400V

बिड विवरण / Bid Details

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1),

Miniature Circuit Breakers Distribution Boards as per IS 13032, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Miniature circuit Breaker, Type- C60N-C6 400V

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Miniature Circuit Breakers Distribution Boards as per IS 13032, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Miniature circuit Breaker, Type- C60N-C3 400V

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Miniature Circuit Breakers Distribution Boards as per IS 13032, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Vacuum Circuit Breakers - Indoor type as per IS 13118, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

Searched String: Miniature circuit Breaker, Type- C60N-C50 400V

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Miniature Circuit Breakers Distribution Boards as per IS 13032, Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

विड विवरण / Bid Details
400V

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Miniature Circuit Breakers Distribution Boards as per IS 13032, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Vacuum Circuit Breakers - Indoor type as per IS 13118, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Miniature circuit Breaker, Type-C60N-C10 400V

Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Air Circuit Breaker, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, SF6 Circuit Breaker, 72.5 kV (V2), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Miniature Circuit Breakers Distribution Boards as per IS 13032, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, SF6 Circuit Breaker, 245 kV, SF6 Circuit Breaker, 145 kV

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC ,Type- GV2ME146-10A

Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Ceramic Fibre Blanket Insulation as per IS 15402

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- GV2ME07/1.6-2.5A

Circuit Breakers for DC Operation, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, Ceramic Fibre Blanket Insulation as per IS 15402, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- GV2ME08/2.5-4A

Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Circuit Breakers for DC Operation

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-GV2ME06-/1.0-1.6A

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Circuit Breakers for DC Operation, Emergency lighting and accessories (Portable Emergency Lighting

बिड विवरण / Bid Details	System Tower type with Battery Bank), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Line Interactive UPS with AVR (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High quality water purification system, Portable Toilet
	<p>Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- GV2ME10/4-6.3A</p> <p>Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), Digital Light Meter, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Portable Toilet, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)</p> <p>Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- GV2ME04/0.4-0.6A</p> <p>Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), Ceramic Fibre Blanket Insulation as per IS 15402, Crawler Hydraulic Excavator (V2), Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)</p> <p>Searched String: Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV1421- 1KA10</p> <p>Line Interactive UPS with AVR (V2), Earth Leakage Circuit Breaker (ELCB), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Circuit Breakers for DC Operation, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)</p> <p>Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1021- 1HA10</p> <p>MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892</p>

बिड विवरण / Bid Details
Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1421-1HA10

MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1021- OHA10

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Ring Slugging Spanners (V2), Non Sparking Hammers (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1021- OFA10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1021- OEA10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1INO + 1NC, Type- 3RV1021- OBA10

Category not available on GeM for the text string uploaded by the buyer

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1021- OJA10

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Non Sparking Double Ended Ring Spanner (V2), Non Sparking Combination Spanners (V2), Non Sparking Double Open Ended Spanner (V2), Non Sparking Ring Slugging Spanners (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type-3RV1021- 1JA10

MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Welding Electrode - Covered Arc

बिड विवरण / Bid Details

Welding Electrode - Rutile Type (BEML), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RV1021- 1EA10

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Non Sparking Double Ended Ring Spanner (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RT1017-1BB41

MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Residual Current Device (RCD) or Earth-leakage circuit breaker (ELCB) Tester, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Correspondence Envelopes (V3) Conforming to IS 13892

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RT1016 - 1BB41

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Non Sparking Double Ended Ring Spanner (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RN1010 -1CB00

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Non Sparking Double Ended Ring Spanner (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC, Type- 3RF2310 - 1AA02

बिड विवरण/Bid Details

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Non Sparking Double Ended Ring Spanner (V2)

Searched String: Thermal circuit Breaker with auxiliary contact 1NO + 1NC,Type- 3RT1025 - 1BB40

Line Interactive UPS with AVR (V2), Circuit Breakers for DC Operation, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Residual Current Operated Circuit Breakers (RCBO) with Integral Overcurrent Protection ISI Marked To IS 12640 (Part 2), MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML)

Searched String: 3 Phase MCB with overload, Type:3VU1300-1MJ00

High End Desktop Computer, Sofa (V3), Entry and Mid Level Desktop Computer, Interactive Panels with CPU, Bucket Mop Wringer Trolley, Mobile Folding Privacy Screen / Ward Screen, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Wooden Almirah / Wardrobe (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Line Interactive UPS with AVR (V2)

Searched String: 3 Phase MCB with Overload, Type:3VU1300-1MNOO

High End Desktop Computer, Sofa (V3), Entry and Mid Level Desktop Computer, Interactive Panels with CPU, Bucket Mop Wringer Trolley, Mobile Folding Privacy Screen / Ward Screen, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Wooden Almirah / Wardrobe (V2), Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Line Interactive UPS with AVR (V2)

Searched String: 3 Phase MCB with Overload, Type- 3VU1300-1MM00

PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Line Interactive UPS with AVR (V2), Screw Compressor, Parallel Bar - Outdoor Gym Equipment, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, traffic

विड विवरण / Bid Details	<p>signs - blinker light, Portable Toilet, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293</p>
	<p>Searched String: 3 Phase MCB with Overload, Type-3VU1300-1MK00</p> <p>Line Interactive UPS with AVR (V2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Screw Compressor, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Power Factor Meter - Digital, Digital Light Meter</p> <p>Searched String: 3 Phase MCB with Overload, Type-3VU1300-1MG00</p> <p>Line Interactive UPS with AVR (V2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Screw Compressor, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Power Factor Meter - Digital, Digital Light Meter</p> <p>Searched String: 3 Phase MCB with Overload, Type-3VU1300-1MD00</p> <p>Line Interactive UPS with AVR (V2), Vacuum Circuit Breaker - Outdoor Type - Rated Voltage up to and Including 72.5 KV as per IS 13118, Screw Compressor, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Non Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, Modular Piano Type Domestic Electrical Sockets ISI Marked To IS 1293, MCCB with Thermal Magnetic / Microprocessor Based Trip Unit, Power Factor Meter - Digital, Digital Light Meter</p> <p>Searched String: Contactor , Type:CL25A300T</p> <p>Vacuum Contactor, Steel Filing Cabinets for General Office Purpose (V2) as per IS 3313, CONTACTOR RELAY, DC Motor Armature Reversing Contactor-BHEL, Air Break Contactors, CR Type Surge Suppressor Upto 33 kV (BHEL), Muffle Furnace, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Black Japan, Type A, Type B, Type C as per IS 341, Single Use Sterile Rubber Surgical Gloves</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<p>Conforming to IS 13422</p> <ul style="list-style-type: none"> • Motor Protection Circuit Breaker (MPCB)
बीओक्यू शीर्षक /BOQ Title	Procurement of Thermal Circuit Breakers

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience	Yes Complete
वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है / Startup Relaxation for Years Of Experience	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	TCB 3RV24314TA 3RV2901 1116A
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	3 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1538661
मूल्यांकन पद्धति/ Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/ Arbitration Clause	No
सुलह खंड/ Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	Indusind bank
ईएमडी राशि/EMD Amount	30800

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Indusind bank
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	15

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Chief General Manager
India Security Press, Nashik 422101
(India Security Press, A Unit Of Spmcil)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50

सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)
---	---

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small

Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

TCB 3RV24314TA 3RV2901 1116A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RV10111AA103RV2901 16A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RV10110GA103RV2901 063A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

Thermal Circuit Breaker3RV10214BA1020A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RV24111HA103RV2901 568A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RV20111DA103RV2901 32A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

Thermal Break Cont 3RV 10111KA10125A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RV10111FA103RV2901 355A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RT20151BB42 24VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

Thermal Break Cont 3RV 10111BA102A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषीती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषीती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB PKEXTU12 1NO1NC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB PKEXTU32 1N01NC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

RAP Thermal Circuit Breaker PKZM04

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

RAP Thermal Circuit Breaker PKZ016

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

BreakerPKZM016

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

RAP Thermal Circuit Breaker PKZM01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB PKEXTU65 3240A 1NO1NC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

RAP Thermal Circuit Breaker PKZM025

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB PKEXTU12 1NO1NC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB PKEXTU4 1NO1NC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB PKZM 010 8310A 1NO1NC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RV10111AA10 12216A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

TCB 3RT20151BB42 1NO1NC 24VDC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	6	30

Circuit Breaker EA32AC BB2AEAC020 20A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA32AC BB2AEAC030 30A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	30

Circuit Breaker EA33AC BB3AEAC030 30A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA33AC BB3AEAC015 15A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EA33AC BB3AEAC010 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA103C BB3AEEC075 75A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EA32AC BB2AEAC010 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA33AC BB3AEAC020 20A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA53AC BB3BEAC040 40A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA63AC BB3CEC060 60A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA53AC BB3EEAC100 100A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EA103AC BB3EEAC075 75A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA103AC BB3EEAC020 20A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EA32AC BB2AEAC015 15A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EA103AC BB3AEEAC02020A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker EG103C EB3EEC075B 75A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EG103C EB3EEC100B 100A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EG103C EB3EEC050B 50A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EG53C EB3BEC050B 50B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EA203C BB3GEC175 175A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EG33C EB3AEC020B 20A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EG32AC EB2AEAC005B 5A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker BW100AAG3P075 100AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker BW50AAG3P020 50AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker BW32AAG3P030 32AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker BW100AAG3P100 100AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker BW32AAG2P030 32AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker BW50AAG3P050 50AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	30

Circuit Breaker BW32AAG3P010 32AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	30

Circuit Breaker BW50AAG3P030 50 AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker BW32AAG3P015 32AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	30

Circuit Breaker BW32AAG2P010 32AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker BW250EAG3P175 250AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker BW50AAG3P040 50AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker BW32AAG3P015 15A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker BW32AAG2P005 32AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EW50EAG3P50B 50AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EW50EAG3P050B 50A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EW100EAG3P075B 75A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker EW32AAG2P005B 32AF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker C60NC32 3 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker C60NC6 2 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker C60NC3 2 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker C60NC50 3 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker C60NC6 3 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker C60NC10 2 Pole

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker GV2ME146 10A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker GV2ME071625A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker GV2ME08254A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker GV2ME061016A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker GV2ME10463A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker GV2ME040406A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	30

Circuit Breaker 3RV1421 1KA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1021 1HA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1421 1HA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1021 0HA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1021 0FA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1021 0EA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1021 OBA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	30

Circuit Breaker 3RV1021 0JA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1021 1JA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RV1021 1EA10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RT1017 1BB41

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RT1016 1BB41

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RN1010 1CB00

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RF2310 1AA02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3RT1025 1BB40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3VU13001MJ00

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3VU13001MN00

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3VU13001MM00

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3VU13001MK00

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3VU13001MG00

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Circuit Breaker 3VU13001MD00

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

Contactor CL25 300T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original

delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)
payable at
NASHIK

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

INDIA SECURITY PRESS (A UNIT OF SPMCIL)

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

4. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)
payable at
NASHIK

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

India Security Press, Nashik (Unit of SPMCIL)

Account No.

201003551135

IFSC Code

INDB0001451

Bank Name

INDUSIND BANK

Branch address

Ashoka Marg, Ground Floor shop No. 5 Aryan Plaza, Ashoka Marg, NASHIK (MAHARASHTRA)

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

6. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)

payable at
NASHIK

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

7. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

8. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

India Security Press, Nashik (Unit of SPMCIL)

Account No.

201003551135

IFSC Code

INDB0001451

Bank Name

INDUSIND BANK

Branch address

Ashoka Marg, Ground Floor shop No. 5 Aryan Plaza, Ashoka Marg, NASHIK (MAHARASHTRA)

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

9. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Buyer Added Bid Specific ATC

The Bidder firm should meet following eligibility criteria to qualify in the Techno Commercial Bid:-

I) For MSE/Start-up firm: Capability - Equipment & Manufacturing Facilities: The bidder firm should have capability to supply of tendered item.

II) For other firm - Experience and past performance: The bidder firm may be Manufacturer/ Proven supplier/Authorized dealer or distributor of tendered item or bidder may participate with manufacturing authorization form (issued by manufacturer of tendered item).

Note: Participating bidder needs to submit all related documents along with the bid.

III) For Existing successful Past Suppliers: In case the bidder (manufacturer or principal of authorized representative) who is a successful past supplier of 'The Product' in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)

IV) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.

V) Goods & Service Tax Registration (GST): The Bidder should be registered with Goods & Service Tax (GST). Relevant proof of registration Certificate shall be submitted.

VI) Undertaking:-

- a. The bidder has to provide the undertaking that **“We M/s. <Name of the firm> have not been blacklisted by Government of India/Any State Government/PSU/Any reputed Organization in the past”**.
- b. The bidder has to provide the undertaking that **“We M/s. <Name of the firm> agree to withdraw all the deviations, if any, unconditionally and accept all the Terms and conditions of the tender document including the technical specifications.”**

VII) Quantum of LD:- If the Seller/Service Provider fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% of the contract value of delayed quantity per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value of delayed quantity without any controversy/dispute of any sort whatsoever.

VIII) Delivery Schedule:- Within 30 days from the date of issuance of GeM Contract.

XI) Warranty Clause:- Warranty shall be applicable for one year from date of supply/delivery of the material.

X) Payment Terms:- 100% payment will be done within 30 days of receipt of material and acceptance of the same by ISP.

XI) Ministry of Finance, Department of Expenditure, Public Procurement Division, Orders (Public Procurement 1,2 and 3) F. No. 6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from specified countries shall be applicable to this tender. Bidders are required submit the appropriate undertaking in this regard. Salient features of this are:

a) Any bidder from a country which shares a land border with India (excluding countries as listed in the website of Ministry of External Affairs, to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects) will be eligible to bid in this tender only if the bidder is registered with the Registration Committee constituted by the Department for promotion of Industry and Internal Trade (DPIIT). The bidders shall enclose following certificate in this regard.

“We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfil all requirements in this regard and are eligible to be considered.”

b) In tenders for Turnkey contracts including works contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is similarly registered with the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT). In such cases the bidders shall enclose following certificate:

“We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; and solemnly certify that we are not from such a country or, if from such a country, we are registered with Competent Authority (copy enclosed) and we will not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regard and are eligible to be considered.”

c) “Bidder” including the terms ‘tenderer’, ‘consultant’ or ‘service provider’ in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated here in before, including any agency branch or office controlled by such person, participating in a procurement process.

d) “Bidder from a country which shares a land border with India” for the purpose of this Order means:- a) An entity incorporated, established or registered in such a country; or

i) A subsidiary of an entity incorporated, established or registered in such a country; or

ii) An entity substantially controlled through entities incorporated, established or registered in such a country; or

- iii) An entity whose beneficial owner is situated in such a country; or
- iv) An Indian (or other) agent of such an entity; or
- v) A natural person who is a citizen of such a country; or
- vi) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

e) The beneficial owner for the purpose of (III) above will be as under:

i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more judicial person, has a controlling ownership interest or who exercise control through other means.

ii) Explanation:

(1) "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company.

(2) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of Capital or profits of the partnership.

(3) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

(4) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official.

(5) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

(6) An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

XII) Bidder must submit check list of below mentioned documents:-

Sr. No.	Description	Submitted / Not Submitted
1.	EMD	
2.	MSE/Startup Certificate	
3.	MII Content Certificate	
4.	Documentary evidence towards Capability as per clause I)	
5.	Documentary evidence towards Experience as per clause II)	
6.	Documentary evidence towards PAN & GST Registration as per clause IV) & V)	
7.	Undertakings/Declarations as per clause VI) a),b)	
8.	Duly sealed and signed copy of Technical specifications	

9.	Undertaking for Land border sharing criteria as per clause no. XI)	
----	---	--

XIII) Instruction to Bidders:-

- a) Interested firms are requested to submit the above required documents sealed and signed on all pages along with Bid.
- b) **“Anti-Bribery Management System (ABMS):** *By participating in this tender, the suppliers/Vendors/Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.”*
- c) Bidders may please note that GeM is capturing and showing the **IP addresses** used by the bidder(s). The received bids having matching / common IP address with bidder(s), shall be outrightly rejected & shall not be considered for further evaluation.
- d) **Request for extension** of the bid opening date and / or any other query related to bid should be made through GeM portal only, no other means of communication will be entertained.
- e) **Clarification of Bids/Shortfall Documents:** During the evaluation and comparison of bids, the purchaser may, at his discretion, ask the bidder for clarifications on the bid. The request for clarification shall be sought only once on GeM portal, asking the bidder to respond by a specified date/period (**i.e. Three days**). If the bidder does not comply or respond by the date/period (**i.e. within Three days**), his tender will be liable to be rejected.

Depending on the outcome, such bids are to be ignored or considered further. No post-bid clarification at the initiative of the bidder shall be entertained.

Note: While submitting the Clarification/Shortfall Document any technical difficulty occurs on GeM portal, then the bidder can submit the Clarification /Shortfall Document through e-mail (e-mail id: purchase.isp@pmcil.com).

f) The Procuring Entity reserves its right to, but without any obligation to do so, seek any shortfall information/ documents only in case of historical documents that pre-existed at the time of the Bid Opening, and which have not undergone change since then and does not grant any undue advantage to any bidder. As far as the submission of documents is concerned regarding qualification criteria, after submission of the bid, only related shortfall documents shall be asked for and considered.

For Example, if the bidder has submitted a supply order without its completion/performance certificate, the certificate will be asked for and considered. However, no new supply order shall be asked for to qualify the bidder.

g) Representation against the Technically Rejected Bidders in GeM:

With respect to the representation window for rejected bidders, any clarification/shortfall document submitted in the representation window will not be accepted. Only a representation about the wrong evaluation done will be considered.

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove;**

and

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---