

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	09-06-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	09-06-2026 15:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Finance
विभाग का नाम / Department Name	Department Of Economic Affairs
संगठन का नाम / Organisation Name	Security Printing And Minting Corporation Of India Limited (spmci)
कार्यालय का नाम / Office Name	3rd Floor Tower G World Trade Centre Nauroji Nagar
कुल मात्रा / Total Quantity	181
वस्तु श्रेणी / Item Category	SOLID STATE RELAY G3NA210B , SOLID STATE RELAY G3NA220B , SAFETY RELAY G9SB3012A , MICROSWITCH Z15GNJ55B , MICROSWITCH WLNJ , MICROSWITCH WLCA27 , RELAY G7SA2A2B , RELAY SOCKET P7SA10FND , DC POWER SUPPLY 24V S8FSG15024CD , SAFETY DOOR SWITCH D4SLN2QFADN , CONNECTOR CABLE D4SLCN10 , SAFETY DOOR SWITCH D4SLNK3 , MICROSWITCH 15HW78B , MICROSWITCH WLNJN , PROXIMITY SENSOR E2ES05S12WCC1 2M , SAFETY RELAY G9SXCBC202RT 24V DC 3W , SOLID STATE RELAY G3HDX03SNVD , RELAY SOCKET PTF08AE , UVOV RELAY K8AKVW3 100240VAC , LIMIT SWITCH Z15GQ22B , LIMIT SWITCH Z15GQB , LIMIT SWITCH Z15GW4455B , PROXIMITY SENSOR E2EX3D1N , SAFETY DOOR SWITCH GLS1 , DC POWER SUPPLY DC24V S8FSC05024D , SOLID STATE RELAY G3NA225B , TEMPERATURE SENSOR E52CA1DY 6M , PROXIMITY SENSOR E2EX2D1N , MICRO SWITCH Z15HW78B , MICRO SWITCH VX563A3 , MICRO SWITCH VX551A3 , DC POWER SUPPLY DC24V S8FSG30024CD , SOLID STATE RELAY G3NA205B , SOLID STATE RELAY OPTION Y92BN50 , RELAY LY2N DC24V , RELAY MY4N DC24V , RELAY SOCKET PYFZ14E , RELAY MY2N DC24V , RELAY SOCKET PYF08AE , MINI POWER RELAY G2R1SN DC24V , RELAY SOCKET P2RF05E , RELAY G3RIDZR1SN , RELAY HOLDER PYCA1 , LIMIT DOOR SWITCH D4GSN1R , RELAY MY4N 220V , RELAY G2R2SN , VOLTAGE SENSOR L42AB , SOLID STATE RELAY G9H2105 , THERMAL CONTROLLER E5CNQ2T , THERMAL SENSOR E52CA1DM6 , LIMIT SWITCH Z15HW78B , LIMIT SWITCH Z15HW24B

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

G3NA-210B OMRON SOLID STATE RELAY, G3NA-220B OMRON SOLID STATE RELAY, G9SB-3012-A OMRON SAFETY RELAY, Z-15GNJ55-B OMRON MICROSWITCH, WLNJ OMRON MICROSWITCH, WLCA2-7 OMRON MICROSWITCH, G7SA-2a2b OMRON RELAY, P7SA-10F-ND OMRON RELAY SOCKET, S8FS-G15024CD OMRON DC POWER SUPPLY (24V), D4SL-N2QFA-DN OMRON SAFETY DOOR SWITCH, D4SL-CN10 OMRON CONNECTOR CABLE, D4SL-NK3 OMRON SAFETY DOOR SWITCH, 15HW78-B OMRON MICROSWITCH, WLNJ-N OMRON MICROSWITCH, E2E-S05S12-WC-C1 2M OMRON PROXIMITY SENSOR, G9SX-BC202-RT (24V DC,3W) OMRON SAFETY RELAY, G3HD-X03SN-VD OMRON SOLID STATE RELAY, PTF08A-E OMRON RELAY SOCKET, K8AK-VW3 100-240VAC OMRON UNDER VOLTAGE/OVER VOLTAGE RELAY, Z-15GQ22-B OMRON LIMIT SWITCH, Z-15GQ-B OMRON LIMIT SWITCH, Z-15GW4455-B OMRON LIMIT SWITCH, E2E-X3D1-N OMRON PROXIMITY SENSOR, GLS-1 OMRON SAFETY DOOR SWITCH, S8FS-C05024D OMRON DC POWER SUPPLY (DC24V), G3NA-225B-UTUDC5-24 OMRON SOLID STATE RELAY, E52-CA1DY 6M OMRON TEMPERATURE SENSOR, E2E-X2D1N OMRON PROXIMITY SENSOR, Z-15HW78-B OMRON MICRO SWITCH, VX-56-1A3 OMRON MICRO SWITCH, VX-55-1A3 OMRON MICRO SWITCH, S8FS-G30024CD OMRON DC POWER SUPPLY (DC24V), G3NA-205B OMRON SOLID STATE RELAY, Y92B-N50 OMRON SOLID STATE RELAY OPTION, LY2N(DC24V) OMRON RELAY, MY4N DC24V OMRON RELAY, PYFZ-14-E OMRON RELAY SOCKET, MY2N DC24V OMRON RELAY, PYF08A-E OMRON RELAY SOCKET, G2R-1-SN DC24V OMRON MINI POWER RELAY, P2RF-05-E OMRON RELAY SOCKET, G3R-1DZR1SN OMRON RELAY, PYC-A1 OMRON RELAY HOLDER, D4GS-N1R OMRON LIMIT DOOR SWITCH (FESTO CYLINDER), MY4N(220V) OMRON RELAY, G2R-2-SN OMRON RELAY, L4-2-AB OMRON VOLTAGE SENSOR, G9H-2105 24V DC OMRON SOLID STATE RELAY, E5CN-Q2T-DC24V OMRON THERMAL CONTROLLER, E52-CA1D-M6 OMRON THERMAL SENSOR, Z -15HW78 - B OMRON LIMIT SWITCH, Z -15HW24 - B OMRON LIMIT SWITCH, Z -15GW4455 - B OMRON LIMIT SWITCH

Searched String: G3NA-210B OMRON SOLID STATE RELAY

Solid State Potentiometer, Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, Relay Module, USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2), Internal Storage Device (SSD/HDD) (V2)

Searched String: G3NA-220B OMRON SOLID STATE RELAY

Solid State Potentiometer, Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, Relay Module, USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2), Internal Storage Device (SSD/HDD) (V2)

Searched String: G9SB-3012-A OMRON SAFETY RELAY

Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Safety Relief Valves- Spring Loaded

Searched String: Z-15GNJ55-B OMRON MICROSWITCH

विड विवरण/Bid Details

Vitamin B - Complex, Endotracheal Tube - Sterile (Single Use), Fehling Solution A&B, Amphotericin B Injection (V2),

RCC Guard stone Type B (Cement or concrete posts), Hepatitis B Immunoglobulin Injection, P - Nitrophenyl - B - d - Glucopyranoside, B-COMPLEX+VITAMIN C & ZINC, Ophthalmic Ultrasound A B Scan, Ophthalmic Ultrasound B-Scan System

Searched String: WLNJ OMRON MICROSWITCH

Category not available on GeM for the text string uploaded by the buyer

Searched String: WLCA2-7 OMRON MICROSWITCH

Fipronil 7% + Hexythiazox 2% SC (Suspension Concentrate), shoes school pvc boys girls, Lubricating Grease, Benzaldehyde, Plaster of Paris Bandage Conforming to IS 4738, Cyclohexane, Photoelectric Sensor, Cable Lug for PZU-7 without surface treatment (Defence), File/Folder (V3), Calcium carbide

Searched String: G7SA-2a2b OMRON RELAY

Overload Relay, File/Folder (V3), Relay Module, CONTACTOR RELAY, LED Flasher Relay, Voltage Monitor Relay, Blood Lancets, Time delay relay, Gas Operated Relay (Buchholz relay) as per IS : 3637, Single phasing preventer Relay (SPPR)

Searched String: P7SA-10F-ND OMRON RELAY SOCKET

Category not available on GeM for the text string uploaded by the buyer

Searched String: S8FS-G15024CD OMRON DC POWER SUPPLY (24V)

DC Regulated Power Supply As Per MHA QRs, Switching Power Supply for Wireless Application

Searched String: D4SL-N2QFA-DN OMRON SAFETY DOOR SWITCH

Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Grill Gate, Industrial Safety Nets as per IS 11057, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Fire Hose Cabinet

Searched String: D4SL-CN10 OMRON CONNECTOR CABLE

Electrical Power Connector, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Fiber Optic Pigtails, Rotary Encoder, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Crepe Bandage Conforming to IS 4605, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: D4SL-NK3 OMRON SAFETY DOOR SWITCH

विड विवरण

Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Portable

Fire Extinguishers (V3) ISI Marked to IS 15683, Grill Gate, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3)

Searched String: 15HW78-B OMRON MICROSWITCH

Vitamin B - Complex, RCC Guard stone Type B (Cement or concrete posts), Fehling Solution A&B, Amphotericin B Injection (V2), Hepatitis B Immunoglobulin Injection, P - Nitrophenyl - B - d - Glucopyranoside, Elastic Bandage Conforming to IS 16111, B-COMPLEX+VITAMIN C & ZINC, Ophthalmic Ultrasound A B Scan, Ophthalmic Ultrasound B-Scan System

Searched String: WLNJ-N OMRON MICROSWITCH

N Heptane, Relay Module, N - Hexadecane, N,N Dimethyl P Phenylenediamine Dihydrochloride, N-acetylcysteine Injection, N-ACETYL-DL-METHIONINE, N - Pit Pumps (IOCL), N-(1-Naphthyl)ethylenediamine, CetylTriMethlyAmmonium Bromide (CTAB), Tetra-n-butylammonium hydrogen sulfate

Searched String: E2E-S05S12-WC-C1 2M OMRON PROXIMITY SENSOR

Inductive Proximity Sensor, shoes school pvc boys girls, Automatic Door sensor, Photoelectric Sensor, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Sewer Inspection Camera Apparatus, Ultrasonic Thickness Gauge, ECG Electrodes (V2), Sterile Hypodermic Needles for Single use (V2), Ratchet Handle as per IS 7975

Searched String: G9SX-BC202-RT (24V DC,3W) OMRON SAFETY RELAY

Plug In Relay, 24V DC (BHEL-SCR), Portable Fire Extinguishers (V3) ISI Marked to IS 15683

Searched String: G3HD-X03SN-VD OMRON SOLID STATE RELAY

Solid State Potentiometer, Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, Internal Storage Device (SSD/HDD) (V2), USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2)

Searched String: PTF08A-E OMRON RELAY SOCKET

Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Relay Module, Relay Testing Educational Kit, Laboratory Glassware Volumetric Flask, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Laboratory Glass Adapters, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Video Conferencing Camera / Web Camera (V2), Safety Relief Valves- Spring Loaded, Laboratory Graduated Cylinders as per IS 878

Searched String: K8AK-VW3 100-240VAC OMRON UNDER VOLTAGE/OVER VOLTAGE RELAY

Voltage Monitor Relay, SOVP Device for Street light Pole

बिड विवरण / Bid Details

Mounted, Static Protective Relays, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Porcelain Insulators For Overhead Power Lines with Nominal Voltage Greater Than 1000 V Conforming To IS 731, Time delay relay, Porcelain Insulators For Overhead Power Lines with Nominal Voltage up to and Including 1000 V Conforming To IS 1445, 245 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100), Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL)

Searched String: Z-15GQ22-B OMRON LIMIT SWITCH

Limit Switch, Switching Power Supply for Wireless Application, limit switch(NPCIL), Water Meters (Domestic Type) (V1) as per IS 779, Roller lever Limit Switch, Single Shot Nerve Block Needle

Searched String: Z-15GQ-B OMRON LIMIT SWITCH

Limit Switch, Switching Power Supply for Wireless Application, limit switch(NPCIL), Water Meters (Domestic Type) (V1) as per IS 779, Roller lever Limit Switch

Searched String: Z-15GW4455-B OMRON LIMIT SWITCH

Limit Switch, Switching Power Supply for Wireless Application, limit switch(NPCIL), Water Meters (Domestic Type) (V1) as per IS 779, Roller lever Limit Switch

Searched String: E2E-X3D1-N OMRON PROXIMITY SENSOR

Inductive Proximity Sensor, Digital Grounding System with Equipment Protection, Automatic Door sensor, Photoelectric Sensor, HydroCarbon gas detector, Relay Module, Cotton Towelling And Towels (V3) Conforming To IS 7056, Real Time PCR Kits (V2), Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1)

Searched String: GLS-1 OMRON SAFETY DOOR SWITCH

Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Safety Cap for Self Closing Valves of LPG Cylinders (V2), Grill Gate, Laboratory Refrigerator (V2), Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1), Personal Fall Arrest System- Full Body Harness Conforming to IS 3521 (Part 1), HDMI Switcher

Searched String: S8FS-C05024D OMRON DC POWER SUPPLY (DC24V)

DC Regulated Power Supply As Per MHA QRs, Switching Power Supply for Wireless Application, Solar Photovoltaic Water Pumping Systems (V2) as per MNRE Specification, Solar Based Home Systems (Solar Power Packs): DC Models as per MNRE Specifications, Circuit Breakers for DC Operation

Searched String: G3NA-225B-UTUDC5-24 OMRON SOLID STATE RELAY

Solid State Potentiometer, Fasteners - Single Coil Rectangular Section Spring Lock Washers as per IS 3063, Solid State Inverters Run from Storage Battery (V2)

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details

Conforming to IS 13314, Plug In Relay, 24V DC (BHEL-SCR), USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2), Internal Storage Device (SSD/HDD) (V2)

Searched String: E52-CA1DY 6M OMRON TEMPERATURE SENSOR

Temperature sensor, Muffle/Box Furnace (V2), Temperature & Humidity Sensor, Live Remote Temperature and Humidity Monitoring and Alert System, Photoelectric Sensor, Digital Trainer Kit, Digital Temperature Indicator

Searched String: E2E-X2D1N OMRON PROXIMITY SENSOR

Inductive Proximity Sensor, Automatic Door sensor, Photoelectric Sensor, Sofa (V3), Relay Module, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Desk and Bench Set for Classroom/Training Area, Multipara Monitor - Low End, High End Desktop Computer, water baths

Searched String: Z-15HW78-B OMRON MICRO SWITCH

Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2)

Searched String: VX-56-1A3 OMRON MICRO SWITCH

Methyl Blue for Microscopy, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II), Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2)

Searched String: VX-55-1A3 OMRON MICRO SWITCH

Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Voltmeter - Analog (Panel Meter) as per IS 1248, Switch Mode Power Supply (V2) Conforming To IS 14886 (Under BIS Scheme - II)

Searched String: S8FS-G30024CD OMRON DC POWER SUPPLY (DC24V)

DC Regulated Power Supply As Per MHA QRs, Switching Power Supply for Wireless Application, Circuit Breakers for DC Operation

Searched String: G3NA-205B OMRON SOLID STATE RELAY

Solid State Potentiometer, Solid State Inverters Run from Storage Battery (V2) Conforming to IS 13314, Relay Module, USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), USB Type External Solid State Drive Capacity Up To And Including 256 GB (V2), Internal Storage Device (SSD/HDD) (V2)

Searched String: Y92B-N50 OMRON SOLID STATE RELAY OPTION

Relay Module

Searched String: LY2N(DC24V) OMRON RELAY

Overload Relay, Relay Module, CONTACTOR RELAY, Sofa (V3), LED Flasher Relay, Voltage Monitor Relay, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS

विड विवरण / Bid Details 7098 (Part 1), Time delay relay, Gas Operated Relay (Buchholz Relay) as per IS : 3637, Single phasing preventer Relay (SPPR)

Searched String: MY4N DC24V OMRON RELAY

XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Relay Module, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Overload Relay, Bluetooth Trainer Educational Kit, Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), Power Factor Meter - Digital, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Non-Locking Bone Plate, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2)

Searched String: PYFZ-14-E OMRON RELAY SOCKET

Laboratory Glass Adapters

Searched String: MY2N DC24V OMRON RELAY

Relay Module, Digital pH Meter, Overload Relay, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Circuit Breakers for DC Operation, Bluetooth Trainer Educational Kit, Locking Compression Plates (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), BiPAP Full Face Mask (V2)

Searched String: PYF08A-E OMRON RELAY SOCKET

Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Relay Module, Relay Testing Educational Kit, Laboratory Glassware Volumetric Flask, Welding Electrode - Covered Arc Welding Electrode - Rutile Type (BEML), Laboratory Glass Adapters, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Video Conferencing Camera / Web Camera (V2), Safety Relief Valves- Spring Loaded, Laboratory Graduated Cylinders as per IS 878

Searched String: G2R-1-SN DC24V OMRON MINI POWER RELAY

Power Factor Meter - Digital

Searched String: P2RF-05-E OMRON RELAY SOCKET

Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2)

Searched String: G3R-1DZR1SN OMRON RELAY

Overload Relay, Towel Hand Cotton Turkish (IAF), Relay Module, CONTACTOR RELAY, LED Flasher Relay, Voltage Monitor Relay, Muffle Furnace, Time delay relay, Rotary Encoder, Gas Operated Relay (Buchholz relay) as per IS : 3637

Searched String: PYC-A1 OMRON RELAY HOLDER

Pen or Pencil Holders (V2), Relay Module, Overload Relay, Rotary Encoder, Sign holders or stands, Static Protective Relays, Voltage Monitor Relay

Searched String: D4GS-N1R OMRON LIMIT DOOR SWITCH

(FESTO CYLINDER)
बिड विवरण/Bid Details

Switching Power Supply for Wireless Application, Ultra Violet (UV) Cabinet for Sterilization

Searched String: MY4N(220V) OMRON RELAY

Plug In Relay For Heavy Coil Voltage 30V, 48V, 50V, 110V, 220V, and 250V DC (BHEL-SCR), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Overload Relay, Relay Module, water baths, CONTACTOR RELAY, LED Flasher Relay, Voltage Monitor Relay, Time delay relay, File/Folder (V3)

Searched String: G2R-2-SN OMRON RELAY

Overload Relay, Relay Module, CONTACTOR RELAY, Sofa (V3), LED Flasher Relay, Photoelectric Sensor, Voltage Monitor Relay, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Time delay relay, Environmental Chamber

Searched String: L4-2-AB OMRON VOLTAGE SENSOR

AC Voltage Transducer (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Air Circuit Breaker Conforming To IS/IEC 60947 (Part 2), Photoelectric Sensor, Low Voltage MCCB with Thermal Magnetic/Electronic Trip Unit Conforming To IS/IEC 60947 (Part 2), Aerial Bunched Cable For Working Voltage Upto and Including 1.1 kV Marked To IS 14255, HydroCarbon gas detector, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), XLPE Cable, Working Voltage from 3.3 kV up to and including 33 kV (V2) ISI Marked to IS 7098 (Part 2), Manual Operated 66 kV, 800 A Isolators and with Solid Core Insulators (PSPCL)

Searched String: G9H-2105 24V DC OMRON SOLID STATE RELAY

Plug In Relay, 24V DC (BHEL-SCR), Solid State Potentiometer

Searched String: E5CN-Q2T-DC24V OMRON THERMAL CONTROLLER

Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Data Wall Controller, Static Protective Relays, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694

Searched String: E52-CA1D-M6 OMRON THERMAL SENSOR

Digital Trainer Kit, Overload Relay, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Photoelectric Sensor, Multipurpose or General Test Tubes (V2) as per IS 2618, Laboratory Glassware Volumetric Flask, Laboratory Desiccator (V2)

Searched String: Z -15HW78 - B OMRON LIMIT SWITCH

Limit Switch, Switching Power Supply for Wireless Application, limit switch(NPCIL), Water Meters (Domestic Type) (V1) as per IS 779, Roller lever Limit Switch

बिड विवरण/Bid Details	Searched String: Z -15HW24 - B OMRON LIMIT SWITCH Limit Switch, limit switch(NPCIL), Roller lever Limit Switch, Water Meters (Domestic Type) (V1) as per IS 779 Searched String: Z -15GW4455 - B OMRON LIMIT SWITCH Limit Switch, Switching Power Supply for Wireless Application, limit switch(NPCIL), Water Meters (Domestic Type) (V1) as per IS 779, Roller lever Limit Switch
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Relay Module
बीओक्यू शीर्षक /BOQ Title	Procurement of Omron Make Spares
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	1 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	3
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	SOLID STATE RELAY G3NA210B

बिड विवरण/Bid Details	
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	804893
Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	Indusind bank
ईएमडी राशि/EMD Amount	16100

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Indusind bank
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	15

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Chief General Manager
India Security Press Nashik
(India Security Press, A Unit Of Spmcil)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder

- seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
- If number of technically qualified bidders are only 2 or 3.
 - If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
 - In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.

- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

SOLID STATE RELAY G3NA210B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

SOLID STATE RELAY G3NA220B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	45

SAFETY RELAY G9SB3012A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

MICROSWITCH Z15GNJ55B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

MICROSWITCH WLNJ

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	45

MICROSWITCH WLCA27

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

RELAY G7SA2A2B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

RELAY SOCKET P7SA10FND

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

DC POWER SUPPLY 24V S8FSG15024CD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	45

SAFETY DOOR SWITCH D4SLN2QFADN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	45

CONNECTOR CABLE D4SLCN10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	45

SAFETY DOOR SWITCH D4SLNK3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	45

MICROSWITCH 15HW78B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

MICROSWITCH WLNJN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

PROXIMITY SENSOR E2ES05S12WCC1 2M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

SAFETY RELAY G9SXBC202RT 24V DC 3W

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

SOLID STATE RELAY G3HDX03SNVD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	45

RELAY SOCKET PTF08AE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	45

UVOV RELAY K8AKVW3 100240VAC

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

LIMIT SWITCH Z15GQ22B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	45

LIMIT SWITCH Z15GQB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	45

LIMIT SWITCH Z15GW4455B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

PROXIMITY SENSOR E2EX3D1N

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	45

SAFETY DOOR SWITCH GLS1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	45

DC POWER SUPPLY DC24V S8FSC05024D

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

SOLID STATE RELAY G3NA225B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

TEMPERATURE SENSOR E52CA1DY 6M

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	45

PROXIMITY SENSOR E2EX2D1N

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	45

MICRO SWITCH Z15HW78B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	10	45

MICRO SWITCH VX563A3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

MICRO SWITCH VX551A3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	12	45

DC POWER SUPPLY DC24V S8FSG30024CD

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	45

SOLID STATE RELAY G3NA205B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	45

SOLID STATE RELAY OPTION Y92BN50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	45

RELAY LY2N DC24V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	45

RELAY MY4N DC24V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	10	45

RELAY SOCKET PYFZ14E

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	10	45

RELAY MY2N DC24V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	10	45

RELAY SOCKET PYF08AE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	45

MINI POWER RELAY G2R1SN DC24V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	45

RELAY SOCKET P2RF05E

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	45

RELAY G3RIDZR1SN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	45

RELAY HOLDER PYCA1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	45

LIMIT DOOR SWITCH D4GSN1R

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

[Specification Document](#)[View File](#)[BOQ Detail Document](#)[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

RELAY MY4N 220V

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	45

RELAY G2R2SN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

VOLTAGE SENSOR L42AB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	45

SOLID STATE RELAY G9H2105

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

THERMAL CONTROLLER E5CNQ2T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

THERMAL SENSOR E52CA1DM6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

LIMIT SWITCH Z15GW4455B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

LIMIT SWITCH Z15HW78B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

LIMIT SWITCH Z15HW24B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ravi Shankar Kushwaha	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Buyer Added Bid Specific ATC

The Bidder firm should meet following eligibility criteria to qualify in the Techno Commercial Bid:-

I) For MSE/Start-up firm: Capability - Equipment & Manufacturing Facilities: The bidder firm should have capability to supply of tendered item.

II) For other firm - Experience and past performance: The bidder firm may be Manufacturer/ Proven supplier/Authorized dealer or distributor of tendered item or bidder may participate with manufacturing authorization form (issued by manufacturer of tendered item).

Note: i. Participating bidder needs to submit all related documents along with the bid.

III) For Existing successful Past Suppliers: In case the bidder (manufacturer or principal or authorized representative) who is a successful past supplier of tendered item in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)

IV) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.

V) Goods & Service Tax Registration (GST): The Bidder should be registered with Goods & Service Tax (GST). Relevant proof of registration Certificate shall be submitted.

VI) Undertaking:-

- a. The bidder has to provide the undertaking that **“We M/s. <Name of the firm> have not been blacklisted by Government of India/Any State Government/PSU/Any reputed Organization in the past”.**
- b. The bidder has to provide the undertaking that **“We M/s. <Name of the firm> agree to withdraw all the deviations, if any, unconditionally and accept all the Terms and conditions of the tender document including the technical specifications.”**
- c. The bidder firm should have capability to Manufacture/supply the material/services as per tender document. **We M/s. <Name of the firm> have the capability to Manufacture/supply the material/services as per tender document.**

VII) Quantum of LD:- If the Seller/Service Provider fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% of the contract value of delayed quantity per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value of delayed quantity without any controversy/dispute of any sort whatsoever.

VIII) Delivery Schedule:- Within 45 days from the date of issuance of GeM Contract.

IX) Warranty Clause:- Warranty shall be applicable for one year from date of supply/delivery of the material.

X) Payment Terms:- 100% payment will be done within 30 days of receipt of material and acceptance of the same by ISP.

XI) Ministry of Finance, Department of Expenditure, Public Procurement Division, Orders (Public Procurement 1,2 and 3) F. No. 6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from specified countries shall be applicable to this tender. Bidders are required submit the appropriate undertaking in this regard. Salient features of this are:

a) Any bidder from a country which shares a land border with India (excluding countries as listed in the website of Ministry of External Affairs, to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects) will be eligible to bid in this tender only if the bidder is registered with the Registration Committee constituted by the Department for promotion of Industry and Internal Trade (DPIIT). The bidders shall enclose following certificate in this regard.

“We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfil all requirements in this regard and are eligible to be considered.”

b) In tenders for Turnkey contracts including works contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is similarly registered with the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT). In such cases the bidders shall enclose following certificate:

“We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; and solemnly certify that we are not from such a country or, if from such a country, we are registered with Competent Authority (copy enclosed) and we will not subcontract any work to a contractor from such countries unless such contra

ctor is registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regards and are eligible to be considered.”

c) “Bidder” including the terms ‘tenderer’, ‘consultant’ or ‘service provider’ in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated here in before, including any agency branch or office controlled by such person, participating in a procurement process.

d) “Bidder from a country which shares a land border with India” for the purpose of this Order means:- a) An entity incorporated, established or registered in such a country; or

i) A subsidiary of an entity incorporated, established or registered in such a country; or

ii) An entity substantially controlled through entities incorporated, established or registered in such a country; or

iii) An entity whose beneficial owner is situated in such a country; or

iv) An Indian (or other) agent of such an entity; or

v) A natural person who is a citizen of such a country; or

vi) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

e) The beneficial owner for the purpose of (III) above will be as under:

i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more judicial person, has a controlling ownership interest or who exercise control through other means.

ii) Explanation:

(1) “Controlling ownership interest” means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company.

(2) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of Capital or profits of the partnership.

(3) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

(4) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official.

(5) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

(6) An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

XII) Bidder must submit check list of below mentioned documents:-

Sr. No.	Description	Submitted / Not Submitted
1.	EMD	
2.	MSE/Startup Certificate	

3.	Documentary evidence towards Capability as per clause I)	
4.	Documentary evidence towards Experience as per clause II)	
5.	Documentary evidence towards PAN & GST Registration as per clause IV) & V)	
6.	Undertakings/Declarations as per clause VI) a),b),c)	
7.	Undertaking for Land border sharing criteria as per clause no. XI)	

XIII) Instructions to Bidders :

a) Interested firms are requested to submit the above required documents sealed and signed on all pages along with Bid.

b) **“Anti-Bribery Management System (ABMS):** *By participating in this tender, the suppliers/Vendors/ Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.”*

c) Bidders may please note that GeM is capturing and showing the **IP addresses** used by the bidder(s). The received bids having matching / common IP address with bidder(s), shall be outrightly rejected & shall not be considered for further evaluation

d) **Request for extension** of the bid opening date and / or any other query related to bid should be made through GeM portal only, no other means of communication will be entertained.

e) **Clarification of Bids/Shortfall Documents:** During the evaluation and comparison of bids, the purchaser may, at his discretion, ask the bidder for clarifications on the bid. The request for clarification shall be sought only once on GeM portal, asking the bidder to respond by a specified date/period (**i.e. Seven days**). If the bidder does not comply or respond by the date/period (**i.e. within Seven days**), his tender will be liable to be rejected.

Depending on the outcome, such bids are to be ignored or considered further. No post-bid clarification at the initiative of the bidder shall be entertained.

Note: While submitting the Clarification/Shortfall Document any technical difficulty occurs on GeM portal, then the bidder can submit the Clarification / Shortfall Document through e-mail (e-mail id: purchase.isp@spmcil.com).

f) The Procuring Entity reserves its right to, but without any obligation to do so, seek any shortfall information/ documents only in case of historical documents that pre-existed at the time of the Bid Opening, and which have not undergone change since then and does not grant any undue advantage to any bidder. As far as the submission of documents is concerned regarding qualification criteria, after submission of the bid, only related shortfall documents shall be asked for and considered.

For Example, if the bidder has submitted a supply order without its completion/performance certificate, the certificate will be asked for and considered. However, no new supply order shall be asked for to qualify the bidder.

g) Representation against the Technically Rejected Bidders in GeM:

With respect to the representation window for rejected bidders, any clarification/shortfall document submitted in the representation window will not be accepted. Only a representation about the wrong evaluation done will be considered.

3. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

INDIA SECURITY PRESS NASHIK (A UNIT OF SPMCIL)
payable at
NASHIK

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

INDIA SECURITY PRESS NASHIK (A UNIT OF SPMCIL)

The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

INDIA SECURITY PRESS NASHIK (A UNIT OF SPMCIL)
payable at
NASHIK

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

India Security Press, Nashik (Unit of SPMCIL)

Account No.

201003551135

IFSC Code

INDB0001451

Bank Name

INDUSIND BANK

Branch address

Ashoka Marg, Ground Floor shop No. 5 Aryan Plaza, Ashoka Marg, NASHIK (MAHARASHTRA)

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

7. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

INDIA SECURITY PRESS NASHIK (A UNIT OF SPMCIL)

payable at
NASHIK

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

8. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

INDIA SECURITY PRESS NASHIK (A UNIT OF SPMCIL)

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

9. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

India Security Press, Nashik (Unit of SPMCIL)

Account No.

201003551135

IFSC Code

INDB0001451

Bank Name

INDUSIND BANK

Branch address

Ashoka Marg, Ground Floor shop No. 5 Aryan Plaza, Ashoka Marg, NASHIK (MAHARASHTRA)

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy

of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा |/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---