

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	06-11-2026 15:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	07-11-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Finance
विभाग का नाम / Department Name	Department Of Economic Affairs
संगठन का नाम / Organisation Name	Security Printing And Minting Corporation Of India Limited (spmci)
कार्यालय का नाम / Office Name	3rd Floor Tower G World Trade Centre Nauroji Nagar
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id : ram.sahai@gov.in Buyer Email id: sumit.patil@spmci.com
कुल मात्रा / Total Quantity	152

बिड विवरण/Bid Details

वस्तु श्रेणी /Item Category

SITC of RTC card assembly , MLT Retro Reflex Sensor 111B3 to 111B8 , MLT Inductive sensor 113B2 113B5 , MLT Photo Reflex Sensor 115B1 117B6 B , MLT Self contained Photoelectric Sensor , MLT Micro sonic sensor 115B6 , MLT Proximity sensor 114B8 , MLT Safety Light barrier sensor 56B1 B2 , MLT Axode Trigger sensor , MLT Photoelectric sensor KTM WP , Solid state relay 805K1 K2 K3 , MLT Axode sensor , MLT Eye mark sensor 185BG1 BG2 , Proximity sensor for scan head position , Analog Laser sensor for skew sheets136S3 , Proximity sensor for shutter 1120B1 B2 , Compact Cylinder 1125MM1 , Solenoid Valve 1125QM1 , Battery Pack for PC 120CC1 , Interface module 180A1 270A1 290A1 , 121KF1 , Ether cat coupler 110BC1 , Interface module 1110A1 1210A1 1310A1 14 , Power Supply for Lamp 22FB1 23FB1 24FB1 , Magnetic safety switch 160SF1 165SF1 , Beckhoff PLC 110C01 , Beckhoff 4 Digital I P cards 110SI1 1 3 , Digital I P cards 8X 112DI1 1 1 118DI1 , Beckhoff Analog I P112AI1 , Encoder card 112PM1 , Feed terminal 114ST1 118 9 ST1 , Digital o p 114S01 114S02 , Digital o p 8X 14D01 02 18D01 03 119 , 266PM1 PM2 286PM1 PM2 , 265BC1 285BC1 , 286ST1 , 286AI2 , MABEG Safety light barrier for stacker , MABEG Relay 120K1 120K3 to K8 121K5 t , MABEG Line filter 5A1 , MABEG Line filter 32U1 , Axode UPS , MCB 25F1 25F2 120FC1 135FC1 , Power Supply for scanner 31 32 33 34 TB , Emergency Stop 235S1 , Pressure Sensor 455BP1 , Relay 135K1 , Fuse 20 40 80 145F1 , Profibus module , Main Switch 20S1 , Safety Switch 22S1 , MABEG Rotary Switch , MABEG Solid State Relay 81K5 K6 K7 K8 , MABEG Electronic circuit breaker 40F1 , MABEG Motor Overload 32Q1 , Axode Power Supply , Axode Switch , MLT Chiller Main Switch 1QB1 , MLT Chill Circuit breaker 2FC1 , MLT Chill Circuit breaker 2FC2 , MLT Chill Contactor 6QA1 , MLT Chill Contactor 6QA2 , MLT Chill Contactor 6QA3 A4 , MLT Chill Relays 7KF1 , MLT Herding Main switch 3Q1

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	SITC of RTC Card, MLT-Retro Reflex Sensor, 111B3 to 111B8, MLT-Inductive sensor, 113B2, 113B5, MLT-Photo Reflex Sensor,115B1, 117B6, B7, MLT-Self contained Photoelectric Sensor,113B6, B8, MLT-Micro sonic sensor, 115B6, MLT-Proximity sensor, 114B8, MLT-Safety Light barrier sensor, 56B1, B2, MLT-Axode Trigger sensor, MLT-Photoelectric sensor, Solid state relay, 805K1, K2, K3, MLT-Axode sensor, MLT-Eye mark sensor, 185BG1 , BG2, Proximity sensor for scan head position 1131B1, B2, Analog Laser sensor for skew sheets 136S3 along with amplifier, Proximity sensor for shutter, 1120B1, B2, Compact Cylinder, 1125MM1, Solenoid Valve, 1125QM1, Battery Pack for PC, 120CC1, Interface module , 180A1, 270A1, 290A1,, Module 121KF1, Ether cat coupler, 110BC1, Interface module, 1110A1,1210A1, 1310A1,1410A1, Power supply for Lamp, 22FBB1, Magnetic safety switch,160SF1, 165SF1, 160 SF2, Beckhoff PLC, 110C01, Beckhoff 4 Digital I/Pcards, 110SI1,1,3, Digital I/P cards 8X, 112DI1,1,1 118DI1,1, Beckhoff Analog, I/P112AI1, Encoder card, 112PM1, Feed terminal, 114ST1, 118,9 ST1, Digital o/p 114S01, 114S02, Digital o/p 8X, 114D01, 02, 118D01,03, 119D01,, Ethercat terminal Module 266PM1,PM2, Coupler 265BC1, 285BC1, Ethercat Coupler Module, 286ST1, Analog input Ethercat, terminal,286 A12, MABEG-Safety lightbarrier for stacker, 56K1, MABEG-Relay, 120K1, 120K3 to K8, 121K5 to K8, 122K6 to K7, MABEG-Line filter, 5A1, MABEG-Line filter, 32U1, Axode-UPS, MCB, 25F1, 25F2, 120FC1,135FC1, Power Supply for scanner, 31,32,33,34 TB1, Emergency Stop, 235S1, Pressure Sensor, 455BP1, Relay, 135K1, Fuse, 20,40,80,145F1, Profibus module, Main Switch, 20S1, Safety Switch, 22S1, MABEG-Rotary Switch, MABEG-Solid State Relay, 81K5, K6, K7, K8, MABEG-Electronic circuit breaker, 40F1, MABEG-Motor Overload, 32Q1, Axode-Power Supply, Axode-Switch, MLT-Chiller-Main Switch, 1QB1, MLT-Chill-Circuit breaker, 2FC1, MLT-Chill-Circuit breaker, 2FC2, MLT-Chill-Circuit breaker, 2FC2,3RV2011, MLT-Chill-Contactor, 6QA1, MLT-Chill Contactor, 6QA2, MLT-Chill-Contactor, 6QA3, A4, MLT-Chill Relays, 7KF1, MLT-Herding-Main switch, 3Q1
	Searched String: SITC of RTC Card Issuance of Smart Cards/ID Cards, Supply, Printing and Personalization of ATM-cum-Debit Card with Starter Kit and Pin Mailer Searched String: MLT-Retro Reflex Sensor, 111B3 to 111B8 Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Desk and Chair Set for Classroom/Training Area, Foley's Rubber Catheter (for Prolonged Urinary Drainage) Conforming to IS 11497, Cables, Converters and Adapters, Correspondence Envelopes (V3) Conforming to IS 13892, Zinc Oxide Elastic Adhesive Bandage Conforming to IS 4739, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Safety Footwear (V3) ISI marked to IS 15298 (Part 2)

बिड विवरण/Bid Details	Searched String: MLT-Inductive sensor, 113B2, 113B5
	Inductive Proximity Sensor, Biosafety Cabinet (V2), Endotracheal Tube - Sterile (Single Use), Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Blood Lancets, File/Folder (V3), Urine Collection Bag - Sterile (Single Use) Searched String: MLT-Photo Reflex Sensor,115B1, 117B6, B7 Photoelectric Sensor, Biosafety Cabinet (V2), Dusk-to-Dawn Light Sensor Switch (Automatic Photocell Controller), Stud with Nuts, Endotracheal Tube - Sterile (Single Use), Over-Needle Peripheral Catheters (Intravascular Catheters - Sterile and Single Use) Conforming to IS/ISO 10555 (Part 5), Blood Lancets, Urine Collection Bag - Sterile (Single Use), Gravity Feed Infusion Sets (Single Use) Conforming to IS/ISO 8536-4, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV) Searched String: MLT-Self contained Photoelectric Sensor,113B6, B8 Photoelectric Sensor, Mobile Containers For Solid Waste Conforming to IS 12402, Drinking Water Coolers (V4) ISI Marked To IS 1475, Scissor Lift (V3) Searched String: MLT-Micro sonic sensor, 115B6 Ultra - Sonic Bath Sonicator, Micro/Semi-Micro/Analytical weighing balance, Temperature sensor, Ultrasonic Probe Sonicator, Inductive Proximity Sensor, MCR Footwear, Surgical Forceps Searched String: MLT-Proximity sensor, 114B8 Inductive Proximity Sensor, Automatic Door sensor, HydroCarbon gas detector, Fire Proximity Suit Accessories - Helmet, Occupancy sensor, Photoelectric Sensor, Force Sensor, LVDT Sensor, Temperature sensor, Ultrasonic Sensor Searched String: MLT-Safety Light barrier sensor, 56B1, B2 Safety Footwear (V3) ISI marked to IS 15298 (Part 2), Bio Safety Cabinet (FSSAI), Digital Light Meter, Flowable Dental Composite Resin, Portable Emergency LED Lighting Tower System with Battery Bank, PCR Mini Cooler, Flood Light Luminaire suitable for HPSV Lamps Searched String: MLT-Axode Trigger sensor Occupancy sensor, Photoelectric Sensor, Force Sensor, LVDT Sensor, Temperature sensor, Ultrasonic Sensor, Pressure Sensor, Inductive Proximity Sensor, Temperature & Humidity Sensor, Soil Moisture Sensor Searched String: MLT-Photoelectric sensor

बिड विवरण / Bid Details	Photoelectric Sensor, Breath Analyser, Occupancy sensor, Force Sensor, Temperature controlled soldering station, LVDT Sensor, Temperature sensor, Inductive Proximity Sensor, Ultrasonic Sensor, HydroCarbon gas detector Searched String: Solid state relay, 805K1, K2, K3 USB Type External Solid State Drive Capacity Greater Than 256 GB (V2), Biosafety Cabinet (V2), Internal Storage Device (SSD/HDD) (V2), Laboratory Hot Air Oven (V2), Lyophilizer, Muffle/Box Furnace (V2), Blood Collection Tube, Rotary Shaker, Vacuum Oven, Recirculating chiller Searched String: MLT-Axode sensor Occupancy sensor, Breath Analyser, Photoelectric Sensor, Force Sensor, Temperature controlled soldering station, LVDT Sensor, Temperature sensor, Inductive Proximity Sensor, Ultrasonic Sensor, HydroCarbon gas detector Searched String: MLT-Eye mark sensor, 185BG1 , BG2 Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Hand Held Search Light, Posterior Chamber Intraocular Lens (PCIOL), Water Distillation Unit (V3), Endotracheal Tube - Sterile (Single Use), Blood Collection Tube, Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654, Ligation Clips, Scalp Vein (Winged Needle) Infusion Set Conforming to IS 16097, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470 Searched String: Proximity sensor for scan head position 1131B1, B2 Sublimation Tester (Textile), Receiver for Global Navigation Satellite System (GNSS) (V1), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV) Searched String: Analog Laser sensor for skew sheets 136S3 along with amplifier Category not available on GeM for the text string uploaded by the buyer Searched String: Proximity sensor for shutter, 1120B1, B2 Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), HydroCarbon gas detector, PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Nasal Cannula (V2), Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Elastic Surgical Adhesive Tapes for Medical Use Conforming to IS 16470, Real Time PCR Kits (V2), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Mobile Containers For Solid Waste Conforming to IS 12402 Searched String: Compact Cylinder, 1125MM1 Compact Weather Station, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cylinder Stand, Compact Light Weight Stainless Steel Multi Utility Tool (MHA), Cylinder heads, Nitrile Coated/Nitrile Hand Gloves (V2), Cylinder Liner, Biosafety Cabinet (V2), Sand Pouring Cylinder, Dry Erase Writing Boards (V3)
-------------------------	---

बिड विवरण/Bid Details	Searched String: Solenoid Valve, 1125QM1
	Solenoid Valve (V3), Nitrile Coated/Nitrile Hand Gloves (V2), Auto Drain Trap Valve- Solenoid operated (To drain Water) for Oxygen Concentrator, Electric Solenoid Operated Actuators (V2), Lyophilizer, Needle Valve, Directional Control Valve, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Liquid Offtake Valve, Thermostatic expansion valve Searched String: Battery Pack for PC, 120CC1 Mini PC, Nitrile Coated/Nitrile Hand Gloves (V2), 48V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), 72V - Lithium-Ion Rechargeable Batteries for E-Rickshaws (V2), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Inverter Battery Trolley, General Purpose Battery Chargers, Ice Gel Pack for Medical use, LED Luminaire for High Bay Lighting, Battery Chargers For Transceivers (V2) Searched String: Interface module , 180A1, 270A1, 290A1, Industrial Automation Communication Interface Module, Nitrile Coated/Nitrile Hand Gloves (V2), PRAN: Processor and Network Module (NPCIL), Flowable Dental Composite Resin, Biosafety Cabinet (V2), Tensile Strength Tester, File/Folder (V3), Lyophilizer, Cotton Towelling And Towels Conforming To IS 7056 (V4), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422 Searched String: Module 121KF1 Relay Module, Nitrile Coated/Nitrile Hand Gloves (V2), Industrial Automation Communication Interface Module, Current Voltage Measuring Module, Lyophilizer, Single switch IGBT Module, Disconnection Telecommunication Voice Module, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Payment Hardware Security Module (HSM), Air Decontamination System (Fumigation Cum Air Purification System) Searched String: Ether cat coupler, 110BC1 Ethernet Information Outlet, Pet Food for Dogs and Cats Conforming to IS 11968, Ethernet Cables, Petroleum ether, Diethyl Ether (V2), 2-Phenoxyethanol Searched String: Interface module, 1110A1,1210A1, 1310A1,1410A1 Industrial Automation Communication Interface Module, Nitrile Coated/Nitrile Hand Gloves (V2), PRAN: Processor and Network Module (NPCIL), Biosafety Cabinet (V2), File/Folder (V3), Lyophilizer, Cotton Towelling And Towels Conforming To IS 7056 (V4), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Towel Hand Cotton Turkish (IAF), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2) Searched String: Power supply for Lamp, 22FBB1 Switching Power Supply for Wireless Application, Desk and Chair Set for Classroom/Training Area, Portable Power Supply Unit, DC Regulated Power Supply As Per MHA QRs, Desk and Bench Set for Classroom/Training Area, Switch Mode Power Supply (V2) Conforming To IS 14886, XLPE

बिड विवरण / Bid Details	Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), White LED Based Solar Study Lamp as per MNRE Specifications, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Starters For Fluorescent Lamps Conforming To IS 2215
	Searched String: Magnetic safety switch,160SF1, 165SF1, 160 SF2 Electronic Weighing Scales, X ray baggage inspection system as per MHA QR (V3), Line Interactive UPS with AVR (V2), Laboratory Desiccator (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Flannelette rolls of cm width (Defence), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High quality water purification system Searched String: Beckhoff PLC, 110C01 Programmable Logic Controller (PLC), Muffle/Box Furnace (V2), SNP PLC Programming Cable, Projector Screen (V2), PLC based fire alarm system, Stainless Steel Dining Table With Fixed Chair, Programmable Logic Controller Trainer Kit, Industrial Automation Communication Interface Module, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Industrial Ethernet Switch (V2) Searched String: Beckhoff 4 Digital I/Pcards, 110SI1,1,3 All in One PC (V2), A3 Size Multifunction Printer (MFP), Cotton Towelling And Towels Conforming To IS 7056 (V4), Digital Trainer Kit, Desk and Bench Set for Classroom/Training Area, Digital Earth Resistance Meter, Desk and Chair Set for Classroom/Training Area, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Micro/Semi-Micro/Analytical weighing balance, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Digital I/P cards 8X, 112DI1,1,1 118DI1,1 Towel Hand Cotton Turkish (IAF), Digital Temperature Indicator, Cotton Towelling And Towels Conforming To IS 7056 (V4), Digital Motor Protection Relays, Digital Trainer Kit, Correspondence Envelopes (V3) Conforming to IS 13892, Micro/Semi-Micro/Analytical weighing balance, Handloom Cotton Bed Sheets (V2) as per IS 745, rubber bands, Handloom Cotton Pillow Covers (V3) Searched String: Beckhoff Analog, I/P112AI1 Analog Oscilloscope, Nitrile Coated/Nitrile Hand Gloves (V2), Analog Transceiver - Handheld, Levetiracetam Tablet, Analog Transceiver - Mobile, All in One PC (V2), Clevenger Apparatus I, Frequency meter - Analog (Panel Meter), Coupling-I (BHEL), Analog Mammography Unit (V2) Searched String: Encoder card, 112PM1 PVC Card Printers, Nitrile Coated/Nitrile Hand Gloves (V2), Rotary Encoder, FTA Card, Lyophilizer, RFID Label Printer with Encoder, Single Use Sterile Rubber Surgical Gloves

बिड विवरण / Bid Details	Conforming to IS 13422, Gel Card Centrifuge, Biosafety Cabinet (V2), Gel Card Incubator
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Feed terminal, 114ST1, 118,9 ST1 Nitrile Coated/Nitrile Hand Gloves (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, Lyophilizer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Biosafety Cabinet (V2), Towel Hand Cotton Turkish (IAF), Entry and Mid Level Desktop Computer, Cotton Towelling And Towels Conforming To IS 7056 (V4), Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Line Interactive UPS with AVR (V2) Searched String: Digital o/p 114S01, 114S02 Email Encryption and Secure Messaging Software, Modular Table / Meeting Table / Centre Table (V2), Electronic Calculator (V2), Combat Uniform Digital Print for Male (Defence), Professional Large Format Display (V2), Vertical Autoclave, CAP (F/S BDU) as per IAF Specifications (V2), Books (V2), Composite Office Tables conforming to IS 8126 (V2), Revolving Chair (V5) Searched String: Digital o/p 8X, 114D01, 02, 118D01,03, 119D01, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Digital Medical Thermometer (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Digital Blood Pressure Monitor, File/Folder (V3), Electronic Weighing Scales, Revolving Chair (V5), Micro/Semi-Micro/Analytical weighing balance, Counter Seat (Chair or Stool) (V2), Dehumidifier Searched String: Ethercat terminal Module 266PM1,PM2 Identification Clip for Telecommunication Voice Distribution Module, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Battery Terminal Coating, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Relay Module Searched String: Coupler 265BC1, 285BC1 Ethernet Information Outlet, Nitrile Coated/Nitrile Hand Gloves (V2), Telecommunication Cable Connection Enclosure, Lyophilizer, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Biosafety Cabinet (V2), Towel Hand Cotton Turkish (IAF), Entry and Mid Level Desktop Computer, Cotton Towelling And Towels Conforming To IS 7056 (V4), Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204 Searched String: Ethercat Coupler Module, 286ST1 Relay Module, Current Voltage Measuring Module, modular electrical enclosure switch board boxes for modular type accessories Searched String: Analog input Ethercat, terminal,286 A12 Terminal Ends for Aluminium Conductors of Insulated Cables

बिड विवरण / Bid Details	(Compression, Cable Lugs) Conforming To IS 8309, Ammeter - Analog (Panel Meter) as per IS 1248, Wireless Attendant Calling System, Temperature Indicator for Transformers - Analog type, Voltmeter - Analog (Panel Meter) as per IS 1248
	Searched String: MABEG-Safety lightbarrier for stacker, 56K1 Safety Footwear For Railway Workshop, Safety Footwear For Railway Trackmen, Safety Boots for Miners (V3) as per IS 3976, Polyvinylchloride (PVC) Industrial Boots (V3) ISI marked to IS 12254, Safety Glass for Road Transport Marked to IS 2553 (Part 2), AI Video Analytics Software for Security, Safety and Occupancy Monitoring, Safety Cap for Self Closing Valves of LPG Cylinders (V2), Road Blocker (MHA), Tamper Evident Seals for LPG cylinders, Safety Glass For Architectural, Building And General Uses (V2) ISI Marked to IS 2553 (Part 1) Searched String: MABEG-Relay, 120K1, 120K3 to K8, 121K5 to K8, 122K6 to K7 Desk and Chair Set for Classroom/Training Area, Desk and Bench Set for Classroom/Training Area, Biosafety Cabinet (V2), Antivirus Software, Laboratory Hot Air Oven (V2), Lyophilizer, Muffle/Box Furnace (V2), Blood Collection Tube, Rotary Shaker, Vacuum Oven Searched String: MABEG-Line filter, 5A1 Filter Cloth, Line Interactive UPS with AVR (V2), Bag filter, Polypropylene Cartridge Filter, Filter Cartridge, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Filter Sand, Pollen filter, Cables, Converters and Adapters, Oil Filter Cartridges Searched String: MABEG-Line filter, 32U1 Filter Cloth, Line Interactive UPS with AVR (V2), Bag filter, Filter Cartridge, Line Operated Three Phase AC Motors (Induction Motor) ISI Marked To IS 12615, Filter Sand, Pollen filter, Battery Operated Industrial Sweeper, Oil Filter Cartridges, Respiratory Protective Devices- Filtering Half Masks Searched String: Axode-UPS Line Interactive UPS with AVR (V2), Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Online Ups Modular Type, Online UPS (> 10 KVA) With Battery, Pin Up Notice Board (V2), Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Online UPS (> 10 KVA) Without Battery, Inverter (V2), Textile Home Made Ups from Karur - ODOP, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 Searched String: MCB, 25F1, 25F2, 120FC1, 135FC1 Nitrile Coated/Nitrile Hand Gloves (V2), Fixed Clean Agent Gas based cylinderless Fire Suppression System, Lyophilizer, Deltamethrin 2.5% Wettable Powder (V3) Conforming to IS 13457, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, 1,4-Dioxane, Biosafety Cabinet (V2), Deltamethrin 1.25% (Ultra Low Volume) (V3) Conforming to IS 15227, Electronic Weighing Scales, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1)

बिड विवरण / Bid Details	Searched String: Power Supply for scanner, 31,32,33,34 TB1
	Switching Power Supply for Wireless Application, Unplasticized PVC Pipes for Water Supply conforming to IS 4985, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), Flexible Drain Hoses for Wash Basins/ Sinks, Polyethylene Pipes for Water Supply conforming to IS 4984, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Power Spray Machine for Disinfection Purpose, Chlorinated Polyvinyl Chloride (CPVC) Pipes For Portable Hot and Cold Water Distribution Supplies (V3) conforming to IS 15778, Power Cord For Computer (V2) Searched String: Emergency Stop, 235S1 Emergency Push Button Switch, Nitrile Coated/Nitrile Hand Gloves (V2), Bus Stop Shelter, Emergency Recovery Trolley (V2), Emergency / Survival Ration (Defence), Lyophilizer, Emergency Light Unit (V2), Portable Emergency LED Lighting Tower System with Battery Bank, Flameproof LED Emergency Light, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422 Searched String: Pressure Sensor, 455BP1 Pressure Sensor, Nitrile Coated/Nitrile Hand Gloves (V2), Occupancy sensor, Photoelectric Sensor, Lyophilizer, Force Sensor, Ultrasonic Sensor, LVDT Sensor, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Temperature sensor Searched String: Relay, 135K1 Overload Relay, Nitrile Coated/Nitrile Hand Gloves (V2), Relay Module, CONTACTOR RELAY, LED Flasher Relay, Biosafety Cabinet (V2), Time delay relay, Lyophilizer, Voltage Monitor Relay, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422 Searched String: Fuse, 20,40,80,145F1 Carriers and bases in rewirable type electric fuses conforming to IS 2086, Nitrile Coated/Nitrile Hand Gloves (V2), Glass Fuse, Cylindrical Fuses, Cleaning Duster (V3), HRC (High Rupturing Capacity) Fuse Conforming to IS/IEC 60269 (Part 2), Drop Out Fuses, Lyophilizer, HT Motor Protection Fuse (BHEL), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422 Searched String: Profibus module Industrial Automation Communication Interface Module, Random Access Memory (RAM) Module, Relay Module, Current Voltage Measuring Module, Single switch IGBT Module, Disconnection Telecommunication Voice Module, Solar Photovoltaic Modules / Panels - Crystalline silicon terrestrial, Payment Hardware Security Module (HSM), Air Decontamination System (Fumigation Cum Air Purification System), Cloud Hardware Security Module (HSM) Searched String: Main Switch, 20S1 Isolator Switch (Switch Disconnecter) Conforming To IS/IEC 60947 (Part 3), Nitrile Coated/Nitrile Hand Gloves (V2), Limit

विड विवरण/Bid Details	Switch, Reed Switch, Cleaning Duster (V3), Time Switch, Multi Level Float Switch, SAN Switch, Lyophilizer, BUZZER SWITCH.
	Searched String: Safety Switch, 22S1 Disconnectors (Isolators) for Working Voltage Up to and Including 1 kV Conforming To IS/IEC 60947 (Part 3), Nitrile Coated/Nitrile Hand Gloves (V2), Limit Switch, Isolator Switch (Switch Disconnecter) Conforming To IS/IEC 60947 (Part 3), Reed Switch, Time Switch, Multi Level Float Switch, SAN Switch, Lyophilizer, BUZZER SWITCH. Searched String: MABEG-Rotary Switch Rotary Selector Switch Conforming To IS/IEC 60947 (Part 3), Rotary Shaker, Rotary Encoder, Rotary Microtome, Rotary Evaporator, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Rotary Rescue Saw, modular electrical enclosure switch board boxes for modular type accessories, Limit Switch Searched String: MABEG-Solid State Relay, 81K5, K6, K7, K8 Biosafety Cabinet (V2), Trifed Mens Shirt, Laboratory Hot Air Oven (V2), Lyophilizer, Muffle/Box Furnace (V2), Blood Collection Tube, Rotary Shaker, Vacuum Oven, Recirculating chiller, Horizontal Autoclave Searched String: MABEG-Electronic circuit breaker, 40F1 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), SF6 Circuit Breaker, 145 kV, Electronic Weighing Scales, Motor Protection Circuit Breaker (MPCB), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Circuit Breaker Analyzer (Power Grid), Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Circuit Breakers for DC Operation Searched String: MABEG-Motor Overload, 32Q1 Overload Relay, Sieve Shaker, Motor Grader, Star Delta Motor Starter for Three Phase Induction Motors (V2), Hydraulic Motors, Synchronous Servo Motor, Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, DC WINCH MOTOR, Monoblock Pump, Electrical Windscreen Wiper Motor for Automobiles Conforming to IS 7827 (Part 2) (V2) Searched String: Axode-Power Supply Portable Power Supply Unit, Cleaning Duster (V3), DC Regulated Power Supply As Per MHA QRs, Switch Mode Power Supply (V2) Conforming To IS 14886, Diesel Power Generator (V2), Switching Power Supply for Wireless Application, Online UPS (≤ 10 KVA) Without Battery Conforming To IS 16242 (Part 1), Ultrasonic Probe Sonicator, Online UPS (≤ 10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (> 10 KVA) Without Battery

बिड विवरण/Bid Details	Searched String: Axode-Switch
	Limit Switch, Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, Reed Switch, Argon Plasma Coagulator with ESU, Time Switch, Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854, SAN Switch, BUZZER SWITCH., modular electrical enclosure switch board boxes for modular type accessories, Digital Pressure Switch Searched String: MLT-Chiller-Main Switch, 1QB1 Recirculating chiller, Chiller Bars, Instant Milk Chiller, Isolator Switch (Switch Disconnecter) Conforming To IS/IEC 60947 (Part 3), Multi Level Float Switch, Limit Switch, Emergency Push Button Switch, Reed Switch, Time Switch, Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3) Searched String: MLT-Chill-Circuit breaker, 2FC1 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), SF6 Circuit Breaker, 145 kV, Motor Protection Circuit Breaker (MPCB), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Circuit Breaker Analyzer (Power Grid), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Circuit Breakers for DC Operation, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Air Circuit Breaker Conforming To IS/IEC 60947 (Part 2) Searched String: MLT-Chill-Circuit breaker, 2FC2 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), SF6 Circuit Breaker, 145 kV, Motor Protection Circuit Breaker (MPCB), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), Circuit Breaker Analyzer (Power Grid), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Circuit Breakers for DC Operation, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Air Circuit Breaker Conforming To IS/IEC 60947 (Part 2) Searched String: MLT-Chill-Circuit breaker, 2FC2,3RV2011 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Miniature Circuit Breakers (MCB) for AC Operation Marked To IS/IEC 60898 (Part 1), SF6 Circuit Breaker, 145 kV, Motor Protection Circuit Breaker (MPCB), Miniature Circuit Breaker Boards for Voltages Conforming To IS 13032, Circuit Breaker Analyzer (Power Grid), Circuit Breakers for DC Operation, Residual Current Operated Circuit Breakers (RCCB) without Integral Overcurrent Protection ISI Marked To IS 12640 (Part 1), Air Circuit Breaker Conforming To IS/IEC 60947 (Part 2) Searched String: MLT-Chill-Contactor, 6QA1 CONTACTOR RELAY, Air Break Contactors, Vacuum Contactor Conforming To IS/IEC 60470, DC Motor Armature Reversing Contactor-BHEL, Liquid Chilling Package Units

बिड विवरण / Bid Details	Conforming to IS 16590, Instant Milk Chiller, Chilly from Guntur - ODOP, Byadagi Chillies from Gadag - ODOP, Recirculating chiller, Chili (लाल मिर्च) Searched String: MLT-Chill Contactor, 6QA2 CONTACTOR RELAY, Air Break Contactors, Vacuum Contactor Conforming To IS/IEC 60470, DC Motor Armature Reversing Contactor-BHEL, Liquid Chilling Package Units Conforming to IS 16590, Instant Milk Chiller, Chilly from Guntur - ODOP, Byadagi Chillies from Gadag - ODOP, Recirculating chiller, Chili (लाल मिर्च) Searched String: MLT-Chill-Contactor, 6QA3, A4 CONTACTOR RELAY, Vacuum Contactor Conforming To IS/IEC 60470, Air Break Contactors, A3 Size Multifunction Printer (MFP), A4 and Legal Size Multifunction Printer (MFP), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), DC Motor Armature Reversing Contactor-BHEL, Desk and Bench Set for Classroom/Training Area, Scanner (V3), Non Modular Piano Type Domestic Electrical Switches ISI Marked To IS 3854 Searched String: MLT-Chill Relays, 7KF1 Static Protective Relays, Overload Relay, Digital Motor Protection Relays, Liquid Chilling Package Units Conforming to IS 16590, Relay Module, Time delay relay, Instant Milk Chiller, Chilly from Guntur - ODOP, Byadagi Chillies from Gadag - ODOP, Recirculating chiller Searched String: MLT-Herding-Main switch, 3Q1 Isolator Switch (Switch Disconnecter) Conforming To IS/IEC 60947 (Part 3), Switch Disconnectors and Fuse Combination Units (Switch Fuse Unit) Conforming To IS/IEC 60947 (Part 3), Limit Switch, Reed Switch, Time Switch, Multi Level Float Switch, SAN Switch, Digital Earth Resistance Meter, BUZZER SWITCH., Digital Pressure Switch
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Photoelectric Sensor • Inductive Proximity Sensor
बीओक्यू शीर्षक / BOQ Title	Procurement of Electrical and Electronics Spares of MLT Machine
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/ Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	22 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/ OEM Average Turnover (Last 3 Years)	22 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/ Years of Past Experience Required for same/similar service	1 Year (s)
टर्नओवर पात्रता मानदंड/ Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation

बिड विवरण/Bid Details	
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ में है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	2
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/ RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	SITC of RTC card assembly
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	7 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	5509060

बिड विवरण/Bid Details

Payment Timelines	Payments shall be made to the Seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10 days time as provided in clause 12 of GeM GTC)
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	Indusind bank
ईएमडी राशि/EMD Amount	110200

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Indusind bank
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	3.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	17

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Chief General Manager
Isp Nashik
(India Security Press, A Unit Of Spmcil)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
--	-----

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

ट्रेड्स भुगतान संबंधी विवरण/TReDS Payment Details

This Bid provides for Trade Receivables Discounting System (TReDS) as Preferred mode of payment. For MSME sellers, payments may be processed through a TReDS exchange in which the Buyer is registered, subject to applicable policy and regulatory guidelines. Accordingly, sellers intending to avail payment through TReDS are required to be registered with at least one TReDS exchange in which the buyer is registered.

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder

Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

SITC Of RTC Card Assembly

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

MLT Retro Reflex Sensor 111B3 To 111B8

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	3	90

MLT Inductive Sensor 113B2 113B5

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Photo Reflex Sensor 115B1 117B6 B

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Self Contained Photoelectric Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Micro Sonic Sensor 115B6

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Proximity Sensor 114B8

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Safety Light Barrier Sensor 56B1 B2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Axode Trigger Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Photoelectric Sensor KTM WP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Solid State Relay 805K1 K2 K3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Axode Sensor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Eye Mark Sensor 185BG1 BG2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Proximity Sensor For Scan Head Position

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Analog Laser Sensor For Skew Sheets136S3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Proximity Sensor For Shutter 1120B1 B2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Compact Cylinder 1125MM1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Solenoid Valve 1125QM1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Battery Pack For PC 120CC1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Interface Module 180A1 270A1 290A1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

121KF1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

Ether Cat Coupler 110BC1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Interface Module 1110A1 1210A1 1310A1 14

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Power Supply For Lamp 22FB1 23FB1 24FB1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Magnetic Safety Switch 160SF1 165SF1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	90

Beckhoff PLC 110C01

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

Beckhoff 4 Digital I P Cards 110SI1 1 3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	90

Digital I P Cards 8X 112DI1 1 1 118DI1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	5	90

Beckhoff Analog I P112AI1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Encoder Card 112PM1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

Feed Terminal 114ST1 118 9 ST1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Digital O P 114S01 114S02

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Digital O P 8X 14D01 02 18D01 03 119

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	90

266PM1 PM2 286PM1 PM2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

265BC1 285BC1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

286ST1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

286AI2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

MABEG Safety Light Barrier For Stacker

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	90

MABEG Relay 120K1 120K3 To K8 121K5 T

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**तकनीकी विशिष्टियाँ /Technical Specifications**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	10	90

MABEG Line Filter 5A1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

MABEG Line Filter 32U1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

Axode UPS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MCB 25F1 25F2 120FC1 135FC1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Power Supply For Scanner 31 32 33 34 TB

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Emergency Stop 235S1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Pressure Sensor 455BP1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Relay 135K1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	90

Fuse 20 40 80 145F1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	10	90

Profibus Module

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Main Switch 20S1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

Safety Switch 22S1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MABEG Rotary Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

MABEG Solid State Relay 81K5 K6 K7 K8

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	4	90

MABEG Electronic Circuit Breaker 40F1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MABEG Motor Overload 32Q1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Axode Power Supply

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

Axode Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

MLT Chiller Main Switch 1QB1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
-------------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

MLT Chill Circuit Breaker 2FC1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Chill Circuit Breaker 2FC2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Chill Circuit Breaker 2FC2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Chill Contactor 6QA1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Chill Contactor 6QA2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Chill Contactor 6QA3 A4

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Chill Relays 7KF1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	2	90

MLT Herding Main Switch 3Q1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local

Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Vikas Kumar	422101,India Security Press, Nashik Road Nashik , Maharashtra	1	90

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Buyer Added Bid Specific ATC

The Bidder firm should meet following eligibility criteria to qualify in the Techno Commercial Bid:-

I) Experience and past performance: The Bidder should have manufactured and supplied at least 61 nos. of tendered items in the last five years ending on 31st March 2026.

Note: i) Copies of PO's and completion/experience certificates issued by customers to be provided in support of above.

ii) Start-ups and Micro and small Enterprises are exempted from Experience and Past Performance

mance criteria. In case any bidder is seeking exemption from Experience and Past Performance criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation

II) Capability, equipment and manufacturing facilities:- The Bidder firm must have an annual capacity to manufacture and supply at least 61 Number of tendered items. The self-attested details shall be submitted along with bid.

Note:

1. Bidder has to submit the duly filled format for capacity and capability verification provided at Annexure I in Buyer Added Bid Specific ATC Document.

III) For Existing successful Past Suppliers: In case the bidder (manufacturer or principal of authorized representative) who is a successful past supplier of tender items in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)

IV) Financial Turnover/Standing: The average annual Financial turnover of the bidder firm during last three year, ending on 31.03.2026, should be at least Rs.22,03,624/- as per the annual report of the relevant period duly authenticated by a Chartered Accountant/Cost Accountant in India or equivalent in relevant countries.

i) The net worth of the Bidder should not be negative on 31.03.2026 and also

ii) should not have eroded by more than 30% in the last three years, ending on 31.03.2026.

Note 1: To ascertain this criteria net worth of initial and last financial year should be compared.

Note 2: For MSEs and Start-ups (registered for the tendered item) all financial criteria shall be exempted.

V) Applicability in Special Cases:

a) Applicability to 'Make in India': (manufacturer or principal of authorised representative) If the tender items are being manufactured in India under a license from a foreign manufacturer who holds intellectual property rights and where there is a technology collaboration agreement/ transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phased increase in local content, and who while meeting all other criteria above, except for any or more of sub-criteria in Experience and Past Performance above, would also be considered to be qualified provided: i) their foreign manufacturer who holds intellectual property rights, meets all the criteria above without exemption, and ii) the Bidder submits appropriate documentary proof for technology collaboration agreement/ transfer of technology agreement for indigenous manufacture of a product developed abroad with clear phased increase in local content. Iii) the bidder (manufacturer or principal of authorised representative) furnishes along with the bid a legally enforceable undertaking jointly executed by himself and such foreign Manufacturer for satisfactory manufacture, Supply (and erection, commissioning if applicable) and performance of tendered items including all warranty obligations as per the general and special conditions of contract.

b) Authorized Representatives: Bids of bidders quoting as authorised representative of a principal manufacturer would also be considered to be qualified, provided: i) their principal manufacturer meets all the criteria above without exemption, and ii) the principal manufacturer furnishes a legally enforceable tender-specific authorisation in the prescribed form assuring full guarantee and warranty obligations as per the general and special conditions of contract; and iii) the bidder himself should have been associated, as authorised representative of the same or other Principal Manufacturer for same set of services as in present bid (supply, installation, satisfactorily commissioning, after sales service as the case may be) for same or similar 'tendered items' for past three years ending on 31.03.2026.

Note: Format for Manufacturer authorization is attached in PDF format in Buyer Added ATC Tab. The bidder should submit the Manufacturer Authorization Form as per provided format only.

VI) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.

VII) Goods & Service Tax Registration (GST): The Bidder should be registered with Goods & Service Tax (GST). Relevant proof of registration Certificate shall be submitted.

VIII) Undertaking:-

- a. The bidder has to provide the undertaking that **“We M/s. <Name of the firm> have not been blacklisted by Government of India/Any State Government/PSU/Any reputed Organization in the past”.**
- b. The bidder has to provide the undertaking that **“We M/s. <Name of the firm> agree to with draw all the deviations, if any, unconditionally and accept all the Terms and conditions of the tender document including the technical specifications.”**

IX) Delivery Schedule:- Within 90 days from the date of issuance of GeM Contract.

X) Warranty Period: The Firm should provide One Year warranty from date of supply & its acceptance by ISP, Nashik.

XI) Quantum of LD:- If the Seller/Service Provider fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% of the contract value of delayed quantity per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value of delayed quantity without any controversy/dispute of any sort whatsoever.

XII) Terms and Mode of Payment : 100% payment will be released within 30 days after successful supply of the tendered item and its acceptance by ISP.

XIII) Ministry of Finance, Department of Expenditure, Public Procurement Division, Orders (Public Procurement 1,2 and 3) F. No. 6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from specified countries shall be applicable to this tender. Bidders are required submit the appropriate undertaking in this regard. Salient features of this are:

a) Any bidder from a country which shares a land border with India (excluding countries as listed in the website of Ministry of External Affairs, to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects) will be eligible to bid in this tender only if the bidder is registered with the Registration Committee constituted by the Department for promotion of Industry and Internal Trade (DPIIT). The bidders shall enclose following certificate in this regard.

“We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; and solemnly certify that we are not from such a country or, if from such a country, we are registered with the Competent Authority (copy enclosed). We hereby certify that we fulfil all requirements in this regard and are eligible to be considered.”

b) In tenders for Turnkey contracts including works contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is similarly registered with the Registration Committee constituted by the Department for Promotion of Industry and Internal Trade (DPIIT). In such cases the bidders shall enclose following certificate:

“We have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; and so solemnly certify that we are not from such a country or, if from such a country, we are registered with Competent Authority (copy enclosed) and we will not subcontract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. We hereby certify that we fulfil all requirements in this regards and are eligible to be considered.”

c) “Bidder” including the terms ‘tenderer’, ‘consultant’ or ‘service provider’ in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falli

ng in any of the descriptions of bidders stated here in before, including any agency branch or office controlled by such person, participating in a procurement process.

d) "Bidder from a country which shares a land border with India" for the purpose of this Order means:- a) An entity incorporated, established or registered in such a country; or

i) A subsidiary of an entity incorporated, established or registered in such a country; or

ii) An entity substantially controlled through entities incorporated, established or registered in such a country; or

iii) An entity whose beneficial owner is situated in such a country; or

iv) An Indian (or other) agent of such an entity; or

v) A natural person who is a citizen of such a country; or

vi) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above.

e) The beneficial owner for the purpose of (III) above will be as under:

i) In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more judicial person, has a controlling ownership interest or who exercise control through other means.

ii) Explanation:

(1) "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of shares or capital or profits of the company.

(2) In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of Capital or profits of the partnership.

(3) In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;

(4) Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official.

(5) In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

(6) An Agent is a person employed to do any act for another, or to represent another in dealings with third person.

XIV) Bidder must submit check list of below mentioned documents:-

Sr. No.	Description	Submitted / Not Submitted
1.	EMD	
2.	MSE Certificate / Start Up Certificate if claiming for exemption against Experience Criteria.	
3.	Undertaking for MII Local Content	

4.	Documentary evidence towards Experience Criteria as per Clause No. I)	
5.	Documentary evidence towards Capability as per clause no. II)	
6.	Financial Turnover/Standing as per clause no. IV)	
7.	Manufacturer Authorization Letter/Certificate	
8.	Documentary evidence towards PAN & GST Registration as per clause VI) & VII)	
9.	Undertakings/Declarations as per clause VIII)	
10.	Seal & Signed copy of Technical Specifications.	
11.	Undertaking for Land border sharing criteria as per clause no. XIII)	

XV) Instructions to Bidders :

a) Interested firms are requested to submit the above required documents sealed and signed on all pages along with Bid.

b) **“Anti-Bribery Management System (ABMS):** *By participating in this tender, the suppliers/Vendors/ Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance.”*

c) Bidders may please note that GeM is capturing and showing the **IP addresses** used by the bidder(s). The received bids having matching/common IP address with bidder(s), shall be outrightly rejected & shall not be considered for further evaluation. ISP may initiate administrative action against the firm as per GIT & GCC of SPMCIL Procurement Manual 2024 Version 3.0.

d) **Request for extension** of the bid opening date and / or any other query related to bid should be made through GeM portal only, no other means of communication will be entertained.

e) **Clarification of Bids/Shortfall Documents:** During the evaluation and comparison of bids, the purchaser may, at his discretion, ask the bidder for clarifications on the bid. The request for clarification shall be sought only once on GeM portal, asking the bidder to respond by a specified date/period (**i.e. Seven days**). If the bidder does not comply or respond by the date/period (**i.e. within Seven days**), his tender will be liable to be rejected.

Depending on the outcome, such bids are to be ignored or considered further. No post-bid clarification at the initiative of the bidder shall be entertained.

Note: While submitting the Clarification/Shortfall Document any technical difficulty occurs on GeM portal, then the bidder can submit the Clarification / Shortfall Document through e-mail (e-mail id: purchase.isp@spmCIL.com).

f) The Procuring Entity reserves its right to, but without any obligation to do so, seek any shortfall information/ documents only in case of historical documents that pre-existed at the time of the Bid Opening, and which have not undergone change since then and does not grant any undue advantage to any bidder. As far as the submission of documents is concerned regarding qualification criteria, after submission of the bid, only related shortfall documents shall be asked for and considered.

For Example, if the bidder has submitted a supply order without its completion/performance certificate, the certificate will be asked for and considered. However, no new supply order shall be asked for to qualify the

bidder.

g) Representation against the Technically Rejected Bidders in GeM:

With respect to the representation window for rejected bidders, any clarification/s hortfall document submitted in the representation window will not be accepted. Only a representation about the wrong evaluation done will be considered.

Please refer the below mentioned links for GCC and GIT

<https://spmCIL.com/uploaddocument/GIT3.0.pdf>

<https://spmCIL.com/uploaddocument/GCC3.0.pdf>

.

3. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)
payable at
NASHIK

.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C

INDIA SECURITY PRESS (A UNIT OF SPMCIL)

. The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)
payable at
NASHIK

.

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

7. **Forms of EMD and PBG**

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

India Security Press, Nashik (Unit of SPMCIL)
Account No.
201003551135
IFSC Code
INDB0001451
Bank Name

INDUSIND BANK

Branch address

Ashoka Marg, Ground Floor shop No. 5 Aryan Plaza, Ashoka Marg, NASHIK (MAHARASHTRA)

. Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

8. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)

payable at

NASHIK

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

9. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

INDIA SECURITY PRESS (A UNIT OF SPMCIL)

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

10. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

India Security Press, Nashik (Unit of SPMCIL)

Account No.

201003551135

IFSC Code

INDB0001451

Bank Name

INDUSIND BANK

Branch address

Ashoka Marg, Ground Floor shop No. 5 Aryan Plaza, Ashoka Marg, NASHIK (MAHARASHTRA)

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such

Custom / BOQ item is bunched with the major regular product Category Item).

2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---