



India Security Press,
(A UNIT OF SECURITY PRINTING & MINTING CORPORATION OF INDIA LTD.)WHOLLY OWNED BY GOVERNMENT OF INDIA
Nashik Road-422101 (Maharashtra)
(ISO-9001:2008 & 14001:2004 Certified Company)
Miniratna Category-I, CPSE
Tel.No:+91-253-2-402200;Fax No:+91-253-2462718,2466389
e-mail: purchase.isp@spmcl.com Web:<http://ispnasik.spmcl.com>
CIN: U22213DL2006GOI144763 GSTIN: 27AAJCS6111J2Z7

PR Number	PR Date	Indenter	Department
11013270	30.07.2026	MNT-CIV	MNT-CIV

Not Transferable

Security Classification: Non-Security

TENDER DOCUMENT FOR: Repair & replacement underground defective sewer drain line network in ISP & Nehru Nagar Estate.

Tender Number: SPMCL/ISP/PPP-ET/6000019809

PPP ID: 2026_SPMCI_291756_1

This Tender Document Contains _____Pages.

Details of Contact person in SPMCL regarding this tender:

Name: Arindam Biswas,

Designation: Joint General Manager (TO)-Purchase

Address: ISPN (India Security Press, Nashik) India

Disclaimer

The information contained in this Bid Document or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of the Security Printing and Minting Corporation Limited (hereafter referred as the "Purchaser") or any of its employees or associated agencies, is provided to Bidder(s) on the terms and conditions set out in this Bid Document and such other terms and conditions subject to which such information is provided.

This Bid Document is not an agreement and is neither an offer nor invitation by the Purchaser to the prospective Bidder(s) or any other party hereunder. The purpose of this Bid Document is to provide the Bidder(s) with information to assist them in the formulation of their proposal submission. This Bid document does not purport to contain all the information Bidder(s) may require. This Bid document may not be appropriate for all bidders, and it is not possible for the Purchaser to consider particular needs of each Bidder. Each Bidder should conduct its own investigation and analysis, and should check the accuracy, reliability, and completeness of the information in this document and obtain independent advice from appropriate sources.

Information provided in this Bid Document to the Bidder(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Purchaser, its employees and other associated agencies accept no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein.

This Bid document and ensuing bids; communications and Contracts would alone determine the legal and commercial relationship between the bidders/ contractors and the Purchaser. No other Government or Purchaser's document/ guidelines/Manuals including its Procurement Manual (which are for internal and official use of its officers), have any locus standi in such a relationship. These documents/guidelines/Manuals therefore should not be cited or referred in any legal or dispute resolution or grievance redressal proceedings.

The Purchaser, its employees and other associated agencies make no representation or warranty and shall have no liability to any person, including any Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Bid Document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Bid Document and any assessment, assumption, statement or information contained therein or deemed to form part of this Bid Document or arising in any way for participation in this Bid Stage.

The Purchaser, its employees and other associated agencies also accept no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Bidder(s) upon the statements contained in this Bid Document.

The Purchaser may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this Bid Document.

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

The Bidder(s) shall bear all its costs associated with or relating to the preparation and submission of their Bids including but not limited to preparation, copying, postage, delivery fees, expenses associated with any submission of samples, demonstrations or presentations which may be required by the Purchaser or any other costs incurred in connection with or relating to their Bids. All such costs and expenses will remain with the Bidder(s) and the Purchaser shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Bidder(s) in preparation or submission of the Bid, regardless of the conduct or outcome of the Bidding Process.

This disclaimer forms an integral part of the Bid document and shall supplement but not supplant the provision of the Bid Document.

SECTION I: NOTICE INVITING TENDER (NIT)

INDIA SECURITY PRESS

(A Unit of Security Printing and Minting Corporation of India Limited)

Wholly owned by Government of India

Nashik Road – 422 101 (Maharashtra) Tel No 00 91 253 2402200, Fax No 00 91 253 2462718

Website: www.spmcil.com, email: purchase.isp@spmCIL.com

Tender Number: SPMCIL/ISP/CPP-ET/6000019809

1. Sealed tenders are invited from eligible and qualified tenderers for supply of the following

Schedule No.	Brief Description of Goods/ services	Quantity (with unit)	Earnest Money (in Rs.)	Remarks
1	Repair & replacement underground defective sewer drain line network in ISP & Nehru Nagar Estate.	1 AU	Rs. 2,26,523/- (Rupees Two Lakh Twenty Six Thousand Five Hundred Twenty Three Only).	Delivery Schedule As per section VI: List of Requirement and detailed Technical Specification mentioned in Section VII.
Type of Tender (Two Bid/ PQB/ EOI/ RC/ Development/ Indigenization/ Disposal of Scrap/ Security Item etc.)			Two Bid, Single stage (two packets), NCB (National Competitive Bidding)	
Security Classification			Non-Security	
Authority in whose favour all tender related financial instruments (FD, DD, Banker's cheque etc) are to be made			India Security Press, Nashik Road, Unit of SPMCIL	
All Financial Instruments to be payable at:			Payable at Nashik	
Estimated cost			Rs. 1,13,26,136.37/-	
Dates and place of issue of tender documents:			From 22.09.2026 to 24.10.2026 on e-tendering website https://etenders.gov.in/eprocure/app Tender document can only be obtained after registration of tenderer on the website https://etenders.gov.in/eprocure/app	
Date of pre-bid conference			29.09.2026 up to 11:00 Hrs	
Closing date and time for receipt of tenders			24.10.2026 up to 15.00 Hrs	
Place of receipt of tenders			On e-tendering website https://etenders.gov.in/eprocure/app through online mode only duly verified by authorized DSC of vendor.	
Time and date of opening of tenders for Technical Bid. <i>Place, Time, and date of Opening of Price bid would be intimated later on</i>			15:00 Hours on 26.10.2026	
Place of opening of tenders			On e-tendering website https://etenders.gov.in/eprocure/app through online mode only	
Security Classification			Non-Security	

2. Information and instructions for bidders:

The Bidder shall go through the tender document carefully and shall comply with each clause of all the sections of the tender documents.

Prospective Tenderers are advised to go through <https://etenders.gov.in/eprocure/app> and get themselves aware for e-tendering participation requirements.

REGISTRATION:

- a) Bidders are required to register on the e-tendering portal of CPPP (<https://etenders.gov.in/eprocure/app>).
- b) Upon registration, Vendors/Suppliers must have valid Class-III Digital Signature both Signing & Encryption type Certificate to participate in tenders. DSC can be procured from any of the Licensed Certifying Authorities by Controller of Certifying Authorities, details available at www.cca.gov.in.

3. Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) No. P-45021/2/2017-PP (BE-II)-Part (4) Vol. II July 2024 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.

4. Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/ revised).

5. Interested tenderers may obtain further information about this requirement from the above office selling the documents. They may also visit our website mentioned above for further details.

6. Tenderers shall strictly ensure that their tenders, duly stamped and signed and authorized by DSC, complete in all respects as per instructions contained in the Tender Documents, will be submitted only through online mode on <https://etenders.gov.in/eprocure/app> on or before the closing date and time indicated in the Para 1 above, failing which the tenders will not be accepted. Bidders must upload their bids along with scanned copies as required enclosures (*including proofs of cost of Tender Documents and EMD as applicable - unless an online payment gateway is provided in the instruction*) as per instructions given in this regard.

Original copies of such scanned uploaded required enclosures (*including proofs of cost of Tender Documents and EMD as applicable - unless an online payment gateway is provided in the instruction*) must reach in physical form within the date and place as provided in such instructions, otherwise their uploaded bid, would be declared as unresponsive.

7. In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.

8. The tender documents are not transferable.

9. The bidder, their affiliates, or subsidiaries – including subcontractors or suppliers for any part of the contract – should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).

10. The Chief General Manager, ISP Nashik reserves the right to accept / reject / cancel any or all tender document without assigning any reason thereof. Chief General Manager, ISP Nashik also reserves the right to accept the tender in whole or in part. Incomplete documents, not submitted in accordance with the directions issued, will be liable for rejection.



Joint General Manager (TO)-Purchase
India Security Press, Nashik Road-422101
Phone No 0253 2402435
For and on behalf of
Chief General Manager,
India Security Press, Nashik Road



Section II: General Instructions to Tenderer (GIT)

PART I & II: GENERAL INSTRUCTIONS Applicable to all Types of Tenders:

Please refer the link to <https://spmci.com/uploaddocument/GIT3.0.pdf> for further details.

GIT (Total pages: 36)

BIDDERS ARE REQUESTED TO DOWNLOAD 36 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DOCUMENT.

SECTION III: SPECIAL INSTRUCTIONS TO TENDERERS (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail. (Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

Sl. No.	GIT Clause No.	Topic	Modify/ Substitute/ Supplement	SIT Provision
1	3	Eligible Tenderers		As Applicable
2	3.4	Eligible Goods and Services (Origin of Goods)		As Applicable
3	6.1	The tender documents includes:	Modify	SIT 1 (Mentioned below)
4	8	Pre-bid Conference		SIT 2 (Mentioned below)
5	9	Time Limit for receiving request for clarification of Tender Documents	Modify	A tenderer requiring any clarification or elucidation on any issue of the tender document may take up the same with ISP Nashik in writing or by fax/ e-mail/ post. ISP Nashik will respond in writing to such request provided the same is received by ISP Nashik not later than 7 days prior to the prescribed date of submission of tender.
5	10.1	The Technical bid to be submitted by Tenderer shall contain the following documents, duly filled in, as required		As Applicable
6	11.2	Tender Currency	Modify	The tenderer shall quote only in Indian rupees
7	12.1	Tender Prices		As Applicable
8	12.2, 33, 36.1	Schedule wise evaluation		Not Applicable
9	12.6	GST details		As Applicable
10	14	PVC Clause & Formula	Modify	Prices quoted by the tenderer shall remain firm and fixed during the currency of the contract and not subject to variation on any account
11	14.4 to 14.7	Exchange Rate Variation (ERV)		Not Applicable
12	16.2 a) to c)	Documents Establishing Tenderer's Eligibility and Qualifications	Modify	As per Section IX: Qualification / Eligibility Criteria
13	18.4, 18.5	Earnest Money Deposit (EMD)	Modify	SIT 3 (Mentioned below)
14	19	Tender Validity	Modify	SIT-4 (Mentioned below)
15	20.4	Number of Copies of Tenders to be submitted	Modify	Tenderer shall submit their tender in "Original" only.

Sl. No.	GIT Clause No.	Topic	Modify/ Substitute/ Supplement	SIT Provision
16	20.8	Two Bid System	Modify	SIT 5 (Mentioned below)
17	20.9	E-Procurement		Applicable
18	34 and 35.1	Comparison on CIF Destination Basis		Not Applicable
19	35.2 to 35.6	Additional Factors for Evaluation of Offers and Preferential schemes		As Applicable
20	43	Parallel Contract		Not Applicable
21	44.1	Serious Misdemeanours		As Applicable
22	44.3	Integrity Pact		Not Applicable
23	45.1	Notification of Award		As Applicable
24	50	Applicability of additional GIT for rate contracts		Not Applicable
25	51	Applicability of additional GIT for PQB Tenders		Not Applicable
26	52	Applicability of additional GIT for Tender involving Samples		Not Applicable
27	53	Applicability of additional GIT for EOI Tenders		Not Applicable
28	54	Applicability of additional GIT for Tenders for disposal of Scrap		Not Applicable
29	55	Applicability of additional GIT for Development/Indigenization Tenders		Not Applicable
30		Evaluation of Tender		SIT 6 (Mentioned below)
31		Clarification of Tender/Shortfall Documents		SIT 7 (Mentioned below)

SIT 1:- The tender documents includes:-

- Section I - Notice Inviting Tender (NIT)
- Section II - General Instructions to Tenderers (GIT)
- Section III - Special Instructions to Tenderers (SIT)
- Section IV -General Conditions of Contract (GCC)
- Section V - Special Conditions of Contract (SCC)
- Section VI - List of Requirements
- Section VII - Technical Specifications
- Section VIII - Quality Control Requirements
- Section IX – Qualification/ Eligibility Criteria
- Section X - Tender Form
- Section XII – Vendor Details
- Section XV - Bank Guarantee Form for Performance Security
- Section XVI - Contract Form
- Section XVII: Letter of Authority for attending a Bid Opening
- Section XVIII: Proforma of Bills for Payments
- Section XIX: NEFT Mandate

SIT 2: Pre-bid Conference: Bidders are requested to attend a pre-bid conference for clarification on technical specifications and commercial conditions of the Tenders on **29.09.2026** on 11:00 hrs at India Security Press Nashik 422101. Participation is not mandatory, however, in case a bidder chooses not to

participate (or fails to do so) in the pre-bid conference, it would be assumed that they have no issues regarding the Technical/ commercial specifications/ conditions.

SIT 3: Earnest Money Deposit (EMD): The required EMD, as mentioned in Section VI, List of requirements submitted along with the tender in techno-commercial offer. The EMD shall be valid for a period of 45 days beyond Bid Validity i.e. $120+45 = 165$ days. Any short validity, the tender shall be treated as unresponsive. The EMD should be in the Indian Rupees only.

EMD must be submitted along with the tender in form of **Demand Draft/Pay Order / Bankers cheque drawn from any Scheduled Commercial Bank in India** only in favor of India Security Press, Unit of SPMCIL payable at Nashik. Tenderers must upload scanned copies of above document along-with their bids **as proofs of EMD submission**. However, for the purpose of realization, the bidder shall send the demand draft/bankers cheque/pay order **in original** to Mr. Arindam Biswas, Joint General Manager (TO)-Purchase department, India Security Press, Nashik Road, Nashik-422101 through Post or by hand **so as to reach within 5 days time of opening**.

The EMD amount may also be transferred directly through Online Payment on the Bank details of ISP mentioned below:

Beneficiary name- India Security Press, Nashik (Unit of SPMCIL)

Account No.201003551135

IFSC Code- INDB0001451

Bank Name- IndusInd Bank

Branch address- Ashoka Marg, Ground Floor shop No. 5 Aryan Plaza, Ashoka Marg, NASHIK

In case of online transfer, the details of the transaction must be compulsorily submitted on purchase.isp@spmCIL.com.

Only the firm who are registered under Startups may be exempted from submitting the EMD on producing valid certificate, being a works tender. Otherwise, certificate will not be considered for exemption of EMD.

SIT 4: Tender Validity

4.1. The tenders shall remain valid for acceptance for a period of 120 days after the date of tender opening prescribed in the tender document. Any tender valid for a shorter period shall be treated as unresponsive and rejected.

4.2 In exceptional cases, the tenderers may be requested by SPMCIL to extend the validity of their tenders upto a specified period. Such request(s) and responses thereto shall be conveyed by surface mail or by fax/email/ telex/ cable followed by surface mail. The tenderers, who agree to extend the tender validity, are to extend the same without any change or modification of their original tender and they are also to extend the validity period of the EMD accordingly.

4.3 In case the day upto which the tenders are to remain valid falls on/ subsequently declared a holiday or closed day for SPMCIL, the tender validity shall automatically be extended upto the next working day.

4.4 Compliance with the Clauses of this Tender Document: Tenderer must comply with all the clauses of this Tender Document. In case there are any deviations, these should be listed in a chart form without any ambiguity along with justification.

SIT 5: Two Bid System: E-Tender will consist of Two Bid system i.e. **Technical Bid and Financial/ Price Bid. Technical bid and the Price Bid** are to be submitted through e-tendering portal only on or before the due date of submission of tenders. The tenderer shall quote their prices (**Price bid**) strictly as per the price parameters given in e-tendering portal only.

Earnest Money Deposit (EMD) in original (in case of Demand Draft/Pay Order / Bankers cheque) shall be sent to the designated officer Mr. Arindam Biswas, Joint General Manager (TO)-Purchase department, India Security Press, Nashik Road, Nashik-422101 through post or by hand so as to reach within 5 days' time of tender opening.

SIT 6 -Evaluation of the offers: The evaluation of the offers will be total value wise. The bidder shall compulsorily quote the rate for all the items mentioned in the BOQ sheet including contingencies. In case firm does not quote the contingencies, the rate for Contingencies will be added in the total price quoted by the firm with the rate @ 3% of the total quoted cost by the firm.

SIT 7: Clarification of Tender/Shortfall Documents:

During the evaluation and comparison of offers, the purchaser may, at his discretion, ask the bidder for clarifications on the tender. The request for clarification shall be sought only once through mail, asking the bidder to respond by a specified date/period (i.e. Seven days). If the bidder does not comply or respond by the date/period (i.e. within Seven days), his tender will be liable to be rejected.

Depending on the outcome, such tenders are to be ignored or considered further. No post-bid clarification at the initiative of the bidder shall be entertained.

Note: The bidder can submit the Clarification / Shortfall Document through e-mail (e-mail id: purchase.isp@spmcl.com).

The Procuring Entity reserves its right to, but without any obligation to do so, seek any shortfall information/ documents only in case of historical documents that pre-existed at the time of the Bid Opening, and which have not undergone change since then and does not grant any undue advantage to any bidder. As far as the submission of documents is concerned regarding qualification criteria, after submission of the bid, only related shortfall documents shall be asked for and considered.

For example, if the bidder has submitted a supply order without its completion/performance certificate, the certificate will be asked for and considered. However, no new supply order shall be asked for to qualify the bidder.



SECTION IV: GENERAL CONDITION OF CONTRACT (GCC)

Please refer the below link for further details:

<https://spmcl.com/uploaddocument/GCC3.0.pdf> GCC (Total pages: 25)

BIDDERS ARE REQUESTED TO DOWNLOAD 25 PAGES BY CLICKING THE ABOVE SAID LINK AND SUBMIT THE SAME DULY STAMPED AND SIGNED ALONG WITH TENDER DCOUMENT.

SECTION V: SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

S. No.	GCC Clause No.	Topic	Modify/ Substitute/ Supplement	SCC Provision
1	1.2	Abbreviations:		As Applicable
2	6.1, 6.3 & 6.5	Performance Bond/ Security	Modify	SCC 1 (Mentioned below)
3	8.2	Packing and Marking		As Applicable
4	9	Inspection and Quality Control		As Applicable
5	11.2	Transportation of Domestic Goods	Modify	SCC 2 (Mentioned below)
6	12	Insurance	Modify	SCC 3 (Mentioned below)
7	14.1	Incidental Services		As Applicable
8	15	Distribution of Despatch Documents for clearance/ Receipt of Goods		As Applicable
9	16.2, 16.4	Warrantee Clause	Modify	SCC 4 (Mentioned Below)
10	19.3	Option Clause		Not Applicable
11	20.1	Price Adjustment Clause		Not Applicable
12	21	Taxes and Duties	Modify	SCC 5 (Mentioned Below)
13	22	Terms and Mode of payments	Modify	SCC 6 (Mentioned Below)
14	24.1	Quantum of LD	Modify	SCC 7 (Mentioned Below)
15	25.1	Bank Guarantee and Insurance for Material Loaned to Contractor		Not Applicable
16	33.1	Resolution of Disputes		As applicable
17	36.3.2, 36.3.9	Disposal/ Sale of Scrap by Tender		Not Applicable

SCC 1: Performance Bond/ Security: The successful bidder has to submit Performance Bond/ Security equivalent to 3% of the order(s) value, valid for a period of 60 days beyond the completion of all contractual obligations, within 21 days from the date of issue of Letter of Intent.

The Performance security shall be denominated in Indian Rupees in one of the following forms:

a) Account Payee Demand Draft or Fixed Deposit Receipt drawn on any commercial bank in India, in favour of India Security Press, Unit SPMCIL.

b) Bank Guarantee issued by a commercial bank in India, in the prescribed form as provided in section XV of this document.

SCC 2: Transportation of Domestic Goods: The transportation of goods to be procured will be done by the supplier on FOR ISP Basis. The total cost of the transportation should be indicated in the price bid of the item to be procured.

SCC 3: Insurance: Specific Insurance cover for each consignment /supply is to be given by the firm, as applicable.

SCC 4: Warranty Clause: 12 months after completion of the work. Any defects if arises during this period needs to be attended by the contractor at its own cost.

SCC 5: Taxes and Duties: If the tenderer fails to include taxes and duties as per law of the land in the tender, no claim thereof will be considered by purchaser at a later stage.

SCC 6: Terms and Mode of Payment:

a. For works with a completion period exceeding one month, payments may be made on a monthly basis against the measured work, based on the statement of the executed work submitted by the contractor indicating the amount of payment they consider themselves entitled to.

b. Such a statement submitted by the contractor should be commensurate with the quantum of actual work done and should be duly certified by the concerned authority of SPMCIL after verifying the quantity of work completed, reconciling field measurements and reviewing claims of extra work, if any.

c. Ad-hoc payments amounting to 75% of the eligible running account bill/due stage payment shall be made to the contractor within 10 working days of the submission of the bill. The bill shall be prima facie scrutinized and certified for ad-hoc payment of 75% by concerned authority of SPMCIL in total six working days and four working days by Finance Department. The remaining payment is also to be made after final checking of the bill, maximum within 30 days of submission of bill by the contractor.

d. Balance payment shall be done within 30 days of submission of the final bill by the contractor; all the approvals pertaining to deviation/substituted items/extension of delivery period (if any), etc. shall be duly completed within this duration.

SCC 7: Quantum of LD: Subject to GCC clause 28, if the supplier fails to deliver any or all of the goods or fails to perform the services within the time frame(s) incorporated in the contract, SPMCIL shall, without prejudice to other rights and remedies available to SPMCIL under the contract, deduct from the contract price, as liquidated damages, a sum equivalent to the $\frac{1}{2}\%$ percent (or any other percentage if prescribed in the SCC) of the delivered price of the delayed goods and/ or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% (or any other percentage if prescribed in the SCC) of the delayed goods' or services' contract price(s). During the above-mentioned delayed period of supply and / or performance, the conditions incorporated under GCC sub-clause 23.4 above shall also apply. In all such cases GST would also be applicable on LD.

Section VI: List of Requirements

Sch No.	Brief Description of Goods/ services	Quantity (with unit)	Earnest Money (in Rs)
1	Repair & replacement underground defective sewer drain line network in ISP & Nehru Nagar Estate.	1 AU	Rs. 2,26,523/- (Rupees Two Lakh Twenty Six Thousand Five Hundred Twenty Three Only).

(a)	Required Delivery Schedule	:	Stipulated time of completion of the work is 08 months.
(b)	Required Terms of Delivery	:	On FOR ISP Basis.
(c)	Destination	:	India Security Press, Nashik Road-422101 Maharashtra, India
(d)	Preferred mode of transportation	:	By Road (FOR)

1. All the copies of tenders shall be complete in all respects with all their attachments/ enclosures duly numbered and signed on each and every page.

2. The total cost should be inclusive of all elements as cited above on FOR India Security Press, Nashik Road (Maharashtra), India, basis.

3. The Bidder has to submit documents as per the following Check list along with the Technical bid Documents (Technical Cover):

Sr. No.	Description	Submitted/ Not Submitted
1)	EMD (Earnest Money Deposit)	
2)	Documentary evidence towards Experience and past performance as per clause 1(i) of section IX.	
3)	Documentary evidence towards Capability, equipment and manufacturing facilities as per clause 1(ii) of section IX.	
4)	Documentary evidence towards Financial Standing as per clause 1(iii) of section IX.	
5)	Undertaking as per clause 3 under section IX	
6)	Copy of PAN and GST registration certificate.	
7)	Power of Attorney/ Authorization with the seal of company indicating that authorized signatory is competent and legally authorized to submit the tender and/ or to enter into legally binding contract.	
8)	Adherence to the Delivery Schedule as per Section VI on Bidder's Letter Head.	
9)	Adherence to the Technical Specification as per Section VII: Technical Specifications on Bidder's Letter Head	
10)	Adherence to the Quality Control Requirements as per Section VIII on Bidder's Letter Head.	
11)	Tender Form: As per Section X	

Sr. No.	Description	Submitted/ Not Submitted
12)	Vendor Details: As per Section XII.	
13)	NEFT Mandate as per section XIX	
14)	All pages of the tender documents (including GIT, GCC, SIT, SCC, List of requirements, Technical specification, quality requirements, etc.) duly signed and stamped by the Authorized signatory of the bidder.	

Note: The Bidder has to submit Prices in Price bid (Price Cover) as per price parameters given in BOQ of e-tendering portal. (PDF Format named BOQ financial bid). The bidders shall strictly quote the prices against the tender in the price cover only, failing which the offer of the firm will be rejected.

Deviation/ extra/ substitute items:

The deviation/extra/substituted items shall be utilized exclusively within the scope of the particular work. Further, the expenditure on all works covered under sanction (after sanction of deviation/extra/substituted items) should not exceed 110% of the estimated cost of tender or 125% of the contract value against the tender, whichever is lower.

SECTION VII: TECHNICAL SPECIFICATIONS

Subject: Repair & replacement underground defective sewer drain line network in ISP & Nehru Nagar Estate.

For detailed schedule of the work (BOQ), kindly refer attached Annexure-A.

Scope of the work: Following indicative scope of work is considered.

- Cleaning of unwanted vegetation, bushes for cleaning the site.
- Demolition of old underground sewer drain line and drain chambers.
- As per site condition and site requirement Provision of construction of manhole chambers.
- Replacing existing defective underground sewer drain line of requisite diameter as per site condition.
- Provision of demolishing obstructing M.S. Structure, M.S. sheds and after work restoring the same to its original condition.
- Provision of demolishing obstructing concrete, RCC floors as per site condition.
- Provision of replacing defective down take pipes of Kitchen, Bath room, Toilets and rain water pipe, its fittings with necessary civil repair work.
- Provision of demolition of existing corrugated cement sheet roofing and providing & fixing profile sheet, ridge to surrounds M.S. structures.
- Provision of cleaning existing Manhole chambers and underground sewer drain line.
- Provision of Providing & laying SW or NP2 pipe for underground sewer drain line with provision of repairs to drain pipe connection to existing manhole chamber& storm water drain etc. as per site condition.
- Provision of demolition of exiting RCC work and Provision of New RCC work with required cantering shuttering work to meet the site requirement.
- Provision of repairs to existing sewer drain line chamber like plastering, raising its height, fixing of chamber cover over it.
- Provision of removing & re fixing of CC paver block as per site requirement.
- Provision of Providing and laying cement concrete as per site condition
- Provision of Earth work, cutting road, as per site condition.
- Provision of disposal of building rubbish generated during course of work and cleaning the site.

Terms & Conditions:-

- 1) The contractor are strongly advised to visit the site before participating in the bidding process to acquainted itself with the security procedures of India Security Press and with the nature of the site, ground, accessibility of the site and full extent and nature of all operations necessary for the full and proper execution of the contract, space for storage of materials, constructional plant, temporary works, restrictions on the plying of heavy vehicles in area, supply and use of labour, materials, plant, equipment and laws, rules and regulations, if any, imposed by the local authorities. Material, Tools, tackles & plants etc. required for the work shall be arranged by the firm.
- 2) ISP is a security sensitive installation hence the use of any electronic gadgets/items (such as mobile phones etc.) is completely prohibited. No permission will be granted for the same.
- 3) Stipulated time of completion of the work is 08 months.

- 4) Testing of Materials (such as concrete, steel etc. as applicable shall be done as per the IS standards through NABL certified/Govt engineering college laboratory and cost of the testing shall be borne by the firm/contractor. Report to be submitted to ISP during work.
- 5) Construction material to be used in the work (such as cement etc. as applicable) shall be ISI marked.
- 6) The firm shall abide by the safety & security norms of the organization.
- 7) Child labour will not be allowed.
- 8) During the works, the quality and workmanship of the work will be paramount. If any defect is observed in relation to the executed item of the work, The same will be conveyed to the firm by ISP in writing and entire work will be required to be re-done by the firm without any additional cost.
- 9) Firm has to arrange its own water required for the said work & electricity will be on chargeable basis as per prevailing norms of Electric department of ISP, all electrical items such as wiring, sub meter have to arrange by the firm.
- 10) **Provision of Contingency:** *A provision of contingency (3 % of the project value) is made for any unforeseen item which is not considered in preliminary estimate (BOQ/Schedule of work), But it may be required during the execution phase as a new requirement.*
 - *The basis of costing and exercising of the contingency item may be considered as below:*
 - *The costing of contingency item may ONLY be done by taking the approved rates of that item from CPWD DSR-2023 as reference, and rate for contingency item so available in DSR will be factored by the percentage by which ISP's tender is lower/below, in totality.*
 - *A brief example may be considered for explanation as below : let's assume item X is used in contingency during the work and rate for this item in CPWD DSR 2023 is INR 100/- per unit and our tender for this particular work was -20% (20% below than estimated cost) then the rate for this contingency item will be factored as $INR\ 100/- \times 0.8$ (i.e. -20%) = INR 80/- per unit.*
 - *Further, In BOQ, firm have to quote contingencies separately. If firm fails or not quote contingencies separately then contingencies percentage as decided by ISP will be added automatically to calculate final value of firm's BOQ.*
- 11) Firm /contractor shall provide all PPEs and safety gears to all its workmen and fully responsible for the safety and wellbeing of its staff. If any accidents / injury / casualty happens, the sole responsibility will be of the firm and contractor is liable for the compensation of all kind of damages to its workmen or to their legal heirs. No compensation will be borne by ISP under any circumstances.
- 12) If any damage is done to ISP property by the agency, same needs to repair/rectify by the agency immediately at its own cost.
- 13) ISP Being a security sensitive organization, entry and exit of the firms' representative/supervisor/workmen is governed by prevailing SOP. Accordingly, firm needs to mandatorily provide police verification certificate of all its representative / supervisor / workmen for getting the entry permissions.
- 14) The said scope of work with mentioned Bill of quantity as per attached Annexure-A is tentative and may be increased or decreased at the time of execution of work on the unit rate basis of the firm as submitted in its quotation/ offer.
- 15) Item Wise Price Breakup is to be submitted by the firm along with price bid.
- 16) Warranty clause: 12 months after completion of the work. Any defects if arises during this period needs to be attended by the contractor at its own cost.
- 17) Contractor shall be fully responsible for safekeeping of its material during the period of contract. A temporary shed for storage of material in the estate area (near the construction site) may be permitted by ISP on request of the contractor. Contractor however fully responsible for making arrangements for temporary construction at its own cost and risk, must remove temporary shed after completion of work.

18) The contractor are strongly advised to visit the site before participating in the bidding process to acquainted itself with the security procedures of India Security Press and with the nature of the site, ground, accessibility of the site and full extent and nature of all operations necessary for the full and proper execution of the contract, space for storage of materials, constructional plant, temporary works, restrictions on the plying of heavy vehicles in area, supply and use of labour, materials, plant, equipment and laws, rules and regulations, if any, imposed by the local authorities.

19) Payment Terms:

a. For works with a completion period exceeding one month, payments may be made on a monthly basis against the measured work, based on the statement of the executed work submitted by the contractor indicating the amount of payment they consider themselves entitled to.

b. Such a statement submitted by the contractor should be commensurate with the quantum of actual work done and should be duly certified by the concerned authority of SPMCIL after verifying the quantity of work completed, reconciling field measurements and reviewing claims of extra work, if any.

c. Ad-hoc payments amounting to 75% of the eligible running account bill/due stage payment shall be made to the contractor within 10 working days of the submission of the bill. The bill shall be prima facie scrutinized and certified for ad-hoc payment of 75% by concerned authority of SPMCIL in total six working days and four working days by Finance Department. The remaining payment is also to be made after final checking of the bill, maximum within 30 days of submission of bill by the contractor.

d. Balance payment shall be done within 30 days of submission of the final bill by the contractor; all the approvals pertaining to deviation/substituted items/extension of delivery period (if any), etc. shall be duly completed within this duration.

20) The rates and prices to be tendered in the schedule of work (BOQ) are for completed and finished items of works and complete in all respects. It will be deemed to include all constructional plant, labour, supervision, materials, transport, all temporary works, erection, maintenance, contractor's profit and establishment/overheads, together with preparation of designs & drawings pertaining to casting yard, shop drawing, fabrication drawing (if required), staging form work, stacking yard, etc. all general risk, all taxes, royalty, duties, cess, octroi and other levies, insurance liabilities and obligations set out or implied in the tender documents and contract.

21) The contractor shall ensure that the working site is kept clean and free of obstructions for easy access to job site and also from safety point of view. Before handing over the work to the ISP the contractor shall remove all temporary structures like the site offices, cement go-down, stores, labour hutments etc. scaffolding rubbish, debris etc. left over materials tools and plants, equipment etc., clean the site to the entire satisfaction of the Engineer-in-charge.

22) From the commencement to the completion of works and handing over, the contractor shall take full responsibility for care thereof all the works, should cover Machines, panelles, goods, furniture, floors, side cabins etc with trampoline sheet to prevent the site from spillage and paint marks. The site that gets dirty during the work shall have to be cleaned by the contractor on the same day without any additional cost. Further, in case of any damage/loss to the works or to any part thereof or to any temporary works due to lack of precautions or due to negligence on part of Contractor, the same shall be made good by the Contractor at its own cost.

23) The contractor shall have no claim whatsoever for compensation or idle charges against ISP on any ground or for any reason, whatsoever.

24) Working hours: - 08 am to 05 pm (Including lunch hour). Time may vary as per the requirement of the ISP.

25) Firm shall have to keep accidental insurance cover to all its deputed workmen and the copy of the same shall be submitted by the firm to ISP.

26) In case of any dispute arises/clarification required pertaining to the execution of the work, decision of ISP is final and Binding in nature.

27) All works shall comply with latest CPWD specifications, Manual for Procurement of Works, Second Edition, 2025 of Department of Expenditure (Ministry of Finance), Government of India and Relevant IS codes are to be followed

ANNEXURE-A			
Sub.-:- Repair & replacement underground defective sewer drain line network in ISP & Nehru Nagar Estate.			
S.No.	Description	Unit	Qty
1	EARTH WORK		
1.1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.		
		CUM	465.00
1.2	Excavation work by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5m in width or 10 sqm on plan) including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soils as directed, within a lead of 50m. Ordinary rock		
		CUM	225.00
1.3	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth up to 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m : All kinds of soil ,Pipes ,cables etc exceeding 80 mm dia .but not exceeding 300 mm dia.		
		Meter	255.00
1.4	Extra for excavating trenches for pipes, cables etc. in ordinary / hard rock exceeding 1.5m in depth but not exceeding 3m.(Rate is over corresponding basic item for depth upto 1.5 metre). Ordinary rock		
		Meter	80.00
1.5	Extra for excavating trenches for pipes, cables etc. in ordinary / hard rock exceeding 3m in depth, but not exceeding 4.5m.(Rate is over corresponding basic item for depth upto 1.5 metre). Ordinary rock .Pipes, cables etc., exceeding 300 mm dia but not exceeding 600 mm dia.		
		Meter	25.00
1.6	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift up to 1.5 m.		
		CUM	725.00
1.7	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m,All kinds of soil		
		SQM	2000.00
2	CONCRETE WORK		
2.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :		
2.1.1	1:1½:3 (1 Cement: 1½ coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).		
		CUM	15.00
2.1.2	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 40 mm nominal size derived from natural sources)		
	TOTAL	CUM	125.00

2.1.3	1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)		
	TOTAL	CUM	165.00
2.2	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete.All works upto plinth level.Concrete of M25 grade with minimum cement content of 330 kg /cum		
	TOTAL	CUM	25.00
3	REINFORCED CEMENT CONCRETE		
3.1	Centering and shuttering including strutting, propping etc. and removal of form for,Foundations, footings, bases of columns, etc. for mass concrete		
	TOTAL	SQM	300.00
3.1.1	Suspended floors, roofs, landings, balconies and access platform		
		SQM	50.00
3.1.2	Lintels, beams, plinth beams, girders, bressumers and cantilevers		
	TOTAL	SQM	150.00
3.1.3	Columns, Pillars, Piers, Abutments, Posts and Struts		
	TOTAL	SQM	150.00
3.2	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth and above plinth level.Thermo-Mechanically Treated bars of grade Fe-500D or more.		
	TOTAL	Kg	3000.00
3.3	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge; for the following grades of concrete. All works above plinth level upto floor V level.Concrete of M25 grade with minimum cement content of 330 kg /cum		
		CUM	12.50
4	MASONRY WORK		
4.1	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :Cement mortar 1:4 (1 cement : 4 coarse sand).		
	TOTAL	CUM	55.00
5	STEEL WORK		
5.1	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete		
	Total	Kg	1500.00
5.1.1	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes.		

	Total	Kg	1500
6	ROOFING		
6.1	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.75 mm diameter		
	Total	Meter	130.00
6.1.1	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes:110 mm diameter		
	Total	Meter	190.00
6.2	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Coupler: 75 mm		
		Each	35.00
6.2.1	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion: Single pushfit Coupler: 110 mm		
	Total	Each	30.00
6.3	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion: Single tee without door: 75x75x75 mm		
	Total	Each	30.00
6.3.1	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion: Single tee without door:110x110x110 mm		
	Total	Each	30.00
6.4	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion: Bend 87.5°: 110 mm bend		
	Total	Each	30.00
6.5	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion: Shoe (Plain): 110 mm Shoe		
	Total	Each	30.00
6.6	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete: 75 mm		
	Total	Each	130.00
6.6.1	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete: 110 mm		
	Total	Each	140.00

6.7	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Single tee with door .		
6.7.1	75x75x75 mm		
	Total	Each	55.00
6.7.2	110x110x110 mm		
	Total	Each	50.00
7	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.		
		SQM	1750
7.1	Ridges plain (500 - 600mm)		
		RMT	50.00
8	FINISHING		
8.1	12 mm cement plaster of mix:1:4 (1 cement: 4 fine sand)		
	Total	SQM	750.00
8.2	Neat cement punning.		
	Total	SQM	750.00
8.3	15 mm cement plaster on rough side of single or half brick wall of mix:1:6 (1 cement: 6 coarse sand)		
	Total	SQM	150.00
9	Sub-Head : Repairs to Buildings		
9.1	Cleaning of choked sewer line by diesel running vehicle mounting hydraulic operated high pressure suction cum jetting sewer cleaning machine fitted with pump having 4000 litres suction capacity and 6000 litres water jetting tank capacity including skilled operator, supervising engineer etc. for cleaning and partial de-silting of manholes and de-chocking of sewer lines. De-chocking and flushing of sewer line from one manhole to another by high pressure jetting system of 2200 PSI for sewer line from 150mm dia upto 300mm dia for all depth.		
		Meter	3000.00
10	DISMANTLING AND DEMOLISHING		
10.1	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.		
	Total	KG	1150.00
10.2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in -charge.Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)		
	Total	CUM	100.00
10.3	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:Asbestos Cement sheet		
	Total	SQM	750.00

10.4	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-charge.		
	Total	CUM	50.00
10.5	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead : 75 to 80 mm dia pipe		
	Total	Meter	220.00
10.6	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead :100 mm dia pipe		
	Total	Meter	265.00
	Dismantling manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge : Bituminous road		
	Total	SQM	30.00
10.7	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.		
	Total	CUM	750.00
10.8	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of ngineer-in-charge.In cement mortar		
	Total	CUM	85.00
10.9	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.		
	Total	SQM	150.00
10.1	Laying old cement concrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer in-charge. (Old CC paver blocks shall be supplied by the department free of cost).		
		SQM	150.00
11	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors :		
11.1	100 mm inlet and 100 mm outlet		
11.1.1	Sand cast iron S&S as per IS: 3989.		
	Total	Each	35
12	DRAINAGE		
12.1	Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete : 100 mm diameter		
		Meter	50.00
12.2	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design : 100 mm diameter S.W. pipe		
		Meter	50.00
12.3	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design.		

12.3.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
	Total	No	1
12.4	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design:150 x 100 mm size P type. With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
	Total	each	35.00
12.5	Dismantling of old S.W. pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps :		
12.5.1	100 mm diameter		
	Total	Meter	175.00
12.5.2	150 mm diameter		
	Total	Meter	175.00
12.5.3	200 mm diameter		
	Total	Meter	135.00
12.5.4	300 mm diameter		
	Total	Meter	50.00
12.6	Providing and laying non-pressure NP2 class (light duty) R.C.C. pipes with collars jointed with stiff mixture of cement mortar in the proportion of 1:2 (1 cement : 2 fine sand) including testing of joints etc. complete :		
12.6.1	150 mm dia RCC pipe		
	Total	Meter	250.00
12.6.2	250mm dia RCC pipe		
	Total	Meter	335.00
12.6.3	300mm dia RCC pipe		
		Meter	200.00
12.7	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) :With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Each	17.00
12.8	Inside size 120x90 cm and 90 cm deep including C.I. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 1 16 kg (weight of cover 58 kg and weight of frame 58 kg)		
		Each	10.00
12.9	Extra for depth for manholes .Size 90x80 cm .With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Meter	6.00
12.10	Extra for depth for manholes ,Size 120x90 cm .With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Meter	7.00
13.00	Constructing brick masonry circular type manhole 0.91 m internal dia at bottom and 0.56m dia at top in cement mortar 1:4 (1 cement : 4 coarse sand), inside cement		

	plaster 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement, foundation concrete 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size), and making necessary channel in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement, all complete as per standard design : 0.91 m deep with S.F .R.C. cover and frame (heavy duty , HD-20 grade designation) 560 mm internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182 kg., fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including centering, shuttering all complete. (Excavation, foot rests and 12mm thick cement plaster at the external surface shall be paid for separately) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Each	21.00
13.1	Extra depth for circular type manhole 0.91 m internal dia (at bottom) beyond 0.91 m to 1.67 m		
		Meter	7.00
13.2	Constructing brick masonry circular manhole 1.22 m internal dia at bottom and 0.56 m dia at top in cement mortar 1:4 (1 cement : 4 coarse sand) inside cement plaster 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement foundation concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) and making necessary channel in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement, all complete as per standard design :1.68 m deep with SFRC Cover and frame (heavy duty HD-20 grade designation) 560 mm internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182 kg. fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including centering, shuttering all complete. (Excavation, foot rests and 12 mm thick cement plaster at the external surface shall be paid for separately) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Each	15.00
13.3	Extra depth for circular type manhole 1.22 m internal dia (at bottom) beyond 1.68 m to 2.29 m : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Meter	7.00
13.4	Constructing brick masonry circular manhole 1.52 m internal dia at bottom and 0.56 m dia at top in cement mortar 1:4 (1 cement : 4 coarse sand) inside cement plaster 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement, foundation concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) and making necessary channel in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement, all complete as per standard design : 2.30 m deep with SFRC Cover and frame (heavy duty HD-20 grade designation) 560 mm internal diameter conforming to I.S. 12592, total weight of cover and frame to be not less than 182 kg. fixed in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) including centering, shuttering all complete. (Excavation, foot rests and 12 mm thick cement plaster at the external surface shall be paid for separately) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Each	8.00
13.5	Extra depth for circular type manhole 1.52 m internal dia (at bottom) beyond 2.30 m : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		Meter	5.00
13.6	Providing M.S. foot rests including fixing in manholes with 20x20x10 cm cement concrete blocks 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) as per standard design : With 20 mm diameter round bar		
		No	190.00
13.7	Providing and fixing in position pre-cast R.C.C. manhole cover and frame of required shape and approved quality .L D - 2.5 .Rectangular shape 600x450 mm internal dimensions		

		Each	25.00
13.8	M D - 10 .Square shape 450 mm internal dimension		
		Each	15.00
13.9	Circular shape 500 mm internal diameter		
		Each	15.00
13.10	HD-20.Circular shape 560 mm internal diameter		
		Each	15.00
13.11	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :		
13.11.1	For pipes 100 to 250 mm diameter		
		No	23.00
13.11.2	For pipes 250 to 300 mm diameter		
		No	20.00
14	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :With common burnt clay F.P.S. (non modular) bricks of class designation 7.5		
		each	5.00
	Total with 18% GST (a)		
	Add 3% Contingency on a (b)		
	GRAND TOTAL (a+b)		

Note: Tenderer's attention is drawn to GIT clause 17 and GIT sub-clause 10.1.

The tenderer is to provide the required details, information, confirmations, etc accordingly, failing which it is tender is liable to be ignored. Prospective bidders shall comply with the feature specifications (including Warrantee Obligations) and submit a "Specification Compliance Certificate" with their Technical Bid.

SECTION VIII: QUALITY CONTROL REQUIREMENTS

The work executed/material supplied by the successful bidder will be accepted on all parameters as per specification as stated in Section-VII. The purchaser reserves the right to get the material supplied tested from in-house laboratory or any other laboratory of repute and in case the material is found not meeting the specification, the purchaser shall be entitled to cancel the contract, and if so desired, purchase or otherwise the purchase of the stores at the risk and cost of the contractor.

SECTION IX: QUALIFICATION/ ELIGIBILITY CRITERIA

(1) Minimum Eligibility Criteria:

(i) Experience and Past Performance: The bidder should have experience of having successfully completed similar works (Similar means- Related civil works) during last 7 years ending on '31.03.2026'

a. Three similar completed work each costing not less than the amount equal to Rs. 45,30,454.54/-

or

b. Two similar completed work each costing not less than the amount equal to Rs. 56,63,068.18/-

or

c. One similar completed work costing not less than the amount equal to Rs. 90,60,909.09/-

Note: Only Start-ups are exempted from Experience and Past Performance criteria, being a works tender. In case any bidder is seeking exemption from Experience and Past Performance criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

(ii) Capability, equipment and manufacturing facilities: -

a. The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government /PSU / Autonomous bodies.

Note: Firms capacity and capability may be verified (if necessary) by the ISP.

(iii) Financial Standing:

(i) Average annual financial turnover of the bidder during the last three years, ending on 31.03.2026, should be at least Rs. 45,30,454.54/- as per the annual report (audited balance sheet and profit & loss account of FY 2023-24, 2024-25 and 2025-26) of the relevant period duly authenticated by a Chartered Accountant/Cost Accountant in India.

ii) The net worth of the Bidder should not be negative on 31.03.2026 and also

iii) should not have eroded by more than 30% in the last three years, ending on 31.03.2026.

Note 1: To ascertain this criteria net worth of initial and last financial year should be compared.

Note 2: All the financial criteria shall be exempted for Start-ups (registered for the tendered item) only, being a works tender. In case any bidder is seeking exemption from financial criteria, the supporting documents to prove his eligibility for exemption must be submitted for evaluation.

Note 3: The criteria for Capability, Equipment and Manufacturing facilities shall be applicable to all the bidder firms including Startup Firms.

(2) Other Requirements:

(a) PAN: The Bidder should be registered with the Income tax. Relevant proof in support shall be submitted.

(b) Goods & Services Tax Registration: - The Bidder should be registered with the Goods & Services Tax Department. The bidder firm should submit GST Registration Certificate. Relevant proof in support shall be submitted.

(3) Undertaking(s) on firm's letter head:-

- (a) The firm should give undertaking that, *"We M/s _____ have not been black-listed/ debarred for dealing with any Govt. Organization / Public Sector Undertaking (PSU) / Reputed Organization in the past".*
- (b) That *"the information given in the documents are correct and the Bidder is awarded that in case any information provided is found to be false at a later stage, ISP reserves the right to reject/ disqualify the bidder at any stage of the tendering process without assigning any reason."*
- (c) The firm should give undertaking that, *"We agree to withdraw all the deviations, if any, unconditionally and accept all the terms and conditions of the tender document including the technical specifications".*

(4) Applicability in Special Cases:

For Existing successful Past Suppliers: In case the bidder who is a successful past supplier of 'The Work' in at least one of the recent past three procurements, who do not meet any or more of requirements above, would also be considered to be qualified in view of their proven credentials, for the maximum quantity supplied by him in such recent past. (This clause is not applicable for Security Items as notified by Government of India from time to time.)

Joint Ventures and Holding Companies: Credentials of the partners of Joint ventures cannot (repeat cannot) be clubbed for the purpose of compliance of PQC in supply of Goods/Equipment, and each partner must comply with all the PQC criteria independently However, for the purpose of qualifying the Financial Standing Criteria, the Financial Standing credentials of a Holding Company can be clubbed with only one of the fully owned subsidiary bidding company, with appropriate legal documents proving such ownership.

Section X: Tender Form

Date.....

To

.....

.....

.....

(complete address of SPMCIL)

Ref: Your Tender document No. dated

We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No. -----, dated ----- (if any), the receipt of which is hereby confirmed. We now offer to supply and deliver..... (description of goods and services) in conformity with your above referred document for the sum shown in the price schedule(s), attached herewith and made part of this tender.

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V – —Special Conditions of Contract||, for due performance of the contract.

We agree to keep our tender valid for acceptance for a period upto -----, as required in the GIT clause 19, read with modification, if any in Section-III – —Special Instructions to Tenderers|| or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We confirm that in case of downloaded Tender Document, we have not changed/edited its contents. We realize that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We also solemnly declare as under:

1. MSMEs Status:

Having read and understood the Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 (as amended and revised till date), and solemnly declare the following:

(a) Company /Partnership Firm /Proprietary Concern / Society/Trust / NGO/Others (Please Specify):.....

(b) Micro/ Small / Medium Enterprise/ SSI/ Govt. Deptt. / PSU/ Others:....

(c) Name of MSME Registering Body (NSIC/ DIC/ KVIC/KVIB etc.):.....

(d) MSME Registration no. (With copy of registration):.....

(e) Udyog Aadhaar Memorandum no.....

(f) Whether Proprietor/ Partner belongs to SC/ ST or Women category.

(Please specify names and percentage of shares held by SC/ST Partners):.....

2. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:

(a) Self-Certification for category of supplier:

- ☐ Class-I Local Supplier /
- ☐ Class-II Local Supplier /
- ☐ Non Local Supplier /

(b) We also declare that:

- ☐ There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or
- ☐ We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order.

3. Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017

Having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23rd July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:

- ☐ We do not belong to any Country whose bidders are notified as ineligible under this order

4. Debarment Status: Please state whether business dealings with you currently stand suspended/ banned by any Ministry/ Deptts. of Government of India or by any State Govt:

- ☐ Yes (with period of Ban)
- ☐ No, we, solemnly declare that neither we nor any of our affiliates or subsidiaries– including subcontractors or suppliers for any part of the contract – do not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations.

5. Penalties for false or misleading declarations: I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self- declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.

.....
(Signature with date)

.....
(Name and designation)

Duly authorized to sign tender for and on behalf of

.....
.....

Section XII: Vendor Details

The tenderer should furnish specific details mentioned below. In case a question/ issue does not apply to a tenderer, the same should be answered with the remark “not applicable”.

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

1. Vendor/ Contractor particulars:

- (a) Name of the Company:.....
- (b) Corporate Identity No. (CIN):
- (c) Registration if any with SPMCIL:
- (d) Complete Postal Address:
- (e) Pin code/ ZIP code:
- (f) Telephone nos. (with country/area codes):
- (g) Fax No.: (with country/area codes):
- (h) Cell phone Nos.: (with country/area codes):
- (i) Contact persons /Designation:
- (j) Email IDs:

2. Taxation Details:

- (a) PAN number:
- (b) Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.):
- (c) GSTIN number:
- (d) Registered Address as per GST registration and Place of Delivery for GST Purpose:
- (e) Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts):

☒ We solemnly declare that our GST rating on the GST portal / Govt. official website is NOT negative / blacklisted during the last three financial years.

.....
(Signature with date)

.....
.....

(Full name, designation & address of the person duly authorized sign on behalf of the tenderer)
For and on behalf of

.....
.....

(Name, address, and stamp of the tendering firm)

Section XV: Bank Guarantee Form for Performance Security

**PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND
(ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)**

Ref Date

Bank Guarantee No

To,

(Insert Name & Address of the Purchaser)

Dear Sir,

1. Against contract vide Notification for Award of the Tender No dated covering supply of (hereinafter called the 'contract') entered into between the ***(insert name of Purchaser)*** (herein after called as the Purchaser) and M/s. (here in after called the 'Contractor'), this is to certify that, at the request of the Contractor, we ***(name of the bank)***, are holding in trust in favour of the Purchaser, the amount of ***(write the sum here in words)***, to indemnify and keep indemnified the Purchaser, against any loss or damage that may be caused to, or suffered by the Purchaser, by reason of any breach by the Contractor of any of the terms and conditions of the said contract and/or in the performance thereof. We agree that the decision of the Purchaser, whether any breach of any of the terms and conditions of the said contract and/or in the performance thereof has been committed by the Contractor; and the amount of loss or damage that has been caused or suffered by the Purchaser, shall be final and binding on us, and the amount of the said loss or damage shall be paid by us, forthwith on demand and without demur to the Purchaser.

2. We ***(name of the bank)***, further agree that, the guarantee herein contained, shall remain in full force and effect, for sixty days after the complete conclusion of the contractual obligations to the complete satisfaction of both the BIDDER and the BUYER, including warranty period whichever is later, i.e. till (hereinafter called the 'said date') and that if any claim accrues or arises against us ***(name of the bank)***, by virtue of this guarantee before the said date, the same shall be enforceable against us ***(name of the bank)***, notwithstanding the fact that the same is enforced within six months after the said date, provided that notice of any such claim has been given to us, ***(name of the bank)***, by the Purchaser, before the said date. Payment under this bond of guarantee shall be made promptly, upon our receipt of notice to that effect, from the Purchaser.

3. It is fully understood that this guarantee is effective from the date of the said contract and that we ***(name of the bank)***, undertake not to revoke this guarantee during its currency, without the consent in writing of the Purchaser.

4. We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute or disputes raised by the Contractor, in any suit or proceeding pending before any Court or Tribunal, relating thereto, our liability under this present, being absolute and unequivocal. The payments so made by us under this bond, shall be a valid discharge of our liability for payment thereunder, and the Contractor shall have no claim against us, for making such payments.

5. We ***(name of the bank)***, further agree that the Purchaser shall have the fullest liberty, without affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the said contract, or to extend time of performance by the Contractor, from time to time, or to postpone for any time or form, time to time, any of the powers exercisable by the Purchaser, against the said Contractor and to for bear or enforce any of the terms and conditions relating to the said contracts and we ***(name of the bank)***, shall not be released from our liability under this guarantee, by reason of any such variation or extension being granted to the said Contractor, or for any forbearance and/or omission on the part of the Purchaser, or any indulgence by the Purchaser towards the said Contractor, or by any other matter or thing whatsoever, which under the law relating to sureties, would, but for this provision, have the effect of so releasing us from our liability under this guarantee.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.

Date

Place

Witnesses

(Bank's Common Seal)

Signature
(Printed Name)
(Designation)

Section XVI: Contract Form

(Address of SPMCIL's office issuing the contract)

Contract No..... dated.....

This is in continuation to this office' Notification of Award No..... dated

1. Name & address of the Supplier:

2. SPMCIL's Tender document No..... dated..... and subsequent Amendment No....., dated (If any), issued by SPMCIL

3. Supplier's Tender No..... dated..... and subsequent communication(s) No..... dated (If any), exchanged between the supplier and SPMCIL in connection with this tender.

4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as part of this contract:

(i) General Conditions of Contract;

(ii) Special Conditions of Contract;

(iii) List of Requirements;

(iv) Technical Specifications;

(v) Quality Control Requirements;

(vi) Tender Form furnished by the supplier;

(vii) Price Schedule(s) furnished by the supplier in its tender;

(viii) Manufacturers' Authorisation Form (if applicable for this tender);

(ix) SPMCIL's Notification of Award

Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under Section - V - 'General Conditions of Contract' of SPMCIL's Tender document shall also apply to this contract.

5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready reference:

(i) Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:

Schedule No.	Brief description of goods/ services	Accounting unit	Quantity to be supplied	Unit Price (in Rs.)	Total price

Any other additional services (if applicable) and cost there of:

Total value (in figure) _____ (In words) _____

(ii) Delivery schedule

(iii) Details of Performance Security

(iv) Quality Control

(a) Mode(s), stage(s), and place(s) of conducting inspections and tests.

(b) Designation and address of SPMCIL's inspecting officer

(v) Destination and despatch instructions

(vi) Consignee, including port consignee, if any

(vii) Warranty clause

(viii) Payment terms

(ix) Paying authority

.....
(Signature, name, and address of SPMCIL's authorized official)

For and on behalf of.....

Received and accepted this contract

(Signature, name, and address of the supplier's executive duly authorized to sign on behalf of the supplier)

For and on behalf of

(Name and address of the supplier)

.....

(Seal of the supplier)

Date:

Place:

**Section XVII: Letter of Authority for attending a
Pre-bid Conference/ Bid Opening**

The General Manager

Unit Address

Subject: Authorization for attending bid opening on _____ (date) in the Tender of _____.

Following persons are hereby authorized to attend the bid opening for the tender mentioned above on behalf of _____ (Bidder) in order of preference given below.

Order of Preference	Name	Specimen Signatures
I.		
II.		
Alternate Representative		
Signatures of bidder or Officer authorized to sign the bid Documents on behalf of the bidder.		

Note:

1. Maximum of two representatives will be permitted to attend pre-bid conference/ bid opening. In cases where it is restricted to one, first named representative will be allowed to attend. Alternate representative will be permitted when regular representatives are not able to attend.
2. In case of pre-bid conference, self-attested copy of proof of purchase of Bid documents, in the name of the bidder must be enclosed with this authorization, without which entry would be refused. Bid documents would be available for sale at the site also.
3. Permission for entry to the hall where even is held may be refused in case authorization as prescribed above is not produced.

Section XVIII: Proforma of Bills for Payments

(Refer Clause 22.6 of GCC)

Name and Address of the Firm.....

Bill No..... Dated.....

Purchase order.....No.....Dated.....

Name and address of the consignee.....

S. No	Authority for purchase	Description of Stores	Number or quantity	Rate Rs. P.	Price per Rs. P.	Amount
Total						

1. GST/ CGST/ SGST/ UTGST/ IGST Amount

2. Freight (if applicable)

3. Excise Duty (if applicable)

4. Packing and Forwarding charges (if applicable)

5. Others (Please specify)

6. PVC Amount (with calculation sheet enclosed)

7. (-) deduction/Discount

8. Net amount payable (in words Rs.)

Dispatch detail RR No. other proof of despatch.....

Dated.....(enclosed)

Inspection Certificate No.....Dated.....(enclosed)

Place and Date

Received Rs.....

Rupees).....

We solemnly certify that:

a. Goods and Services Tax (GST) charged on this Bill is not more than what is payable under the provision of the relevant Act or the Rules made there under.

b. Goods on which GST has been charged have not been exempted under the GST Act or the rules made there under and the charges on account of GST on these goods are correct under the provisions of that Act or the Rules made there under.

c. We are registered with above indicated GSTIN as dealer in the State where in their Billing address is located for the purpose of GST.

d. This bill form / invoice is not a replacement for the GST invoice. The proper GST invoice as per requirements of GST rules has been sent to the Purchaser as and when deliveries are made to the consignee.

e. that the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.

Revenue stamp

Signature and of Stamp Supplier

Section XIX: NEFT Mandate

(Refer clause 22.2 of GCC)

From: M/s. Date:

To:

(Insert Name and Address of Purchaser's Paying Authority as per NIT Clause 1)

Sub: NEFT payments

We refer to RBI's NEFT scheme. Our mandate SPMCIL for making payments to us through the above scheme to our under noted account.

NATIONAL ELECTRONIC FUNDS TRANSFER MANDATE FORM

1	Name of City	
2	Bank Code No.	
3	Branch Code No.	
4	Bank's Name	
5	Branch Address	
6	Branch Telephone / Fax No.	
7	Supplier's Account No.	
8	Type of Account	
9	IFSC code for NEFT	
10	IFSC code for RTGS	
11	Supplier's name as per Account	
12	MICR Code No.	
In Lieu of Bank Certificate to be obtained as under, please attach a bank cancelled cheque or photocopy of a cheque or front page of your bank passbook issued by your bank for verification of the above particulars.		

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.

Date

Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and
Signature of authorized
official of the bank

NOTE 1- "Anti-Bribery Management system (ABMS)- By participating in this tender, the suppliers/Vendors/Contractors are deemed to have undertaken that they shall not give or take, any financial or non-financial bribe, to or from anyone during the tender or during the execution of the contract thereafter and if they notice any such incident happening, they shall report it to Vigilance."